



LINARC

Wet Location Linear

EXTEND INTERIOR ELEGANCE OUTDOORS

IP66

Architectural linear lighting, confidently crafted for the elements. The LiniArc® Wet Location (LAW2) extends the refined aesthetic of interior linear lighting into the outdoors—not just seamlessly, but purposefully. Precision-engineered and factory-sealed to withstand harsh environments, LAW2 delivers consistent, high-performance illumination in spaces where reliability matters. Its slim, minimalist form carries clean visual lines across entire projects—indoors, outdoors, and everywhere in between.



Key Advantages

Efficient & Powerful Illumination

Up to 128 LPW and 1,500 Lumens/ft. delivers bright, uniform light with low energy use—reducing cost of ownership and delivering premium results.

Factory-Sealed, Weather-Ready Design

IP66 protection resists dust, moisture, and corrosion and performs from -40°F to 122°F. Factory-sealed for a no-hassle installation.

Extremely Customizable

Offering over 1 million unique product configurations, the LiniArc Wet Location is here to make your unique creative layouts come to life.

Versatile Mounting Options

Eight distinct mounting options enable seamless architectural integration into a wide range of indoor and outdoor environments.

Made in the USA

Crafted with premium materials and backed by LSI's 50 years of outdoor lighting expertise, meeting BAA and BABAA requirements.

Architectural Design

Slim linear profile designed to maintain clean sightlines and align with modern architectural aesthetics.



Applications


- Walkways, breezeways, soffits
- Large signs, building facades, service entrances
- Grocery, hospitality, retail, auto dealerships, convenience stores
- Schools, hospitals, and sports facilities
- Parking structures & stairwells

OVER ONE MILLION UNIQUE PRODUCT CONFIGURATIONS

Length & Continuous Runs

Lengths

A wide range of length options are available for the LAW2, enabling it to fit within almost any design vision imaginable. Fixture lengths from 1' - 8' in 1-foot increments lead the way as standard options. However, LSI's support doesn't stop at standard. Custom lengths options are available from 1' - 12' in 6" increments, allowing the LAW2 to fit precisely within unique applications.



Continuous Runs

Extend the LAW2 into continuous runs of linear light, stretching impressive architectural aesthetics across major lengths both indoors and out. Link multiple fixtures to achieve runs up to 325', and seamlessly integrate controls and sensors within the housing's clean linear profile.



Mounting Styles

Multiple mounting options allow for flexibility, including wall, mullion, recessed, surface, rigid stem, aircraft cable pendant (drywall and grid), and adjustable sign lighter configurations.




Rotatable Arm Mount & Top Stem

For unmatched flexibility in outdoor display lighting, the LAW2 features two rotatable mounting styles; Horizontal Arm & Vertical Top Stem. Secured by two adjustable mounting segments, these mounting styles feature full 360-degree rotation for accurate aiming and illumination of signs, walls, murals, and more.

Rotatable Arm Mount Lengths: 3" / 6" / 12" / 18" / 24"

Rotatable Top Stem Lengths: 12" / 24" / 36" / 48" / 60"



Lens Options

Lens Profile:

Proud 3/8" - Lens Extended from Housing


Flush - Lens Flush with Housing

Lens Finish:


Diffuse Acrylic - Haze Diffusion for Even Illumination

Diffuse Polycarbonate - High Impact (IK10) Protection


Clear - Limited 5% Haze for Advanced Distributions




4 Distribution Types




Wide Symmetric Lambertian



Narrow Spot/Wall Graze



Asymmetric/Forward Throw



Asymmetric/Reverse Throw Wall Wash

LET YOUR IMAGINATION RUN WILD

The LiniArc® Wet Location (LAW2) exemplifies LSI quality and innovation by combining refined design with exceptional flexibility for a wide range of applications. With multiple mounting options, lens choices, and light distributions, LAW2 adapts effortlessly to architectural, signage, and site lighting needs, indoors or out.

Additional Options

-  Integral Cold Weather Battery (-20C to 40C)
-  Integral/Remote Standard Battery (0 to 40C)
-  Integral Surge Protector (10/20kV)

SUPERIOR OPTICAL



Finish Options

- Multiple color options allow LAW2 to align seamlessly with virtually any architectural aesthetic, ensuring the fixture complements its environment as beautifully as it performs.
- RAL color options available for further customization — any color you want, LSI can make it.

Listings



Made in America
(BAA/BABAA)



DLC
Listed



Dark Sky
Certified

IP66

Factory-Sealed
Dust & Water-Tight



Title 24
Compliant

IK10

High Impact
Protection

EXTEND INTERIOR ELEGANCE OUTDOORS.

Contact your LSI representative for specifications,
photometric data, and BIM/Revit assets.

Visit: [lsicorp.com](https://www.lsicorp.com)

