



LED Parking Garage Fixtures



LED Parking Garage Fixtures

SERIES	EG3	XLPGK	XLPG	XPG3	CPG Compact Parking Garage	EXN Excursion
						
DESCRIPTION	Economical LED Linear, Vaportight Fixture Excellent for General Ambient Lighting Shallow, Rugged Fixture with Soft, High Lumen Output 4' Length	LED Retrofit Kit for Fluorescent Linear Fixtures Purpose Built for Parking Garage Applications Meets IES RP20, G-1 for Limited Mounting Heights & Spacings Soft, High Lumen Output 4' Length	LED Linear, Vaportight Fixture Purpose Built for Parking Garage Applications Precision Optics at an Affordable Value Meets IES RP20, G-1 for Limited Mounting Heights & Spacings 4' Length	Square, Architectural Shape Excellent Performance Designed for Uniform Illumination of Open Spaces, to Meet IES RP20, G-1 & for Most Mounting Heights & Spacings Type S & Type S Distributions	Square, Architectural Shape Designed for Uniform Illumination of Open Spaces & to Meet IES RP20, G-1 for Most Mounting Heights & Spacings Wide Distribution	Round, Architectural Shape Designed for Uniform Illumination of Open Spaces & to Meet IES RP20, G-1 for Most Mounting Heights & Spacings Type 5W (Wide) & Type 5N (Narrow) Distributions 5-10% Up-Light
SIZE	6 13/16 x 51 5/8	5 1/4 x 50 1/8 Dimensions Vary Depending Upon Size of Existing Housing	7 1/4 x 57 7/8	16 1/2 X 16 1/2	119" wide	17.5" diameter
HOUSING DEPTH (Inches)	4 1/4	3 1/8	5 7/8	8	4.9" tall	4.3" tall
COLOR TEMPERATURE (Nominal)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K)	3000, 4000 and 5000K	2700, 3000, 4000 and 5000K
LUMEN (Range)	6,390 - 7,360	5,731 - 9,874	5,731 - 9,874	4,245 - 10,712	3,387 to 9,830 (4 lumen packages)	5,238 to 11,000 (5 lumen packages)
LPW (Max)	122	125	125	110	143	124
INPUT WATTS (Range)	60	57 - 79	57 - 79	56 - 125	24 - 81	45 - 88
CRI	≥80; Cool White >70	≥80; Cool White >70	≥80; Cool White >70	≥80; Cool White >70	80	70 (standard), 90 (optional)
DIMMING	Yes	Yes	Yes	Yes	Yes	Yes
CONTROLS	AirLink™ Synapse® with optional motion and light sensor	AirLink™ Synapse® with optional motion and light sensor	AirLink™ Synapse® with optional motion and light sensor	AirLink™ Synapse® with optional motion and light sensor	AirLink™ Synapse® with optional motion and light sensor	AirLink™ Synapse® with optional motion and light sensor
DLC		No				 
WARRANTY	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years

For a list of the specific products in this series that are DLC listed, please consult the LED section of our website or the Design Lights website at www.designlights.org.

About LSI Industries, Inc.

LSI is a leading manufacturer and supplier of IMAGE-enhancing interior & exterior LED Lighting Fixtures, Lighting Controls, Poles/Brackets and Graphics. LSI utilizes its advanced technological capabilities to develop and sell energy-efficient, innovative products across commercial, industrial, banking, petroleum, quick serve restaurant, and automotive segments, to name a few. Operations span the globe, with concentrations in North America, Latin America and Australia. LSI is traded on NASDAQ under LYTS and can be visited online at <http://www.lsi-industries.com>



For assistance with your garage lighting layout, please visit our unique selector tool here:

<http://www.lsi-industries.com/parking-garage-design.aspx>



PARKING GARAGE
DESIGN SELECTOR

