



# 4RDI STANDARD - 4" ARCHITECTURAL LINEAR

## 4RDI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Efficiency
4RDI-02-LED-03L-03L-LF-UE-27	1,407	703	50%	704	50%	12	117
4RDI-02-LED-03L-03L-LF-UE-30	1,431	716	50%	716	50%	12	119
4RDI-02-LED-03L-03L-LF-UE-35	1,456	727	50%	729	50%	12	121
4RDI-02-LED-03L-03L-LF-UE-40	1,504	751	50%	752	50%	12	125
4RDI-02-LED-03L-03L-LF-UE-50	1,550	774	50%	775	50%	12	129
4RDI-02-LED-03L-05L-LF-UE-27	1,635	701	43%	934	57%	14	117
4RDI-02-LED-03L-05L-LF-UE-30	1,665	714	43%	951	57%	14	119
4RDI-02-LED-03L-05L-LF-UE-35	1,692	725	43%	967	57%	14	121
4RDI-02-LED-03L-05L-LF-UE-40	1,748	750	43%	999	57%	14	125
4RDI-02-LED-03L-05L-LF-UE-50	1,801	772	43%	1,029	57%	14	129
4RDI-02-LED-03L-07L-LF-UE-27	2,123	701	33%	1,422	67%	18	118
4RDI-02-LED-03L-07L-LF-UE-30	2,162	714	33%	1,448	67%	18	120
4RDI-02-LED-03L-07L-LF-UE-35	2,198	725	33%	1,472	67%	18	122
4RDI-02-LED-03L-07L-LF-UE-40	2,271	750	33%	1,521	67%	18	126
4RDI-02-LED-03L-07L-LF-UE-50	2,339	772	33%	1,567	67%	18	130
4RDI-02-LED-03L-10L-LF-UE-27	2,589	705	27%	1,884	73%	23	115
4RDI-02-LED-03L-10L-LF-UE-30	2,637	718	27%	1,919	73%	23	117
4RDI-02-LED-03L-10L-LF-UE-35	2,680	729	27%	1,951	73%	23	119
4RDI-02-LED-03L-10L-LF-UE-40	2,769	754	27%	2,016	73%	23	123
4RDI-02-LED-03L-10L-LF-UE-50	2,853	776	27%	2,076	73%	23	127
4RDI-02-LED-05L-03L-LF-UE-27	1,631	928	57%	703	43%	15	112
4RDI-02-LED-05L-03L-LF-UE-30	1,660	944	57%	716	43%	15	114
4RDI-02-LED-05L-03L-LF-UE-35	1,689	961	57%	728	43%	15	116
4RDI-02-LED-05L-03L-LF-UE-40	1,744	992	57%	752	43%	15	120
4RDI-02-LED-05L-03L-LF-UE-50	1,796	1,022	57%	775	43%	15	124
4RDI-02-LED-05L-05L-LF-UE-27	1,859	926	50%	933	50%	17	112
4RDI-02-LED-05L-05L-LF-UE-30	1,893	943	50%	950	50%	17	114
4RDI-02-LED-05L-05L-LF-UE-35	1,925	959	50%	966	50%	17	116
4RDI-02-LED-05L-05L-LF-UE-40	1,988	990	50%	998	50%	17	120
4RDI-02-LED-05L-05L-LF-UE-50	2,048	1,020	50%	1,028	50%	17	123
4RDI-02-LED-05L-07L-LF-UE-27	2,348	926	39%	1,422	61%	20	117
4RDI-02-LED-05L-07L-LF-UE-30	2,391	943	39%	1,448	61%	20	119
4RDI-02-LED-05L-07L-LF-UE-35	2,431	959	39%	1,472	61%	20	121
4RDI-02-LED-05L-07L-LF-UE-40	2,511	990	39%	1,521	61%	20	125
4RDI-02-LED-05L-07L-LF-UE-50	2,587	1,020	39%	1,567	61%	20	128
4RDI-02-LED-05L-10L-LF-UE-27	2,814	930	33%	1,884	67%	23	122
4RDI-02-LED-05L-10L-LF-UE-30	2,865	946	33%	1,919	67%	23	125
4RDI-02-LED-05L-10L-LF-UE-35	2,913	963	33%	1,951	67%	23	127
4RDI-02-LED-05L-10L-LF-UE-40	3,009	994	33%	2,015	67%	23	131
4RDI-02-LED-05L-10L-LF-UE-50	3,100	1,024	33%	2,076	67%	23	135
4RDI-02-LED-07L-03L-LF-UE-27	2,122	1,418	67%	703	33%	20	109
4RDI-02-LED-07L-03L-LF-UE-30	2,159	1,444	67%	715	33%	20	111
4RDI-02-LED-07L-03L-LF-UE-35	2,196	1,468	67%	728	33%	20	113
4RDI-02-LED-07L-03L-LF-UE-40	2,269	1,517	67%	752	33%	20	116
4RDI-02-LED-07L-03L-LF-UE-50	2,337	1,562	67%	775	33%	20	120
4RDI-02-LED-07L-05L-LF-UE-27	2,350	1,417	60%	933	40%	21	112
4RDI-02-LED-07L-05L-LF-UE-30	2,393	1,442	60%	950	40%	21	114
4RDI-02-LED-07L-05L-LF-UE-35	2,433	1,467	60%	966	40%	21	116
4RDI-02-LED-07L-05L-LF-UE-40	2,514	1,515	60%	998	40%	21	120
4RDI-02-LED-07L-05L-LF-UE-50	2,589	1,560	60%	1,028	40%	21	124
4RDI-02-LED-07L-07L-LF-UE-27	2,838	1,417	50%	1,421	50%	25	112
4RDI-02-LED-07L-07L-LF-UE-30	2,890	1,442	50%	1,448	50%	25	114
4RDI-02-LED-07L-07L-LF-UE-35	2,939	1,467	50%	1,472	50%	25	116
4RDI-02-LED-07L-07L-LF-UE-40	3,036	1,515	50%	1,521	50%	25	120
4RDI-02-LED-07L-07L-LF-UE-50	3,127	1,560	50%	1,566	50%	25	124
4RDI-02-LED-07L-10L-LF-UE-27	3,304	1,420	43%	1,884	57%	28	120
4RDI-02-LED-07L-10L-LF-UE-30	3,365	1,446	43%	1,919	57%	28	122
4RDI-02-LED-07L-10L-LF-UE-35	3,421	1,470	43%	1,951	57%	28	124



# 4RDI STANDARD - 4" ARCHITECTURAL LINEAR

## 4RDI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Efficiency
4RDI-02-LED-07L-10L-LF-UE-40	3,534	1,519	43%	2,015	57%	28	128
4RDI-02-LED-07L-10L-LF-UE-50	3,640	1,564	43%	2,076	57%	28	132
4RDI-02-LED-10L-03L-LF-UE-27	2,592	1,889	73%	703	27%	25	106
4RDI-02-LED-10L-03L-LF-UE-30	2,638	1,922	73%	715	27%	25	108
4RDI-02-LED-10L-03L-LF-UE-35	2,683	1,955	73%	728	27%	25	110
4RDI-02-LED-10L-03L-LF-UE-40	2,772	2,020	73%	752	27%	25	113
4RDI-02-LED-10L-03L-LF-UE-50	2,856	2,081	73%	775	27%	25	117
4RDI-02-LED-10L-05L-LF-UE-27	2,820	1,887	67%	933	33%	26	110
4RDI-02-LED-10L-05L-LF-UE-30	2,871	1,921	67%	950	33%	26	111
4RDI-02-LED-10L-05L-LF-UE-35	2,919	1,953	67%	966	33%	26	113
4RDI-02-LED-10L-05L-LF-UE-40	3,016	2,018	67%	998	33%	26	117
4RDI-02-LED-10L-05L-LF-UE-50	3,107	2,079	67%	1,028	33%	26	121
4RDI-02-LED-10L-07L-LF-UE-27	3,309	1,887	57%	1,421	43%	30	112
4RDI-02-LED-10L-07L-LF-UE-30	3,368	1,921	57%	1,448	43%	30	114
4RDI-02-LED-10L-07L-LF-UE-35	3,425	1,953	57%	1,472	43%	30	116
4RDI-02-LED-10L-07L-LF-UE-40	3,539	2,018	57%	1,521	43%	30	119
4RDI-02-LED-10L-07L-LF-UE-50	3,645	2,079	57%	1,566	43%	30	123
4RDI-02-LED-10L-10L-LF-UE-27	3,775	1,891	50%	1,884	50%	33	115
4RDI-02-LED-10L-10L-LF-UE-30	3,843	1,924	50%	1,919	50%	33	117
4RDI-02-LED-10L-10L-LF-UE-35	3,908	1,957	50%	1,951	50%	33	119
4RDI-02-LED-10L-10L-LF-UE-40	4,037	2,022	50%	2,015	50%	33	123
4RDI-02-LED-10L-10L-LF-UE-50	4,159	2,083	50%	2,076	50%	33	127
4RDI-02-LED-13L-03L-LF-UE-27	3,051	2,347	77%	703	23%	30	103
4RDI-02-LED-13L-03L-LF-UE-30	3,105	2,390	77%	715	23%	30	105
4RDI-02-LED-13L-03L-LF-UE-35	3,158	2,430	77%	728	23%	30	107
4RDI-02-LED-13L-03L-LF-UE-40	3,262	2,510	77%	752	23%	30	111
4RDI-02-LED-13L-03L-LF-UE-50	3,360	2,585	77%	775	23%	30	114
4RDI-02-LED-13L-05L-LF-UE-27	3,279	2,345	72%	933	28%	31	105
4RDI-02-LED-13L-05L-LF-UE-30	3,338	2,388	72%	950	28%	31	107
4RDI-02-LED-13L-05L-LF-UE-35	3,394	2,428	72%	966	28%	31	109
4RDI-02-LED-13L-05L-LF-UE-40	3,507	2,508	72%	998	28%	31	112
4RDI-02-LED-13L-05L-LF-UE-50	3,611	2,583	72%	1,028	28%	31	116
4RDI-02-LED-13L-07L-LF-UE-27	3,767	2,345	62%	1,422	38%	35	107
4RDI-02-LED-13L-07L-LF-UE-30	3,836	2,388	62%	1,448	38%	35	109
4RDI-02-LED-13L-07L-LF-UE-35	3,900	2,428	62%	1,472	38%	35	111
4RDI-02-LED-13L-07L-LF-UE-40	4,029	2,508	62%	1,521	38%	35	115
4RDI-02-LED-13L-07L-LF-UE-50	4,150	2,583	62%	1,566	38%	35	118
4RDI-02-LED-13L-10L-LF-UE-27	4,233	2,349	55%	1,884	45%	38	111
4RDI-02-LED-13L-10L-LF-UE-30	4,311	2,392	55%	1,919	45%	38	113
4RDI-02-LED-13L-10L-LF-UE-35	4,382	2,431	55%	1,951	45%	38	115
4RDI-02-LED-13L-10L-LF-UE-40	4,527	2,512	55%	2,015	45%	38	119
4RDI-02-LED-13L-10L-LF-UE-50	4,663	2,587	55%	2,076	45%	38	122
4RDI-03-LED-03L-03L-LF-UE-27	2,109	1,054	50%	1,055	50%	18	117
4RDI-03-LED-03L-03L-LF-UE-30	2,147	1,073	50%	1,074	50%	18	119
4RDI-03-LED-03L-03L-LF-UE-35	2,184	1,091	50%	1,093	50%	18	121
4RDI-03-LED-03L-03L-LF-UE-40	2,255	1,127	50%	1,128	50%	18	125
4RDI-03-LED-03L-03L-LF-UE-50	2,322	1,161	50%	1,162	50%	18	129
4RDI-03-LED-03L-05L-LF-UE-27	2,452	1,051	43%	1,400	57%	21	117
4RDI-03-LED-03L-05L-LF-UE-30	2,496	1,070	43%	1,426	57%	21	119
4RDI-03-LED-03L-05L-LF-UE-35	2,539	1,089	43%	1,450	57%	21	121
4RDI-03-LED-03L-05L-LF-UE-40	2,622	1,124	43%	1,498	57%	21	125
4RDI-03-LED-03L-05L-LF-UE-50	2,701	1,158	43%	1,543	57%	21	129
4RDI-03-LED-03L-07L-LF-UE-27	3,185	1,051	33%	2,133	67%	27	118
4RDI-03-LED-03L-07L-LF-UE-30	3,242	1,070	33%	2,172	67%	27	120
4RDI-03-LED-03L-07L-LF-UE-35	3,298	1,089	33%	2,209	67%	27	122
4RDI-03-LED-03L-07L-LF-UE-40	3,406	1,124	33%	2,282	67%	27	126
4RDI-03-LED-03L-07L-LF-UE-50	3,508	1,158	33%	2,350	67%	27	130
4RDI-03-LED-03L-10L-LF-UE-27	3,884	1,057	27%	2,827	73%	34	115
4RDI-03-LED-03L-10L-LF-UE-30	3,954	1,076	27%	2,879	73%	34	117



# 4RDI STANDARD - 4" ARCHITECTURAL LINEAR

## 4RDI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Efficiency
4RDI-03-LED-03L-10L-LF-UE-35	4,021	1,094	27%	2,927	73%	34	119
4RDI-03-LED-03L-10L-LF-UE-40	4,154	1,130	27%	3,024	73%	34	123
4RDI-03-LED-03L-10L-LF-UE-50	4,278	1,164	27%	3,114	73%	34	127
4RDI-03-LED-05L-03L-LF-UE-27	2,446	1,391	57%	1,055	43%	22	112
4RDI-03-LED-05L-03L-LF-UE-30	2,490	1,416	57%	1,073	43%	22	114
4RDI-03-LED-05L-03L-LF-UE-35	2,533	1,441	57%	1,092	43%	22	116
4RDI-03-LED-05L-03L-LF-UE-40	2,616	1,488	57%	1,128	43%	22	120
4RDI-03-LED-05L-03L-LF-UE-50	2,693	1,532	57%	1,161	43%	22	124
4RDI-03-LED-05L-05L-LF-UE-27	2,788	1,388	50%	1,400	50%	25	112
4RDI-03-LED-05L-05L-LF-UE-30	2,839	1,414	50%	1,426	50%	25	114
4RDI-03-LED-05L-05L-LF-UE-35	2,888	1,438	50%	1,450	50%	25	116
4RDI-03-LED-05L-05L-LF-UE-40	2,982	1,485	50%	1,497	50%	25	120
4RDI-03-LED-05L-05L-LF-UE-50	3,072	1,529	50%	1,543	50%	25	123
4RDI-03-LED-05L-07L-LF-UE-27	3,521	1,388	39%	2,133	61%	30	116
4RDI-03-LED-05L-07L-LF-UE-30	3,585	1,414	39%	2,171	61%	30	119
4RDI-03-LED-05L-07L-LF-UE-35	3,647	1,438	39%	2,208	61%	30	121
4RDI-03-LED-05L-07L-LF-UE-40	3,766	1,485	39%	2,281	61%	30	125
4RDI-03-LED-05L-07L-LF-UE-50	3,879	1,529	39%	2,349	61%	30	128
4RDI-03-LED-05L-10L-LF-UE-27	4,220	1,394	33%	2,827	67%	34	122
4RDI-03-LED-05L-10L-LF-UE-30	4,297	1,419	33%	2,878	67%	34	125
4RDI-03-LED-05L-10L-LF-UE-35	4,371	1,444	33%	2,927	67%	34	127
4RDI-03-LED-05L-10L-LF-UE-40	4,514	1,491	33%	3,023	67%	34	131
4RDI-03-LED-05L-10L-LF-UE-50	4,648	1,535	33%	3,113	67%	34	135
4RDI-03-LED-07L-03L-LF-UE-27	3,182	2,127	67%	1,055	33%	29	109
4RDI-03-LED-07L-03L-LF-UE-30	3,240	2,166	67%	1,073	33%	29	111
4RDI-03-LED-07L-03L-LF-UE-35	3,295	2,203	67%	1,092	33%	29	113
4RDI-03-LED-07L-03L-LF-UE-40	3,403	2,275	67%	1,127	33%	29	116
4RDI-03-LED-07L-03L-LF-UE-50	3,504	2,343	67%	1,161	33%	29	120
4RDI-03-LED-07L-05L-LF-UE-27	3,524	2,124	60%	1,400	40%	31	112
4RDI-03-LED-07L-05L-LF-UE-30	3,589	2,164	60%	1,425	40%	31	114
4RDI-03-LED-07L-05L-LF-UE-35	3,650	2,200	60%	1,450	40%	31	116
4RDI-03-LED-07L-05L-LF-UE-40	3,769	2,272	60%	1,497	40%	31	120
4RDI-03-LED-07L-05L-LF-UE-50	3,883	2,341	60%	1,542	40%	31	124
4RDI-03-LED-07L-07L-LF-UE-27	4,257	2,124	50%	2,133	50%	38	112
4RDI-03-LED-07L-07L-LF-UE-30	4,335	2,164	50%	2,171	50%	38	114
4RDI-03-LED-07L-07L-LF-UE-35	4,409	2,200	50%	2,208	50%	38	116
4RDI-03-LED-07L-07L-LF-UE-40	4,553	2,273	50%	2,281	50%	38	120
4RDI-03-LED-07L-07L-LF-UE-50	4,690	2,341	50%	2,349	50%	38	124
4RDI-03-LED-07L-10L-LF-UE-27	4,956	2,130	43%	2,827	57%	41	120
4RDI-03-LED-07L-10L-LF-UE-30	5,047	2,169	43%	2,878	57%	41	122
4RDI-03-LED-07L-10L-LF-UE-35	5,132	2,206	43%	2,926	57%	41	124
4RDI-03-LED-07L-10L-LF-UE-40	5,301	2,278	43%	3,023	57%	41	128
4RDI-03-LED-07L-10L-LF-UE-50	5,460	2,346	43%	3,113	57%	41	132
4RDI-03-LED-10L-03L-LF-UE-27	3,888	2,833	73%	1,055	27%	37	106
4RDI-03-LED-10L-03L-LF-UE-30	3,957	2,884	73%	1,073	27%	37	108
4RDI-03-LED-10L-03L-LF-UE-35	4,024	2,933	73%	1,092	27%	37	110
4RDI-03-LED-10L-03L-LF-UE-40	4,157	3,029	73%	1,128	27%	37	113
4RDI-03-LED-10L-03L-LF-UE-50	4,282	3,121	73%	1,161	27%	37	117
4RDI-03-LED-10L-05L-LF-UE-27	4,230	2,830	67%	1,400	33%	39	110
4RDI-03-LED-10L-05L-LF-UE-30	4,307	2,882	67%	1,425	33%	39	112
4RDI-03-LED-10L-05L-LF-UE-35	4,379	2,930	67%	1,450	33%	39	113
4RDI-03-LED-10L-05L-LF-UE-40	4,524	3,027	67%	1,497	33%	39	117
4RDI-03-LED-10L-05L-LF-UE-50	4,660	3,118	67%	1,542	33%	39	121
4RDI-03-LED-10L-07L-LF-UE-27	4,963	2,830	57%	2,133	43%	44	112
4RDI-03-LED-10L-07L-LF-UE-30	5,053	2,882	57%	2,171	43%	44	114
4RDI-03-LED-10L-07L-LF-UE-35	5,138	2,930	57%	2,208	43%	44	116
4RDI-03-LED-10L-07L-LF-UE-40	5,308	3,027	57%	2,281	43%	44	119
4RDI-03-LED-10L-07L-LF-UE-50	5,467	3,118	57%	2,349	43%	44	123
4RDI-03-LED-10L-10L-LF-UE-27	5,662	2,835	50%	2,827	50%	49	115
4RDI-03-LED-10L-10L-LF-UE-30	5,765	2,887	50%	2,878	50%	49	117



# 4RDI STANDARD - 4" ARCHITECTURAL LINEAR

## 4RDI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Efficiency
4RDI-03-LED-10L-10L-LF-UE-35	5,862	2,936	50%	2,927	50%	49	119
4RDI-03-LED-10L-10L-LF-UE-40	6,055	3,033	50%	3,023	50%	49	123
4RDI-03-LED-10L-10L-LF-UE-50	6,237	3,124	50%	3,113	50%	49	127
4RDI-03-LED-13L-03L-LF-UE-27	4,575	3,521	77%	1,055	23%	44	103
4RDI-03-LED-13L-03L-LF-UE-30	4,658	3,585	77%	1,073	23%	44	105
4RDI-03-LED-13L-03L-LF-UE-35	4,737	3,645	77%	1,092	23%	44	107
4RDI-03-LED-13L-03L-LF-UE-40	4,893	3,765	77%	1,128	23%	44	111
4RDI-03-LED-13L-03L-LF-UE-50	5,039	3,878	77%	1,161	23%	44	114
4RDI-03-LED-13L-05L-LF-UE-27	4,918	3,518	72%	1,400	28%	47	105
4RDI-03-LED-13L-05L-LF-UE-30	5,008	3,582	72%	1,425	28%	47	107
4RDI-03-LED-13L-05L-LF-UE-35	5,092	3,642	72%	1,450	28%	47	109
4RDI-03-LED-13L-05L-LF-UE-40	5,260	3,763	72%	1,497	28%	47	112
4RDI-03-LED-13L-05L-LF-UE-50	5,418	3,876	72%	1,543	28%	47	116
4RDI-03-LED-13L-07L-LF-UE-27	5,651	3,518	62%	2,133	38%	53	107
4RDI-03-LED-13L-07L-LF-UE-30	5,754	3,582	62%	2,171	38%	53	109
4RDI-03-LED-13L-07L-LF-UE-35	5,851	3,642	62%	2,208	38%	53	111
4RDI-03-LED-13L-07L-LF-UE-40	6,043	3,763	62%	2,281	38%	53	115
4RDI-03-LED-13L-07L-LF-UE-50	6,225	3,876	62%	2,349	38%	53	118
4RDI-03-LED-13L-10L-LF-UE-27	6,350	3,523	55%	2,827	45%	57	111
4RDI-03-LED-13L-10L-LF-UE-30	6,466	3,588	55%	2,878	45%	57	113
4RDI-03-LED-13L-10L-LF-UE-35	6,575	3,648	55%	2,927	45%	57	115
4RDI-03-LED-13L-10L-LF-UE-40	6,791	3,768	55%	3,023	45%	57	119
4RDI-03-LED-13L-10L-LF-UE-50	6,995	3,881	55%	3,113	45%	57	122
4RDI-04-LED-03L-03L-LF-UE-27	2,812	1,405	50%	1,407	50%	24	117
4RDI-04-LED-03L-03L-LF-UE-30	2,863	1,430	50%	1,432	50%	24	119
4RDI-04-LED-03L-03L-LF-UE-35	2,911	1,454	50%	1,456	50%	24	121
4RDI-04-LED-03L-03L-LF-UE-40	3,007	1,503	50%	1,505	50%	24	125
4RDI-04-LED-03L-03L-LF-UE-50	3,097	1,548	50%	1,549	50%	24	129
4RDI-04-LED-03L-05L-LF-UE-27	3,269	1,401	43%	1,867	57%	28	117
4RDI-04-LED-03L-05L-LF-UE-30	3,328	1,427	43%	1,901	57%	28	119
4RDI-04-LED-03L-05L-LF-UE-35	3,384	1,451	43%	1,933	57%	28	121
4RDI-04-LED-03L-05L-LF-UE-40	3,496	1,499	43%	1,997	57%	28	125
4RDI-04-LED-03L-05L-LF-UE-50	3,601	1,544	43%	2,057	57%	28	129
4RDI-04-LED-03L-07L-LF-UE-27	4,247	1,402	33%	2,845	67%	36	118
4RDI-04-LED-03L-07L-LF-UE-30	4,323	1,427	33%	2,896	67%	36	120
4RDI-04-LED-03L-07L-LF-UE-35	4,396	1,451	33%	2,945	67%	36	122
4RDI-04-LED-03L-07L-LF-UE-40	4,541	1,499	33%	3,042	67%	36	126
4RDI-04-LED-03L-07L-LF-UE-50	4,677	1,544	33%	3,134	67%	36	130
4RDI-04-LED-03L-10L-LF-UE-27	5,178	1,409	27%	3,770	73%	45	115
4RDI-04-LED-03L-10L-LF-UE-30	5,273	1,434	27%	3,838	73%	45	117
4RDI-04-LED-03L-10L-LF-UE-35	5,361	1,458	27%	3,903	73%	45	119
4RDI-04-LED-03L-10L-LF-UE-40	5,538	1,507	27%	4,032	73%	45	123
4RDI-04-LED-03L-10L-LF-UE-50	5,704	1,552	27%	4,152	73%	45	127
4RDI-04-LED-05L-03L-LF-UE-27	3,262	1,856	57%	1,406	43%	29	112
4RDI-04-LED-05L-03L-LF-UE-30	3,320	1,889	57%	1,432	43%	29	114
4RDI-04-LED-05L-03L-LF-UE-35	3,376	1,921	57%	1,456	43%	29	116
4RDI-04-LED-05L-03L-LF-UE-40	3,488	1,984	57%	1,504	43%	29	120
4RDI-04-LED-05L-03L-LF-UE-50	3,592	2,043	57%	1,549	43%	29	124
4RDI-04-LED-05L-05L-LF-UE-27	3,719	1,852	50%	1,867	50%	33	112
4RDI-04-LED-05L-05L-LF-UE-30	3,786	1,885	50%	1,901	50%	33	114
4RDI-04-LED-05L-05L-LF-UE-35	3,850	1,917	50%	1,933	50%	33	116
4RDI-04-LED-05L-05L-LF-UE-40	3,977	1,980	50%	1,996	50%	33	120
4RDI-04-LED-05L-05L-LF-UE-50	4,096	2,040	50%	2,056	50%	33	123
4RDI-04-LED-05L-07L-LF-UE-27	4,696	1,852	39%	2,844	61%	40	117
4RDI-04-LED-05L-07L-LF-UE-30	4,781	1,885	39%	2,896	61%	40	119
4RDI-04-LED-05L-07L-LF-UE-35	4,861	1,917	39%	2,944	61%	40	121
4RDI-04-LED-05L-07L-LF-UE-40	5,022	1,981	39%	3,042	61%	40	125
4RDI-04-LED-05L-07L-LF-UE-50	5,172	2,040	39%	3,133	61%	40	128
4RDI-04-LED-05L-10L-LF-UE-27	5,628	1,859	33%	3,769	67%	46	122



# 4RDI STANDARD - 4" ARCHITECTURAL LINEAR

## 4RDI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Efficiency
4RDI-04-LED-05L-10L-LF-UE-30	5,730	1,893	33%	3,837	67%	46	125
4RDI-04-LED-05L-10L-LF-UE-35	5,826	1,925	33%	3,902	67%	46	127
4RDI-04-LED-05L-10L-LF-UE-40	6,019	1,988	33%	4,031	67%	46	131
4RDI-04-LED-05L-10L-LF-UE-50	6,199	2,048	33%	4,152	67%	46	135
4RDI-04-LED-07L-03L-LF-UE-27	4,243	2,837	67%	1,406	33%	39	109
4RDI-04-LED-07L-03L-LF-UE-30	4,320	2,888	67%	1,431	33%	39	111
4RDI-04-LED-07L-03L-LF-UE-35	4,392	2,937	67%	1,455	33%	39	113
4RDI-04-LED-07L-03L-LF-UE-40	4,537	3,034	67%	1,503	33%	39	116
4RDI-04-LED-07L-03L-LF-UE-50	4,673	3,125	67%	1,548	33%	39	120
4RDI-04-LED-07L-05L-LF-UE-27	4,700	2,834	60%	1,866	40%	42	112
4RDI-04-LED-07L-05L-LF-UE-30	4,785	2,885	60%	1,900	40%	42	114
4RDI-04-LED-07L-05L-LF-UE-35	4,866	2,933	60%	1,932	40%	42	116
4RDI-04-LED-07L-05L-LF-UE-40	5,027	3,030	60%	1,996	40%	42	120
4RDI-04-LED-07L-05L-LF-UE-50	5,177	3,121	60%	2,056	40%	42	124
4RDI-04-LED-07L-07L-LF-UE-27	5,678	2,834	50%	2,844	50%	51	112
4RDI-04-LED-07L-07L-LF-UE-30	5,780	2,885	50%	2,895	50%	51	114
4RDI-04-LED-07L-07L-LF-UE-35	5,878	2,934	50%	2,944	50%	51	116
4RDI-04-LED-07L-07L-LF-UE-40	6,072	3,031	50%	3,041	50%	51	120
4RDI-04-LED-07L-07L-LF-UE-50	6,254	3,121	50%	3,132	50%	51	124
4RDI-04-LED-07L-10L-LF-UE-27	6,610	2,841	43%	3,769	57%	55	120
4RDI-04-LED-07L-10L-LF-UE-30	6,729	2,892	43%	3,837	57%	55	122
4RDI-04-LED-07L-10L-LF-UE-35	6,843	2,941	43%	3,902	57%	55	124
4RDI-04-LED-07L-10L-LF-UE-40	7,069	3,038	43%	4,031	57%	55	128
4RDI-04-LED-07L-10L-LF-UE-50	7,280	3,129	43%	4,151	57%	55	132
4RDI-04-LED-10L-03L-LF-UE-27	5,183	3,777	73%	1,406	27%	49	106
4RDI-04-LED-10L-03L-LF-UE-30	5,277	3,846	73%	1,431	27%	49	108
4RDI-04-LED-10L-03L-LF-UE-35	5,366	3,910	73%	1,456	27%	49	110
4RDI-04-LED-10L-03L-LF-UE-40	5,543	4,039	73%	1,504	27%	49	113
4RDI-04-LED-10L-03L-LF-UE-50	5,709	4,160	73%	1,548	27%	49	117
4RDI-04-LED-10L-05L-LF-UE-27	5,640	3,774	67%	1,867	33%	52	110
4RDI-04-LED-10L-05L-LF-UE-30	5,743	3,842	67%	1,901	33%	52	112
4RDI-04-LED-10L-05L-LF-UE-35	5,839	3,907	67%	1,933	33%	52	113
4RDI-04-LED-10L-05L-LF-UE-40	6,032	4,036	67%	1,996	33%	52	117
4RDI-04-LED-10L-05L-LF-UE-50	6,213	4,157	67%	2,056	33%	52	121
4RDI-04-LED-10L-07L-LF-UE-27	6,618	3,774	57%	2,844	43%	59	112
4RDI-04-LED-10L-07L-LF-UE-30	6,738	3,842	57%	2,896	43%	59	114
4RDI-04-LED-10L-07L-LF-UE-35	6,851	3,907	57%	2,944	43%	59	116
4RDI-04-LED-10L-07L-LF-UE-40	7,077	4,036	57%	3,041	43%	59	119
4RDI-04-LED-10L-07L-LF-UE-50	7,289	4,157	57%	3,133	43%	59	123
4RDI-04-LED-10L-10L-LF-UE-27	7,550	3,781	50%	3,769	50%	65	115
4RDI-04-LED-10L-10L-LF-UE-30	7,687	3,849	50%	3,837	50%	65	117
4RDI-04-LED-10L-10L-LF-UE-35	7,816	3,914	50%	3,902	50%	65	119
4RDI-04-LED-10L-10L-LF-UE-40	8,074	4,044	50%	4,031	50%	65	123
4RDI-04-LED-10L-10L-LF-UE-50	8,316	4,165	50%	4,151	50%	65	127
4RDI-04-LED-13L-03L-LF-UE-27	6,100	4,694	77%	1,406	23%	59	103
4RDI-04-LED-13L-03L-LF-UE-30	6,211	4,779	77%	1,431	23%	59	105
4RDI-04-LED-13L-03L-LF-UE-35	6,315	4,860	77%	1,456	23%	59	107
4RDI-04-LED-13L-03L-LF-UE-40	6,524	5,020	77%	1,504	23%	59	111
4RDI-04-LED-13L-03L-LF-UE-50	6,719	5,171	77%	1,549	23%	59	114
4RDI-04-LED-13L-05L-LF-UE-27	6,558	4,691	72%	1,867	28%	62	105
4RDI-04-LED-13L-05L-LF-UE-30	6,676	4,776	72%	1,901	28%	62	107
4RDI-04-LED-13L-05L-LF-UE-35	6,789	4,856	72%	1,933	28%	62	109
4RDI-04-LED-13L-05L-LF-UE-40	7,013	5,017	72%	1,996	28%	62	112
4RDI-04-LED-13L-05L-LF-UE-50	7,223	5,167	72%	2,056	28%	62	116
4RDI-04-LED-13L-07L-LF-UE-27	7,535	4,691	62%	2,844	38%	70	107
4RDI-04-LED-13L-07L-LF-UE-30	7,671	4,776	62%	2,896	38%	70	109
4RDI-04-LED-13L-07L-LF-UE-35	7,800	4,856	62%	2,944	38%	70	111
4RDI-04-LED-13L-07L-LF-UE-40	8,058	5,017	62%	3,042	38%	70	115
4RDI-04-LED-13L-07L-LF-UE-50	8,300	5,167	62%	3,133	38%	70	118
4RDI-04-LED-13L-10L-LF-UE-27	8,467	4,698	55%	3,769	45%	76	111



# 4RDI STANDARD - 4" ARCHITECTURAL LINEAR

## 4RDI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Efficiency
4RDI-04-LED-13L-10L-LF-UE-30	8,621	4,783	55%	3,837	45%	76	113
4RDI-04-LED-13L-10L-LF-UE-35	8,765	4,864	55%	3,902	45%	76	115
4RDI-04-LED-13L-10L-LF-UE-40	9,055	5,024	55%	4,031	45%	76	119
4RDI-04-LED-13L-10L-LF-UE-50	9,326	5,175	55%	4,151	45%	76	122
4RDI-05-LED-03L-03L-LF-UE-27	3,514	1,756	50%	1,759	50%	30	117
4RDI-05-LED-03L-03L-LF-UE-30	3,578	1,788	50%	1,790	50%	30	119
4RDI-05-LED-03L-03L-LF-UE-35	3,638	1,818	50%	1,820	50%	30	121
4RDI-05-LED-03L-03L-LF-UE-40	3,759	1,878	50%	1,881	50%	30	125
4RDI-05-LED-03L-03L-LF-UE-50	3,871	1,934	50%	1,937	50%	30	129
4RDI-05-LED-03L-05L-LF-UE-27	4,086	1,752	43%	2,334	57%	35	117
4RDI-05-LED-03L-05L-LF-UE-30	4,160	1,784	43%	2,377	57%	35	119
4RDI-05-LED-03L-05L-LF-UE-35	4,230	1,814	43%	2,417	57%	35	121
4RDI-05-LED-03L-05L-LF-UE-40	4,370	1,874	43%	2,496	57%	35	125
4RDI-05-LED-03L-05L-LF-UE-50	4,501	1,930	43%	2,571	57%	35	129
4RDI-05-LED-03L-07L-LF-UE-27	5,308	1,752	33%	3,556	67%	45	118
4RDI-05-LED-03L-07L-LF-UE-30	5,404	1,784	33%	3,621	67%	45	120
4RDI-05-LED-03L-07L-LF-UE-35	5,495	1,814	33%	3,681	67%	45	122
4RDI-05-LED-03L-07L-LF-UE-40	5,677	1,874	33%	3,803	67%	45	126
4RDI-05-LED-03L-07L-LF-UE-50	5,847	1,930	33%	3,917	67%	45	130
4RDI-05-LED-03L-10L-LF-UE-27	6,473	1,761	27%	4,712	73%	56	115
4RDI-05-LED-03L-10L-LF-UE-30	6,591	1,793	27%	4,798	73%	56	117
4RDI-05-LED-03L-10L-LF-UE-35	6,701	1,823	27%	4,878	73%	56	119
4RDI-05-LED-03L-10L-LF-UE-40	6,923	1,883	27%	5,040	73%	56	123
4RDI-05-LED-03L-10L-LF-UE-50	7,131	1,940	27%	5,191	73%	56	127
4RDI-05-LED-05L-03L-LF-UE-27	4,076	2,319	57%	1,757	43%	36	112
4RDI-05-LED-05L-03L-LF-UE-30	4,150	2,361	57%	1,789	43%	36	114
4RDI-05-LED-05L-03L-LF-UE-35	4,220	2,401	57%	1,819	43%	36	116
4RDI-05-LED-05L-03L-LF-UE-40	4,359	2,480	57%	1,880	43%	36	120
4RDI-05-LED-05L-03L-LF-UE-50	4,489	2,554	57%	1,935	43%	36	124
4RDI-05-LED-05L-05L-LF-UE-27	4,648	2,315	50%	2,334	50%	42	112
4RDI-05-LED-05L-05L-LF-UE-30	4,732	2,357	50%	2,376	50%	42	114
4RDI-05-LED-05L-05L-LF-UE-35	4,812	2,397	50%	2,416	50%	42	116
4RDI-05-LED-05L-05L-LF-UE-40	4,971	2,475	50%	2,496	50%	42	120
4RDI-05-LED-05L-05L-LF-UE-50	5,120	2,549	50%	2,570	50%	42	123
4RDI-05-LED-05L-07L-LF-UE-27	5,869	2,315	39%	3,555	61%	50	117
4RDI-05-LED-05L-07L-LF-UE-30	5,976	2,357	39%	3,620	61%	50	119
4RDI-05-LED-05L-07L-LF-UE-35	6,077	2,396	39%	3,680	61%	50	121
4RDI-05-LED-05L-07L-LF-UE-40	6,277	2,475	39%	3,802	61%	50	125
4RDI-05-LED-05L-07L-LF-UE-50	6,465	2,549	39%	3,916	61%	50	128
4RDI-05-LED-05L-10L-LF-UE-27	7,035	2,324	33%	4,711	67%	57	122
4RDI-05-LED-05L-10L-LF-UE-30	7,163	2,366	33%	4,797	67%	57	125
4RDI-05-LED-05L-10L-LF-UE-35	7,283	2,406	33%	4,877	67%	57	127
4RDI-05-LED-05L-10L-LF-UE-40	7,524	2,485	33%	5,039	67%	57	131
4RDI-05-LED-05L-10L-LF-UE-50	7,749	2,559	33%	5,190	67%	57	135
4RDI-05-LED-07L-03L-LF-UE-27	5,303	3,546	67%	1,757	33%	49	109
4RDI-05-LED-07L-03L-LF-UE-30	5,399	3,611	67%	1,789	33%	49	111
4RDI-05-LED-07L-03L-LF-UE-35	5,490	3,671	67%	1,819	33%	49	113
4RDI-05-LED-07L-03L-LF-UE-40	5,672	3,793	67%	1,879	33%	49	116
4RDI-05-LED-07L-03L-LF-UE-50	5,841	3,906	67%	1,935	33%	49	120
4RDI-05-LED-07L-05L-LF-UE-27	5,875	3,542	60%	2,333	40%	52	112
4RDI-05-LED-07L-05L-LF-UE-30	5,982	3,606	60%	2,375	40%	52	114
4RDI-05-LED-07L-05L-LF-UE-35	6,082	3,667	60%	2,415	40%	52	116
4RDI-05-LED-07L-05L-LF-UE-40	6,283	3,788	60%	2,495	40%	52	120
4RDI-05-LED-07L-05L-LF-UE-50	6,472	3,902	60%	2,570	40%	52	124
4RDI-05-LED-07L-07L-LF-UE-27	7,096	3,542	50%	3,554	50%	63	112
4RDI-05-LED-07L-07L-LF-UE-30	7,226	3,606	50%	3,620	50%	63	114
4RDI-05-LED-07L-07L-LF-UE-35	7,346	3,667	50%	3,680	50%	63	116
4RDI-05-LED-07L-07L-LF-UE-40	7,590	3,788	50%	3,802	50%	63	120
4RDI-05-LED-07L-07L-LF-UE-50	7,817	3,902	50%	3,915	50%	63	124



# 4RDI STANDARD - 4" ARCHITECTURAL LINEAR

## 4RDI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Efficiency
4RDI-05-LED-07L-10L-LF-UE-27	8,262	3,551	43%	4,711	57%	69	120
4RDI-05-LED-07L-10L-LF-UE-30	8,412	3,615	43%	4,796	57%	69	122
4RDI-05-LED-07L-10L-LF-UE-35	8,553	3,676	43%	4,877	57%	69	124
4RDI-05-LED-07L-10L-LF-UE-40	8,836	3,798	43%	5,038	57%	69	128
4RDI-05-LED-07L-10L-LF-UE-50	9,101	3,912	43%	5,190	57%	69	132
4RDI-05-LED-10L-03L-LF-UE-27	6,478	4,721	73%	1,757	27%	61	106
4RDI-05-LED-10L-03L-LF-UE-30	6,596	4,807	73%	1,789	27%	61	108
4RDI-05-LED-10L-03L-LF-UE-35	6,707	4,887	73%	1,819	27%	61	109
4RDI-05-LED-10L-03L-LF-UE-40	6,929	5,049	73%	1,880	27%	61	113
4RDI-05-LED-10L-03L-LF-UE-50	7,136	5,201	73%	1,935	27%	61	117
4RDI-05-LED-10L-05L-LF-UE-27	7,050	4,717	67%	2,333	33%	64	110
4RDI-05-LED-10L-05L-LF-UE-30	7,179	4,803	67%	2,376	33%	64	112
4RDI-05-LED-10L-05L-LF-UE-35	7,299	4,883	67%	2,416	33%	64	113
4RDI-05-LED-10L-05L-LF-UE-40	7,541	5,045	67%	2,495	33%	64	117
4RDI-05-LED-10L-05L-LF-UE-50	7,766	5,196	67%	2,570	33%	64	121
4RDI-05-LED-10L-07L-LF-UE-27	8,272	4,717	57%	3,555	43%	74	112
4RDI-05-LED-10L-07L-LF-UE-30	8,423	4,803	57%	3,620	43%	74	114
4RDI-05-LED-10L-07L-LF-UE-35	8,563	4,883	57%	3,680	43%	74	116
4RDI-05-LED-10L-07L-LF-UE-40	8,847	5,045	57%	3,802	43%	74	119
4RDI-05-LED-10L-07L-LF-UE-50	9,112	5,196	57%	3,916	43%	74	123
4RDI-05-LED-10L-10L-LF-UE-27	9,437	4,726	50%	4,711	50%	82	115
4RDI-05-LED-10L-10L-LF-UE-30	9,609	4,812	50%	4,797	50%	82	117
4RDI-05-LED-10L-10L-LF-UE-35	9,769	4,892	50%	4,877	50%	82	119
4RDI-05-LED-10L-10L-LF-UE-40	10,093	5,055	50%	5,039	50%	82	123
4RDI-05-LED-10L-10L-LF-UE-50	10,396	5,206	50%	5,190	50%	82	127
4RDI-05-LED-13L-03L-LF-UE-27	7,625	5,867	77%	1,757	23%	74	103
4RDI-05-LED-13L-03L-LF-UE-30	7,763	5,974	77%	1,789	23%	74	105
4RDI-05-LED-13L-03L-LF-UE-35	7,893	6,074	77%	1,819	23%	74	107
4RDI-05-LED-13L-03L-LF-UE-40	8,155	6,275	77%	1,880	23%	74	111
4RDI-05-LED-13L-03L-LF-UE-50	8,398	6,463	77%	1,935	23%	74	114
4RDI-05-LED-13L-05L-LF-UE-27	8,197	5,864	72%	2,333	28%	78	105
4RDI-05-LED-13L-05L-LF-UE-30	8,346	5,970	72%	2,376	28%	78	107
4RDI-05-LED-13L-05L-LF-UE-35	8,485	6,070	72%	2,416	28%	78	109
4RDI-05-LED-13L-05L-LF-UE-40	8,766	6,271	72%	2,495	28%	78	112
4RDI-05-LED-13L-05L-LF-UE-50	9,029	6,458	72%	2,570	28%	78	116
4RDI-05-LED-13L-07L-LF-UE-27	9,418	5,864	62%	3,555	38%	88	107
4RDI-05-LED-13L-07L-LF-UE-30	9,590	5,970	62%	3,620	38%	88	109
4RDI-05-LED-13L-07L-LF-UE-35	9,750	6,070	62%	3,680	38%	88	111
4RDI-05-LED-13L-07L-LF-UE-40	10,072	6,271	62%	3,802	38%	88	115
4RDI-05-LED-13L-07L-LF-UE-50	10,374	6,458	62%	3,916	38%	88	118
4RDI-05-LED-13L-10L-LF-UE-27	10,584	5,873	55%	4,711	45%	95	111
4RDI-05-LED-13L-10L-LF-UE-30	10,776	5,979	55%	4,797	45%	95	113
4RDI-05-LED-13L-10L-LF-UE-35	10,956	6,079	55%	4,877	45%	95	115
4RDI-05-LED-13L-10L-LF-UE-40	11,319	6,280	55%	5,039	45%	95	119
4RDI-05-LED-13L-10L-LF-UE-50	11,658	6,469	55%	5,190	45%	95	122
4RDI-06-LED-03L-03L-LF-UE-27	4,218	2,107	50%	2,110	50%	36	117
4RDI-06-LED-03L-03L-LF-UE-30	4,294	2,146	50%	2,148	50%	36	119
4RDI-06-LED-03L-03L-LF-UE-35	4,366	2,182	50%	2,185	50%	36	121
4RDI-06-LED-03L-03L-LF-UE-40	4,511	2,254	50%	2,257	50%	36	125
4RDI-06-LED-03L-03L-LF-UE-50	4,646	2,321	50%	2,325	50%	36	129
4RDI-06-LED-03L-05L-LF-UE-27	4,904	2,102	43%	2,802	57%	42	117
4RDI-06-LED-03L-05L-LF-UE-30	4,993	2,141	43%	2,852	57%	42	119
4RDI-06-LED-03L-05L-LF-UE-35	5,077	2,176	43%	2,900	57%	42	121
4RDI-06-LED-03L-05L-LF-UE-40	5,245	2,248	43%	2,996	57%	42	125
4RDI-06-LED-03L-05L-LF-UE-50	5,402	2,316	43%	3,086	57%	42	129
4RDI-06-LED-03L-07L-LF-UE-27	6,369	2,102	33%	4,267	67%	54	118
4RDI-06-LED-03L-07L-LF-UE-30	6,486	2,141	33%	4,345	67%	54	120
4RDI-06-LED-03L-07L-LF-UE-35	6,594	2,176	33%	4,418	67%	54	122
4RDI-06-LED-03L-07L-LF-UE-40	6,812	2,249	33%	4,564	67%	54	126



# 4RDI STANDARD - 4" ARCHITECTURAL LINEAR

## 4RDI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Efficiency
4RDI-06-LED-03L-07L-LF-UE-50	7,017	2,316	33%	4,701	67%	54	130
4RDI-06-LED-03L-10L-LF-UE-27	7,767	2,113	27%	5,654	73%	68	115
4RDI-06-LED-03L-10L-LF-UE-30	7,909	2,152	27%	5,757	73%	68	117
4RDI-06-LED-03L-10L-LF-UE-35	8,041	2,188	27%	5,854	73%	68	119
4RDI-06-LED-03L-10L-LF-UE-40	8,308	2,260	27%	6,047	73%	68	123
4RDI-06-LED-03L-10L-LF-UE-50	8,557	2,328	27%	6,229	73%	68	127
4RDI-06-LED-05L-03L-LF-UE-27	4,892	2,783	57%	2,109	43%	44	112
4RDI-06-LED-05L-03L-LF-UE-30	4,980	2,833	57%	2,147	43%	44	114
4RDI-06-LED-05L-03L-LF-UE-35	5,064	2,881	57%	2,183	43%	44	116
4RDI-06-LED-05L-03L-LF-UE-40	5,231	2,976	57%	2,256	43%	44	120
4RDI-06-LED-05L-03L-LF-UE-50	5,388	3,065	57%	2,323	43%	44	124
4RDI-06-LED-05L-05L-LF-UE-27	5,578	2,778	50%	2,800	50%	50	112
4RDI-06-LED-05L-05L-LF-UE-30	5,679	2,828	50%	2,851	50%	50	114
4RDI-06-LED-05L-05L-LF-UE-35	5,775	2,876	50%	2,899	50%	50	116
4RDI-06-LED-05L-05L-LF-UE-40	5,966	2,971	50%	2,995	50%	50	120
4RDI-06-LED-05L-05L-LF-UE-50	6,145	3,060	50%	3,085	50%	50	123
4RDI-06-LED-05L-07L-LF-UE-27	7,044	2,778	39%	4,266	61%	60	117
4RDI-06-LED-05L-07L-LF-UE-30	7,172	2,828	39%	4,344	61%	60	119
4RDI-06-LED-05L-07L-LF-UE-35	7,292	2,876	39%	4,417	61%	60	121
4RDI-06-LED-05L-07L-LF-UE-40	7,533	2,971	39%	4,562	61%	60	125
4RDI-06-LED-05L-07L-LF-UE-50	7,759	3,060	39%	4,699	61%	60	128
4RDI-06-LED-05L-10L-LF-UE-27	8,442	2,789	33%	5,653	67%	69	122
4RDI-06-LED-05L-10L-LF-UE-30	8,595	2,839	33%	5,756	67%	69	125
4RDI-06-LED-05L-10L-LF-UE-35	8,739	2,887	33%	5,853	67%	69	127
4RDI-06-LED-05L-10L-LF-UE-40	9,028	2,982	33%	6,046	67%	69	131
4RDI-06-LED-05L-10L-LF-UE-50	9,300	3,072	33%	6,228	67%	69	135
4RDI-06-LED-07L-03L-LF-UE-27	6,364	4,255	67%	2,109	33%	59	109
4RDI-06-LED-07L-03L-LF-UE-30	6,480	4,333	67%	2,147	33%	59	111
4RDI-06-LED-07L-03L-LF-UE-35	6,589	4,406	67%	2,183	33%	59	113
4RDI-06-LED-07L-03L-LF-UE-40	6,807	4,551	67%	2,255	33%	59	116
4RDI-06-LED-07L-03L-LF-UE-50	7,011	4,688	67%	2,323	33%	59	120
4RDI-06-LED-07L-05L-LF-UE-27	7,051	4,251	60%	2,800	40%	63	112
4RDI-06-LED-07L-05L-LF-UE-30	7,178	4,328	60%	2,851	40%	63	114
4RDI-06-LED-07L-05L-LF-UE-35	7,299	4,400	60%	2,899	40%	63	116
4RDI-06-LED-07L-05L-LF-UE-40	7,541	4,546	60%	2,995	40%	63	120
4RDI-06-LED-07L-05L-LF-UE-50	7,767	4,682	60%	3,085	40%	63	124
4RDI-06-LED-07L-07L-LF-UE-27	8,516	4,251	50%	4,265	50%	76	112
4RDI-06-LED-07L-07L-LF-UE-30	8,671	4,328	50%	4,343	50%	76	114
4RDI-06-LED-07L-07L-LF-UE-35	8,817	4,400	50%	4,416	50%	76	116
4RDI-06-LED-07L-07L-LF-UE-40	9,108	4,546	50%	4,562	50%	76	120
4RDI-06-LED-07L-07L-LF-UE-50	9,381	4,682	50%	4,699	50%	76	124
4RDI-06-LED-07L-10L-LF-UE-27	9,914	4,262	43%	5,653	57%	83	120
4RDI-06-LED-07L-10L-LF-UE-30	10,094	4,339	43%	5,756	57%	83	122
4RDI-06-LED-07L-10L-LF-UE-35	10,264	4,412	43%	5,852	57%	83	124
4RDI-06-LED-07L-10L-LF-UE-40	10,603	4,557	43%	6,046	57%	83	128
4RDI-06-LED-07L-10L-LF-UE-50	10,922	4,694	43%	6,228	57%	83	132
4RDI-06-LED-10L-03L-LF-UE-27	7,774	5,665	73%	2,109	27%	74	106
4RDI-06-LED-10L-03L-LF-UE-30	7,915	5,768	73%	2,147	27%	74	108
4RDI-06-LED-10L-03L-LF-UE-35	8,048	5,865	73%	2,183	27%	74	110
4RDI-06-LED-10L-03L-LF-UE-40	8,315	6,059	73%	2,256	27%	74	113
4RDI-06-LED-10L-03L-LF-UE-50	8,564	6,241	73%	2,323	27%	74	117
4RDI-06-LED-10L-05L-LF-UE-27	8,461	5,661	67%	2,800	33%	77	110
4RDI-06-LED-10L-05L-LF-UE-30	8,614	5,763	67%	2,851	33%	77	112
4RDI-06-LED-10L-05L-LF-UE-35	8,759	5,860	67%	2,899	33%	77	113
4RDI-06-LED-10L-05L-LF-UE-40	9,049	6,054	67%	2,995	33%	77	117
4RDI-06-LED-10L-05L-LF-UE-50	9,321	6,236	67%	3,085	33%	77	121
4RDI-06-LED-10L-07L-LF-UE-27	9,926	5,661	57%	4,265	43%	89	112
4RDI-06-LED-10L-07L-LF-UE-30	10,107	5,763	57%	4,343	43%	89	114
4RDI-06-LED-10L-07L-LF-UE-35	10,277	5,860	57%	4,416	43%	89	116
4RDI-06-LED-10L-07L-LF-UE-40	10,616	6,054	57%	4,562	43%	89	119





# 4RDI STANDARD - 4" ARCHITECTURAL LINEAR

## 4RDI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Efficiency
4RDI-06-LED-10L-07L-LF-UE-50	10,935	6,236	57%	4,699	43%	89	123
4RDI-06-LED-10L-10L-LF-UE-27	11,324	5,671	50%	5,653	50%	98	115
4RDI-06-LED-10L-10L-LF-UE-30	11,530	5,774	50%	5,756	50%	98	117
4RDI-06-LED-10L-10L-LF-UE-35	11,724	5,871	50%	5,853	50%	98	119
4RDI-06-LED-10L-10L-LF-UE-40	12,111	6,066	50%	6,046	50%	98	123
4RDI-06-LED-10L-10L-LF-UE-50	12,476	6,248	50%	6,228	50%	98	127
4RDI-06-LED-13L-03L-LF-UE-27	9,149	7,040	77%	2,109	23%	89	103
4RDI-06-LED-13L-03L-LF-UE-30	9,316	7,169	77%	2,147	23%	89	105
4RDI-06-LED-13L-03L-LF-UE-35	9,473	7,289	77%	2,183	23%	89	107
4RDI-06-LED-13L-03L-LF-UE-40	9,786	7,530	77%	2,256	23%	89	111
4RDI-06-LED-13L-03L-LF-UE-50	10,079	7,756	77%	2,323	23%	89	114
4RDI-06-LED-13L-05L-LF-UE-27	9,836	7,036	72%	2,800	28%	94	105
4RDI-06-LED-13L-05L-LF-UE-30	10,015	7,164	72%	2,851	28%	94	107
4RDI-06-LED-13L-05L-LF-UE-35	10,183	7,284	72%	2,899	28%	94	109
4RDI-06-LED-13L-05L-LF-UE-40	10,520	7,525	72%	2,995	28%	94	112
4RDI-06-LED-13L-05L-LF-UE-50	10,835	7,750	72%	3,085	28%	94	116
4RDI-06-LED-13L-07L-LF-UE-27	11,301	7,036	62%	4,265	38%	105	107
4RDI-06-LED-13L-07L-LF-UE-30	11,507	7,164	62%	4,343	38%	105	109
4RDI-06-LED-13L-07L-LF-UE-35	11,701	7,284	62%	4,416	38%	105	111
4RDI-06-LED-13L-07L-LF-UE-40	12,087	7,525	62%	4,562	38%	105	115
4RDI-06-LED-13L-07L-LF-UE-50	12,450	7,750	62%	4,699	38%	105	118
4RDI-06-LED-13L-10L-LF-UE-27	12,699	7,046	55%	5,653	45%	115	111
4RDI-06-LED-13L-10L-LF-UE-30	12,931	7,175	55%	5,756	45%	115	113
4RDI-06-LED-13L-10L-LF-UE-35	13,148	7,295	55%	5,853	45%	115	115
4RDI-06-LED-13L-10L-LF-UE-40	13,582	7,536	55%	6,046	45%	115	119
4RDI-06-LED-13L-10L-LF-UE-50	13,990	7,762	55%	6,228	45%	115	122
4RDI-07-LED-03L-03L-LF-UE-27	4,920	2,459	50%	2,462	50%	42	117
4RDI-07-LED-03L-03L-LF-UE-30	5,009	2,503	50%	2,506	50%	42	119
4RDI-07-LED-03L-03L-LF-UE-35	5,094	2,545	50%	2,548	50%	42	121
4RDI-07-LED-03L-03L-LF-UE-40	5,262	2,629	50%	2,633	50%	42	125
4RDI-07-LED-03L-03L-LF-UE-50	5,420	2,708	50%	2,711	50%	42	129
4RDI-07-LED-03L-05L-LF-UE-27	5,721	2,453	43%	3,268	57%	49	117
4RDI-07-LED-03L-05L-LF-UE-30	5,825	2,497	43%	3,328	57%	49	119
4RDI-07-LED-03L-05L-LF-UE-35	5,923	2,539	43%	3,383	57%	49	121
4RDI-07-LED-03L-05L-LF-UE-40	6,119	2,623	43%	3,495	57%	49	125
4RDI-07-LED-03L-05L-LF-UE-50	6,302	2,702	43%	3,600	57%	49	129
4RDI-07-LED-03L-07L-LF-UE-27	7,432	2,453	33%	4,979	67%	63	118
4RDI-07-LED-03L-07L-LF-UE-30	7,566	2,497	33%	5,069	67%	63	120
4RDI-07-LED-03L-07L-LF-UE-35	7,693	2,540	33%	5,154	67%	63	122
4RDI-07-LED-03L-07L-LF-UE-40	7,948	2,623	33%	5,324	67%	63	126
4RDI-07-LED-03L-07L-LF-UE-50	8,186	2,702	33%	5,484	67%	63	130
4RDI-07-LED-03L-10L-LF-UE-27	9,063	2,465	27%	6,597	73%	79	115
4RDI-07-LED-03L-10L-LF-UE-30	9,227	2,510	27%	6,717	73%	79	117
4RDI-07-LED-03L-10L-LF-UE-35	9,382	2,552	27%	6,830	73%	79	119
4RDI-07-LED-03L-10L-LF-UE-40	9,692	2,637	27%	7,056	73%	79	123
4RDI-07-LED-03L-10L-LF-UE-50	9,983	2,716	27%	7,267	73%	79	127
4RDI-07-LED-05L-03L-LF-UE-27	5,707	3,246	57%	2,460	43%	51	112
4RDI-07-LED-05L-03L-LF-UE-30	5,811	3,306	57%	2,505	43%	51	114
4RDI-07-LED-05L-03L-LF-UE-35	5,908	3,361	57%	2,547	43%	51	116
4RDI-07-LED-05L-03L-LF-UE-40	6,103	3,472	57%	2,631	43%	51	120
4RDI-07-LED-05L-03L-LF-UE-50	6,285	3,576	57%	2,710	43%	51	124
4RDI-07-LED-05L-05L-LF-UE-27	6,508	3,241	50%	3,267	50%	58	112
4RDI-07-LED-05L-05L-LF-UE-30	6,626	3,300	50%	3,326	50%	58	114
4RDI-07-LED-05L-05L-LF-UE-35	6,737	3,355	50%	3,382	50%	58	116
4RDI-07-LED-05L-05L-LF-UE-40	6,960	3,466	50%	3,494	50%	58	120
4RDI-07-LED-05L-05L-LF-UE-50	7,168	3,569	50%	3,599	50%	58	123
4RDI-07-LED-05L-07L-LF-UE-27	8,218	3,241	39%	4,977	61%	71	117
4RDI-07-LED-05L-07L-LF-UE-30	8,367	3,300	39%	5,068	61%	71	119
4RDI-07-LED-05L-07L-LF-UE-35	8,507	3,355	39%	5,152	61%	71	121



# 4RDI STANDARD - 4" ARCHITECTURAL LINEAR

## 4RDI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Efficiency
4RDI-07-LED-05L-07L-LF-UE-40	8,789	3,466	39%	5,323	61%	71	125
4RDI-07-LED-05L-07L-LF-UE-50	9,052	3,569	39%	5,483	61%	71	128
4RDI-07-LED-05L-10L-LF-UE-27	9,849	3,253	33%	6,596	67%	80	122
4RDI-07-LED-05L-10L-LF-UE-30	10,028	3,313	33%	6,715	67%	80	125
4RDI-07-LED-05L-10L-LF-UE-35	10,196	3,368	33%	6,828	67%	80	127
4RDI-07-LED-05L-10L-LF-UE-40	10,533	3,479	33%	7,054	67%	80	131
4RDI-07-LED-05L-10L-LF-UE-50	10,849	3,583	33%	7,266	67%	80	135
4RDI-07-LED-07L-03L-LF-UE-27	7,425	4,965	67%	2,460	33%	68	109
4RDI-07-LED-07L-03L-LF-UE-30	7,559	5,055	67%	2,504	33%	68	111
4RDI-07-LED-07L-03L-LF-UE-35	7,686	5,140	67%	2,547	33%	68	113
4RDI-07-LED-07L-03L-LF-UE-40	7,941	5,310	67%	2,631	33%	68	116
4RDI-07-LED-07L-03L-LF-UE-50	8,178	5,469	67%	2,709	33%	68	120
4RDI-07-LED-07L-05L-LF-UE-27	8,225	4,959	60%	3,267	40%	73	112
4RDI-07-LED-07L-05L-LF-UE-30	8,375	5,049	60%	3,326	40%	73	114
4RDI-07-LED-07L-05L-LF-UE-35	8,515	5,134	60%	3,382	40%	73	116
4RDI-07-LED-07L-05L-LF-UE-40	8,797	5,303	60%	3,493	40%	73	120
4RDI-07-LED-07L-05L-LF-UE-50	9,061	5,463	60%	3,598	40%	73	124
4RDI-07-LED-07L-07L-LF-UE-27	9,935	4,959	50%	4,977	50%	88	112
4RDI-07-LED-07L-07L-LF-UE-30	10,116	5,049	50%	5,067	50%	88	114
4RDI-07-LED-07L-07L-LF-UE-35	10,286	5,134	50%	5,152	50%	88	116
4RDI-07-LED-07L-07L-LF-UE-40	10,626	5,304	50%	5,322	50%	88	120
4RDI-07-LED-07L-07L-LF-UE-50	10,945	5,463	50%	5,482	50%	88	124
4RDI-07-LED-07L-10L-LF-UE-27	11,567	4,971	43%	6,595	57%	97	120
4RDI-07-LED-07L-10L-LF-UE-30	11,777	5,062	43%	6,715	57%	97	122
4RDI-07-LED-07L-10L-LF-UE-35	11,975	5,147	43%	6,828	57%	97	124
4RDI-07-LED-07L-10L-LF-UE-40	12,371	5,317	43%	7,054	57%	97	128
4RDI-07-LED-07L-10L-LF-UE-50	12,742	5,477	43%	7,265	57%	97	132
4RDI-07-LED-10L-03L-LF-UE-27	9,070	6,609	73%	2,460	27%	86	106
4RDI-07-LED-10L-03L-LF-UE-30	9,234	6,730	73%	2,505	27%	86	108
4RDI-07-LED-10L-03L-LF-UE-35	9,390	6,843	73%	2,547	27%	86	110
4RDI-07-LED-10L-03L-LF-UE-40	9,700	7,069	73%	2,631	27%	86	113
4RDI-07-LED-10L-03L-LF-UE-50	9,990	7,281	73%	2,710	27%	86	117
4RDI-07-LED-10L-05L-LF-UE-27	9,871	6,604	67%	3,267	33%	90	110
4RDI-07-LED-10L-05L-LF-UE-30	10,050	6,724	67%	3,326	33%	90	112
4RDI-07-LED-10L-05L-LF-UE-35	10,219	6,837	67%	3,382	33%	90	113
4RDI-07-LED-10L-05L-LF-UE-40	10,557	7,063	67%	3,494	33%	90	117
4RDI-07-LED-10L-05L-LF-UE-50	10,873	7,275	67%	3,599	33%	90	121
4RDI-07-LED-10L-07L-LF-UE-27	11,581	6,604	57%	4,977	43%	104	112
4RDI-07-LED-10L-07L-LF-UE-30	11,791	6,724	57%	5,067	43%	104	114
4RDI-07-LED-10L-07L-LF-UE-35	11,989	6,837	57%	5,152	43%	104	116
4RDI-07-LED-10L-07L-LF-UE-40	12,386	7,063	57%	5,323	43%	104	119
4RDI-07-LED-10L-07L-LF-UE-50	12,757	7,275	57%	5,482	43%	104	123
4RDI-07-LED-10L-10L-LF-UE-27	13,212	6,616	50%	6,596	50%	115	115
4RDI-07-LED-10L-10L-LF-UE-30	13,452	6,736	50%	6,715	50%	115	117
4RDI-07-LED-10L-10L-LF-UE-35	13,678	6,850	50%	6,828	50%	115	119
4RDI-07-LED-10L-10L-LF-UE-40	14,130	7,076	50%	7,054	50%	115	123
4RDI-07-LED-10L-10L-LF-UE-50	14,554	7,289	50%	7,265	50%	115	127
4RDI-07-LED-13L-03L-LF-UE-27	10,675	8,214	77%	2,460	23%	103	103
4RDI-07-LED-13L-03L-LF-UE-30	10,869	8,364	77%	2,505	23%	103	105
4RDI-07-LED-13L-03L-LF-UE-35	11,051	8,504	77%	2,547	23%	103	107
4RDI-07-LED-13L-03L-LF-UE-40	11,417	8,785	77%	2,631	23%	103	111
4RDI-07-LED-13L-03L-LF-UE-50	11,758	9,049	77%	2,710	23%	103	114
4RDI-07-LED-13L-05L-LF-UE-27	11,475	8,208	72%	3,267	28%	109	105
4RDI-07-LED-13L-05L-LF-UE-30	11,684	8,358	72%	3,326	28%	109	107
4RDI-07-LED-13L-05L-LF-UE-35	11,880	8,498	72%	3,382	28%	109	109
4RDI-07-LED-13L-05L-LF-UE-40	12,273	8,779	72%	3,494	28%	109	112
4RDI-07-LED-13L-05L-LF-UE-50	12,641	9,042	72%	3,599	28%	109	116
4RDI-07-LED-13L-07L-LF-UE-27	13,185	8,208	62%	4,977	38%	123	107
4RDI-07-LED-13L-07L-LF-UE-30	13,425	8,358	62%	5,067	38%	123	109
4RDI-07-LED-13L-07L-LF-UE-35	13,650	8,498	62%	5,152	38%	123	111



# 4RDI STANDARD - 4" ARCHITECTURAL LINEAR

## 4RDI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Efficiency
4RDI-07-LED-13L-07L-LF-UE-40	14,102	8,779	62%	5,323	38%	123	115
4RDI-07-LED-13L-07L-LF-UE-50	14,525	9,042	62%	5,482	38%	123	118
4RDI-07-LED-13L-10L-LF-UE-27	14,817	8,221	55%	6,596	45%	134	111
4RDI-07-LED-13L-10L-LF-UE-30	15,086	8,371	55%	6,715	45%	134	113
4RDI-07-LED-13L-10L-LF-UE-35	15,339	8,511	55%	6,828	45%	134	115
4RDI-07-LED-13L-10L-LF-UE-40	15,846	8,792	55%	7,054	45%	134	119
4RDI-07-LED-13L-10L-LF-UE-50	16,322	9,056	55%	7,266	45%	134	122
4RDI-08-LED-03L-03L-LF-UE-27	5,623	2,810	50%	2,814	50%	48	117
4RDI-08-LED-03L-03L-LF-UE-30	5,725	2,861	50%	2,865	50%	48	119
4RDI-08-LED-03L-03L-LF-UE-35	5,821	2,909	50%	2,913	50%	48	121
4RDI-08-LED-03L-03L-LF-UE-40	6,014	3,005	50%	3,009	50%	48	125
4RDI-08-LED-03L-03L-LF-UE-50	6,195	3,095	50%	3,100	50%	48	129
4RDI-08-LED-03L-05L-LF-UE-27	6,538	2,803	43%	3,735	57%	56	117
4RDI-08-LED-03L-05L-LF-UE-30	6,657	2,854	43%	3,803	57%	56	119
4RDI-08-LED-03L-05L-LF-UE-35	6,769	2,902	43%	3,867	57%	56	121
4RDI-08-LED-03L-05L-LF-UE-40	6,992	2,998	43%	3,995	57%	56	125
4RDI-08-LED-03L-05L-LF-UE-50	7,202	3,088	43%	4,114	57%	56	129
4RDI-08-LED-03L-07L-LF-UE-27	8,493	2,803	33%	5,690	67%	72	118
4RDI-08-LED-03L-07L-LF-UE-30	8,646	2,854	33%	5,792	67%	72	120
4RDI-08-LED-03L-07L-LF-UE-35	8,792	2,902	33%	5,890	67%	72	122
4RDI-08-LED-03L-07L-LF-UE-40	9,082	2,998	33%	6,085	67%	72	126
4RDI-08-LED-03L-07L-LF-UE-50	9,355	3,088	33%	6,267	67%	72	130
4RDI-08-LED-03L-10L-LF-UE-27	10,357	2,817	27%	7,539	73%	90	115
4RDI-08-LED-03L-10L-LF-UE-30	10,545	2,869	27%	7,676	73%	90	117
4RDI-08-LED-03L-10L-LF-UE-35	10,722	2,917	27%	7,805	73%	90	119
4RDI-08-LED-03L-10L-LF-UE-40	11,076	3,013	27%	8,063	73%	90	123
4RDI-08-LED-03L-10L-LF-UE-50	11,409	3,104	27%	8,305	73%	90	127
4RDI-08-LED-05L-03L-LF-UE-27	6,523	3,711	57%	2,812	43%	58	112
4RDI-08-LED-05L-03L-LF-UE-30	6,641	3,778	57%	2,863	43%	58	114
4RDI-08-LED-05L-03L-LF-UE-35	6,752	3,841	57%	2,911	43%	58	116
4RDI-08-LED-05L-03L-LF-UE-40	6,976	3,968	57%	3,007	43%	58	120
4RDI-08-LED-05L-03L-LF-UE-50	7,185	4,087	57%	3,098	43%	58	124
4RDI-08-LED-05L-05L-LF-UE-27	7,437	3,704	50%	3,733	50%	66	112
4RDI-08-LED-05L-05L-LF-UE-30	7,572	3,771	50%	3,801	50%	66	114
4RDI-08-LED-05L-05L-LF-UE-35	7,699	3,834	50%	3,865	50%	66	116
4RDI-08-LED-05L-05L-LF-UE-40	7,954	3,961	50%	3,993	50%	66	120
4RDI-08-LED-05L-05L-LF-UE-50	8,192	4,080	50%	4,112	50%	66	123
4RDI-08-LED-05L-07L-LF-UE-27	9,392	3,704	39%	5,688	61%	81	117
4RDI-08-LED-05L-07L-LF-UE-30	9,562	3,771	39%	5,791	61%	81	119
4RDI-08-LED-05L-07L-LF-UE-35	9,723	3,834	39%	5,889	61%	81	121
4RDI-08-LED-05L-07L-LF-UE-40	10,045	3,961	39%	6,083	61%	81	125
4RDI-08-LED-05L-07L-LF-UE-50	10,346	4,080	39%	6,266	61%	81	128
4RDI-08-LED-05L-10L-LF-UE-27	11,256	3,719	33%	7,538	67%	92	122
4RDI-08-LED-05L-10L-LF-UE-30	11,460	3,785	33%	7,675	67%	92	125
4RDI-08-LED-05L-10L-LF-UE-35	11,652	3,849	33%	7,803	67%	92	127
4RDI-08-LED-05L-10L-LF-UE-40	12,038	3,977	33%	8,062	67%	92	131
4RDI-08-LED-05L-10L-LF-UE-50	12,399	4,096	33%	8,303	67%	92	135
4RDI-08-LED-07L-03L-LF-UE-27	8,485	5,673	67%	2,812	33%	78	109
4RDI-08-LED-07L-03L-LF-UE-30	8,639	5,777	67%	2,863	33%	78	111
4RDI-08-LED-07L-03L-LF-UE-35	8,784	5,874	67%	2,910	33%	78	113
4RDI-08-LED-07L-03L-LF-UE-40	9,075	6,068	67%	3,007	33%	78	116
4RDI-08-LED-07L-03L-LF-UE-50	9,347	6,250	67%	3,097	33%	78	120
4RDI-08-LED-07L-05L-LF-UE-27	9,400	5,667	60%	3,733	40%	84	112
4RDI-08-LED-07L-05L-LF-UE-30	9,571	5,770	60%	3,801	40%	84	114
4RDI-08-LED-07L-05L-LF-UE-35	9,731	5,867	60%	3,864	40%	84	116
4RDI-08-LED-07L-05L-LF-UE-40	10,053	6,061	60%	3,992	40%	84	120
4RDI-08-LED-07L-05L-LF-UE-50	10,354	6,242	60%	4,112	40%	84	124
4RDI-08-LED-07L-07L-LF-UE-27	11,355	5,667	50%	5,688	50%	101	112
4RDI-08-LED-07L-07L-LF-UE-30	11,561	5,770	50%	5,790	50%	101	114



# 4RDI STANDARD - 4" ARCHITECTURAL LINEAR

## 4RDI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Efficiency
4RDI-08-LED-07L-07L-LF-UE-35	11,755	5,867	50%	5,888	50%	101	116
4RDI-08-LED-07L-07L-LF-UE-40	12,144	6,061	50%	6,083	50%	101	120
4RDI-08-LED-07L-07L-LF-UE-50	12,508	6,243	50%	6,265	50%	101	124
4RDI-08-LED-07L-10L-LF-UE-27	13,218	5,681	43%	7,537	57%	110	120
4RDI-08-LED-07L-10L-LF-UE-30	13,459	5,785	43%	7,674	57%	110	122
4RDI-08-LED-07L-10L-LF-UE-35	13,684	5,882	43%	7,803	57%	110	124
4RDI-08-LED-07L-10L-LF-UE-40	14,137	6,076	43%	8,061	57%	110	128
4RDI-08-LED-07L-10L-LF-UE-50	14,561	6,259	43%	8,303	57%	110	132
4RDI-08-LED-10L-03L-LF-UE-27	10,365	7,553	73%	2,812	27%	98	106
4RDI-08-LED-10L-03L-LF-UE-30	10,554	7,691	73%	2,863	27%	98	108
4RDI-08-LED-10L-03L-LF-UE-35	10,731	7,820	73%	2,911	27%	98	110
4RDI-08-LED-10L-03L-LF-UE-40	11,086	8,079	73%	3,007	27%	98	113
4RDI-08-LED-10L-03L-LF-UE-50	11,418	8,321	73%	3,098	27%	98	117
4RDI-08-LED-10L-05L-LF-UE-27	11,280	7,547	67%	3,733	33%	103	110
4RDI-08-LED-10L-05L-LF-UE-30	11,485	7,684	67%	3,801	33%	103	112
4RDI-08-LED-10L-05L-LF-UE-35	11,678	7,813	67%	3,865	33%	103	113
4RDI-08-LED-10L-05L-LF-UE-40	12,064	8,072	67%	3,993	33%	103	117
4RDI-08-LED-10L-05L-LF-UE-50	12,426	8,314	67%	4,112	33%	103	121
4RDI-08-LED-10L-07L-LF-UE-27	13,235	7,547	57%	5,688	43%	119	112
4RDI-08-LED-10L-07L-LF-UE-30	13,475	7,684	57%	5,791	43%	119	114
4RDI-08-LED-10L-07L-LF-UE-35	13,702	7,814	57%	5,889	43%	119	116
4RDI-08-LED-10L-07L-LF-UE-40	14,155	8,072	57%	6,083	43%	119	119
4RDI-08-LED-10L-07L-LF-UE-50	14,579	8,314	57%	6,266	43%	119	123
4RDI-08-LED-10L-10L-LF-UE-27	15,099	7,561	50%	7,537	50%	131	115
4RDI-08-LED-10L-10L-LF-UE-30	15,374	7,699	50%	7,675	50%	131	117
4RDI-08-LED-10L-10L-LF-UE-35	15,631	7,828	50%	7,803	50%	131	119
4RDI-08-LED-10L-10L-LF-UE-40	16,148	8,087	50%	8,061	50%	131	123
4RDI-08-LED-10L-10L-LF-UE-50	16,633	8,330	50%	8,303	50%	131	127
4RDI-08-LED-13L-03L-LF-UE-27	12,200	9,388	77%	2,812	23%	118	103
4RDI-08-LED-13L-03L-LF-UE-30	12,422	9,559	77%	2,863	23%	118	105
4RDI-08-LED-13L-03L-LF-UE-35	12,631	9,720	77%	2,911	23%	118	107
4RDI-08-LED-13L-03L-LF-UE-40	13,047	10,040	77%	3,007	23%	118	111
4RDI-08-LED-13L-03L-LF-UE-50	13,439	10,341	77%	3,098	23%	118	114
4RDI-08-LED-13L-05L-LF-UE-27	13,114	9,381	72%	3,733	28%	125	105
4RDI-08-LED-13L-05L-LF-UE-30	13,353	9,552	72%	3,801	28%	125	107
4RDI-08-LED-13L-05L-LF-UE-35	13,577	9,713	72%	3,865	28%	125	109
4RDI-08-LED-13L-05L-LF-UE-40	14,026	10,033	72%	3,993	28%	125	112
4RDI-08-LED-13L-05L-LF-UE-50	14,446	10,334	72%	4,112	28%	125	116
4RDI-08-LED-13L-07L-LF-UE-27	15,069	9,381	62%	5,688	38%	141	107
4RDI-08-LED-13L-07L-LF-UE-30	15,343	9,552	62%	5,791	38%	141	109
4RDI-08-LED-13L-07L-LF-UE-35	15,601	9,713	62%	5,889	38%	141	111
4RDI-08-LED-13L-07L-LF-UE-40	16,116	10,033	62%	6,083	38%	141	115
4RDI-08-LED-13L-07L-LF-UE-50	16,600	10,334	62%	6,266	38%	141	118
4RDI-08-LED-13L-10L-LF-UE-27	16,933	9,395	55%	7,537	45%	153	111
4RDI-08-LED-13L-10L-LF-UE-30	17,241	9,567	55%	7,675	45%	153	113
4RDI-08-LED-13L-10L-LF-UE-35	17,531	9,728	55%	7,803	45%	153	115
4RDI-08-LED-13L-10L-LF-UE-40	18,110	10,048	55%	8,061	45%	153	119
4RDI-08-LED-13L-10L-LF-UE-50	18,653	10,350	55%	8,303	45%	153	122