



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-2-07L-07L-SWF-930	3,099	1,382	45%	1,717	55%	24	129
ACL3-2-07L-07L-SWF-935	3,224	1,437	45%	1,786	55%	24	134
ACL3-2-07L-07L-SWF-940	3,109	1,386	45%	1,723	55%	24	130
ACL3-2-07L-07L-SWF-950	3,088	1,377	45%	1,711	55%	24	129
ACL3-2-07L-07L-SWF-BW-930	2,999	1,442	48%	1,557	52%	24	125
ACL3-2-07L-07L-SWF-BW-935	3,119	1,500	48%	1,620	52%	24	130
ACL3-2-07L-07L-SWF-BW-940	3,008	1,446	48%	1,562	52%	24	125
ACL3-2-07L-07L-SWF-BW-950	2,988	1,436	48%	1,551	52%	24	124
ACL3-2-07L-07L-WVV-BW-930	2,755	1,198	43%	1,557	57%	24	115
ACL3-2-07L-07L-WVV-BW-935	2,866	1,246	43%	1,620	57%	24	119
ACL3-2-07L-07L-WVV-BW-940	2,764	1,202	43%	1,562	57%	24	115
ACL3-2-07L-07L-WVV-BW-950	2,745	1,194	43%	1,551	57%	24	114
ACL3-2-07L-07L-WVV-SWF-930	2,907	1,198	41%	1,708	59%	24	121
ACL3-2-07L-07L-WVV-SWF-935	3,024	1,246	41%	1,778	59%	24	126
ACL3-2-07L-07L-WVV-SWF-940	2,916	1,202	41%	1,714	59%	24	122
ACL3-2-07L-07L-WVV-SWF-950	2,897	1,194	41%	1,703	59%	24	121
ACL3-2-07L-10L-SWF-930	3,854	1,382	36%	2,472	64%	31	124
ACL3-2-07L-10L-SWF-935	4,009	1,437	36%	2,572	64%	31	129
ACL3-2-07L-10L-SWF-940	3,866	1,386	36%	2,480	64%	31	125
ACL3-2-07L-10L-SWF-950	3,840	1,377	36%	2,464	64%	31	124
ACL3-2-07L-10L-SWF-BW-930	3,718	1,442	39%	2,276	61%	30	124
ACL3-2-07L-10L-SWF-BW-935	3,868	1,500	39%	2,369	61%	30	129
ACL3-2-07L-10L-SWF-BW-940	3,731	1,446	39%	2,284	61%	30	124
ACL3-2-07L-10L-SWF-BW-950	3,706	1,436	39%	2,269	61%	30	124
ACL3-2-07L-10L-WVV-BW-930	3,475	1,198	34%	2,276	65%	30	116
ACL3-2-07L-10L-WVV-BW-935	3,615	1,246	34%	2,369	66%	30	120
ACL3-2-07L-10L-WVV-BW-940	3,486	1,202	34%	2,284	66%	30	116
ACL3-2-07L-10L-WVV-BW-950	3,463	1,194	34%	2,269	66%	30	115
ACL3-2-07L-10L-WVV-SWF-930	3,658	1,198	33%	2,460	67%	30	122
ACL3-2-07L-10L-WVV-SWF-935	3,806	1,246	33%	2,560	67%	30	127
ACL3-2-07L-10L-WVV-SWF-940	3,671	1,202	33%	2,469	67%	30	122
ACL3-2-07L-10L-WVV-SWF-950	3,646	1,194	33%	2,452	67%	30	122
ACL3-2-07L-13L-SWF-930	4,582	1,382	30%	3,201	70%	37	124
ACL3-2-07L-13L-SWF-935	4,767	1,437	30%	3,330	70%	37	129
ACL3-2-07L-13L-SWF-940	4,598	1,386	30%	3,212	70%	37	124
ACL3-2-07L-13L-SWF-950	4,567	1,377	30%	3,190	70%	37	123
ACL3-2-07L-13L-SWF-BW-930	4,286	1,442	34%	2,844	66%	35	122
ACL3-2-07L-13L-SWF-BW-935	4,459	1,500	34%	2,959	66%	35	127
ACL3-2-07L-13L-SWF-BW-940	4,300	1,446	34%	2,854	66%	35	123
ACL3-2-07L-13L-SWF-BW-950	4,271	1,436	34%	2,835	66%	35	122
ACL3-2-07L-13L-WVV-BW-930	4,042	1,198	30%	2,844	70%	35	115
ACL3-2-07L-13L-WVV-BW-935	4,205	1,246	30%	2,959	70%	35	120
ACL3-2-07L-13L-WVV-BW-940	4,056	1,202	30%	2,854	70%	35	116
ACL3-2-07L-13L-WVV-BW-950	4,029	1,194	30%	2,835	70%	35	115
ACL3-2-07L-13L-WVV-SWF-930	4,384	1,198	27%	3,186	73%	35.5	123
ACL3-2-07L-13L-WVV-SWF-935	4,561	1,246	27%	3,315	73%	35.5	128
ACL3-2-07L-13L-WVV-SWF-940	4,399	1,202	27%	3,197	73%	35.5	124
ACL3-2-07L-13L-WVV-SWF-950	4,369	1,194	27%	3,175	73%	35.5	123
ACL3-2-10L-07L-SWF-930	3,769	2,052	54%	1,717	46%	31	122
ACL3-2-10L-07L-SWF-935	3,921	2,135	54%	1,786	46%	31	126
ACL3-2-10L-07L-SWF-940	3,782	2,059	54%	1,723	46%	31	122
ACL3-2-10L-07L-SWF-950	3,756	2,045	54%	1,711	46%	31	121
ACL3-2-10L-07L-SWF-BW-930	3,698	2,141	58%	1,557	42%	30	123
ACL3-2-10L-07L-SWF-BW-935	3,847	2,227	58%	1,620	42%	30	128
ACL3-2-10L-07L-SWF-BW-940	3,710	2,148	58%	1,562	42%	30	124
ACL3-2-10L-07L-SWF-BW-950	3,685	2,134	58%	1,551	42%	30	123



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-2-10L-07L-WWW-BW-930	3,309	1,752	53%	1,557	47%	30	110
ACL3-2-10L-07L-WWW-BW-935	3,443	1,823	53%	1,620	47%	30	115
ACL3-2-10L-07L-WWW-BW-940	3,320	1,758	53%	1,562	47%	30	111
ACL3-2-10L-07L-WWW-BW-950	3,298	1,746	53%	1,551	47%	30	110
ACL3-2-10L-07L-WWW-SWF-930	3,460	1,752	51%	1,708	49%	30	115
ACL3-2-10L-07L-WWW-SWF-935	3,600	1,823	51%	1,778	49%	30	120
ACL3-2-10L-07L-WWW-SWF-940	3,472	1,758	51%	1,714	49%	30	116
ACL3-2-10L-07L-WWW-SWF-950	3,449	1,746	51%	1,703	49%	30	115
ACL3-2-10L-10L-SWF-930	4,524	2,017	45%	2,507	55%	36	126
ACL3-2-10L-10L-SWF-935	4,707	2,099	45%	2,609	55%	36	131
ACL3-2-10L-10L-SWF-940	4,540	2,024	45%	2,516	55%	36	126
ACL3-2-10L-10L-SWF-950	4,509	2,010	45%	2,499	55%	36	125
ACL3-2-10L-10L-SWF-BW-930	4,417	2,141	48%	2,276	52%	36	123
ACL3-2-10L-10L-SWF-BW-935	4,596	2,227	48%	2,369	52%	36	128
ACL3-2-10L-10L-SWF-BW-940	4,432	2,148	48%	2,284	52%	36	123
ACL3-2-10L-10L-SWF-BW-950	4,403	2,134	48%	2,269	52%	36	122
ACL3-2-10L-10L-WWW-BW-930	4,028	1,752	43%	2,276	57%	36	112
ACL3-2-10L-10L-WWW-BW-935	4,191	1,823	43%	2,369	57%	36	116
ACL3-2-10L-10L-WWW-BW-940	4,042	1,758	43%	2,284	57%	36	112
ACL3-2-10L-10L-WWW-BW-950	4,015	1,746	43%	2,269	57%	36	112
ACL3-2-10L-10L-WWW-SWF-930	4,212	1,752	42%	2,460	58%	36	117
ACL3-2-10L-10L-WWW-SWF-935	4,383	1,823	42%	2,560	58%	36	122
ACL3-2-10L-10L-WWW-SWF-940	4,227	1,758	42%	2,469	58%	36	117
ACL3-2-10L-10L-WWW-SWF-950	4,198	1,746	42%	2,452	58%	36	117
ACL3-2-10L-13L-SWF-930	5,252	2,052	39%	3,201	61%	43	122
ACL3-2-10L-13L-SWF-935	5,465	2,135	39%	3,330	61%	43	127
ACL3-2-10L-13L-SWF-940	5,271	2,059	39%	3,212	61%	43	123
ACL3-2-10L-13L-SWF-950	5,235	2,045	39%	3,190	61%	43	122
ACL3-2-10L-13L-SWF-BW-930	4,985	2,141	43%	2,844	57%	41	122
ACL3-2-10L-13L-SWF-BW-935	5,186	2,227	43%	2,959	57%	41	126
ACL3-2-10L-13L-SWF-BW-940	5,002	2,148	43%	2,854	57%	41	122
ACL3-2-10L-13L-SWF-BW-950	4,968	2,134	43%	2,835	57%	41	121
ACL3-2-10L-13L-WWW-BW-930	4,596	1,752	38%	2,844	62%	41	112
ACL3-2-10L-13L-WWW-BW-935	4,782	1,823	38%	2,959	62%	41	117
ACL3-2-10L-13L-WWW-BW-940	4,612	1,758	38%	2,854	62%	41	112
ACL3-2-10L-13L-WWW-BW-950	4,581	1,746	38%	2,835	62%	41	112
ACL3-2-10L-13L-WWW-SWF-930	4,938	1,752	35%	3,186	65%	41.5	119
ACL3-2-10L-13L-WWW-SWF-935	5,138	1,823	35%	3,315	65%	41.5	124
ACL3-2-10L-13L-WWW-SWF-940	4,955	1,758	35%	3,197	65%	41.5	119
ACL3-2-10L-13L-WWW-SWF-950	4,921	1,746	35%	3,175	65%	41.5	119
ACL3-2-13L-07L-SWF-930	4,187	2,471	59%	1,717	41%	37	113
ACL3-2-13L-07L-SWF-935	4,357	2,571	59%	1,786	41%	37	118
ACL3-2-13L-07L-SWF-940	4,202	2,479	59%	1,723	41%	37	114
ACL3-2-13L-07L-SWF-950	4,174	2,463	59%	1,711	41%	37	113
ACL3-2-13L-07L-SWF-BW-930	4,135	2,578	62%	1,557	38%	35	118
ACL3-2-13L-07L-SWF-BW-935	4,302	2,682	62%	1,620	38%	35	123
ACL3-2-13L-07L-SWF-BW-940	4,149	2,587	62%	1,562	38%	35	119
ACL3-2-13L-07L-SWF-BW-950	4,121	2,570	62%	1,551	38%	35	118
ACL3-2-13L-07L-WWW-BW-930	3,745	2,188	58%	1,557	42%	35	107
ACL3-2-13L-07L-WWW-BW-935	3,897	2,277	58%	1,620	42%	35	111
ACL3-2-13L-07L-WWW-BW-940	3,758	2,196	58%	1,562	42%	35	107
ACL3-2-13L-07L-WWW-BW-950	3,733	2,181	58%	1,551	42%	35	107
ACL3-2-13L-07L-WWW-SWF-930	3,897	2,188	56%	1,708	44%	35.5	110
ACL3-2-13L-07L-WWW-SWF-935	4,055	2,277	56%	1,778	44%	35.5	114
ACL3-2-13L-07L-WWW-SWF-940	3,910	2,196	56%	1,714	44%	35.5	110
ACL3-2-13L-07L-WWW-SWF-950	3,884	2,181	56%	1,703	44%	35.5	109
ACL3-2-13L-10L-SWF-930	4,943	2,916	59%	2,027	41%	42	118
ACL3-2-13L-10L-SWF-935	5,143	3,035	59%	2,109	41%	42	122
ACL3-2-13L-10L-SWF-940	4,960	2,926	59%	2,034	41%	42	118



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-2-13L-10L-SWF-950	4,926	2,907	59%	2,020	41%	42	117
ACL3-2-13L-10L-SWF-BW-930	4,854	2,578	53%	2,276	47%	41	118
ACL3-2-13L-10L-SWF-BW-935	5,051	2,682	53%	2,369	47%	41	123
ACL3-2-13L-10L-SWF-BW-940	4,871	2,587	53%	2,284	47%	41	119
ACL3-2-13L-10L-SWF-BW-950	4,839	2,570	53%	2,269	47%	41	118
ACL3-2-13L-10L-WVV-BW-930	4,465	2,188	49%	2,276	51%	41	109
ACL3-2-13L-10L-WVV-BW-935	4,646	2,277	49%	2,369	51%	41	113
ACL3-2-13L-10L-WVV-BW-940	4,480	2,196	49%	2,284	51%	41	109
ACL3-2-13L-10L-WVV-BW-950	4,450	2,181	49%	2,269	51%	41	109
ACL3-2-13L-10L-WVV-SWF-930	4,649	2,188	47%	2,460	53%	41.5	112
ACL3-2-13L-10L-WVV-SWF-935	4,837	2,277	47%	2,560	53%	41.5	117
ACL3-2-13L-10L-WVV-SWF-940	4,665	2,196	47%	2,469	53%	41.5	112
ACL3-2-13L-10L-WVV-SWF-950	4,633	2,181	47%	2,452	53%	41.5	112
ACL3-2-13L-13L-SWF-930	5,671	2,528	45%	3,143	55%	48	118
ACL3-2-13L-13L-SWF-935	5,901	2,631	45%	3,270	55%	48	123
ACL3-2-13L-13L-SWF-940	5,690	2,537	45%	3,154	55%	48	119
ACL3-2-13L-13L-SWF-950	5,652	2,520	45%	3,132	55%	48	118
ACL3-2-13L-13L-SWF-BW-930	5,422	2,578	48%	2,844	52%	46	118
ACL3-2-13L-13L-SWF-BW-935	5,642	2,682	48%	2,959	52%	46	123
ACL3-2-13L-13L-SWF-BW-940	5,441	2,587	48%	2,854	52%	46	118
ACL3-2-13L-13L-SWF-BW-950	5,404	2,570	48%	2,835	52%	46	117
ACL3-2-13L-13L-WVV-BW-930	5,032	2,188	43%	2,844	57%	46	109
ACL3-2-13L-13L-WVV-BW-935	5,236	2,277	43%	2,959	57%	46	114
ACL3-2-13L-13L-WVV-BW-940	5,050	2,196	43%	2,854	57%	46	110
ACL3-2-13L-13L-WVV-BW-950	5,016	2,181	43%	2,835	57%	46	109
ACL3-2-13L-13L-WVV-SWF-930	5,374	2,188	41%	3,186	59%	47	114
ACL3-2-13L-13L-WVV-SWF-935	5,592	2,277	41%	3,315	59%	47	119
ACL3-2-13L-13L-WVV-SWF-940	5,393	2,196	41%	3,197	59%	47	115
ACL3-2-13L-13L-WVV-SWF-950	5,356	2,181	41%	3,175	59%	47	114
ACL3-3-07L-07L-SWF-930	4,781	2,132	45%	2,650	55%	36	133
ACL3-3-07L-07L-SWF-935	4,975	2,218	45%	2,757	55%	36	138
ACL3-3-07L-07L-SWF-940	4,798	2,139	45%	2,659	55%	36	133
ACL3-3-07L-07L-SWF-950	4,766	2,125	45%	2,641	55%	36	132
ACL3-3-07L-07L-SWF-BW-930	4,497	2,162	48%	2,335	52%	36	125
ACL3-3-07L-07L-SWF-BW-935	4,679	2,250	48%	2,429	52%	36	130
ACL3-3-07L-07L-SWF-BW-940	4,512	2,169	48%	2,343	52%	36	125
ACL3-3-07L-07L-SWF-BW-950	4,482	2,155	48%	2,327	52%	36	125
ACL3-3-07L-07L-WVV-BW-930	4,132	1,797	43%	2,335	57%	36	115
ACL3-3-07L-07L-WVV-BW-935	4,299	1,869	43%	2,429	57%	36	119
ACL3-3-07L-07L-WVV-BW-940	4,146	1,803	43%	2,343	57%	36	115
ACL3-3-07L-07L-WVV-BW-950	4,118	1,791	43%	2,327	57%	36	114
ACL3-3-07L-07L-WVV-SWF-930	4,360	1,797	41%	2,563	59%	36	121
ACL3-3-07L-07L-WVV-SWF-935	4,536	1,869	41%	2,667	59%	36	126
ACL3-3-07L-07L-WVV-SWF-940	4,374	1,803	41%	2,572	59%	36	122
ACL3-3-07L-07L-WVV-SWF-950	4,345	1,791	41%	2,554	59%	36	121
ACL3-3-07L-10L-SWF-930	5,911	2,119	36%	3,792	64%	45	131
ACL3-3-07L-10L-SWF-935	6,151	2,205	36%	3,946	64%	45	137
ACL3-3-07L-10L-SWF-940	5,932	2,126	36%	3,805	64%	45	132
ACL3-3-07L-10L-SWF-950	5,892	2,112	36%	3,780	64%	45	131
ACL3-3-07L-10L-SWF-BW-930	5,577	2,162	39%	3,415	61%	45	124
ACL3-3-07L-10L-SWF-BW-935	5,803	2,250	39%	3,553	61%	45	129
ACL3-3-07L-10L-SWF-BW-940	5,596	2,169	39%	3,427	61%	45	124
ACL3-3-07L-10L-SWF-BW-950	5,559	2,155	39%	3,404	61%	45	124
ACL3-3-07L-10L-WVV-BW-930	5,212	1,797	34%	3,415	66%	45	116
ACL3-3-07L-10L-WVV-BW-935	5,423	1,869	34%	3,553	66%	45	121
ACL3-3-07L-10L-WVV-BW-940	5,230	1,803	34%	3,427	66%	45	116
ACL3-3-07L-10L-WVV-BW-950	5,195	1,791	34%	3,404	66%	45	115
ACL3-3-07L-10L-WVV-SWF-930	5,487	1,797	33%	3,691	67%	45	122
ACL3-3-07L-10L-WVV-SWF-935	5,709	1,869	33%	3,840	67%	45	127



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-3-07L-10L-WW-SWF-940	5,506	1,803	33%	3,703	67%	45	122
ACL3-3-07L-10L-WW-SWF-950	5,469	1,791	33%	3,678	67%	45	122
ACL3-3-07L-13L-SWF-930	6,999	2,110	30%	4,889	70%	53	132
ACL3-3-07L-13L-SWF-935	7,283	2,195	30%	5,087	70%	53	137
ACL3-3-07L-13L-SWF-940	7,023	2,117	30%	4,906	70%	53	133
ACL3-3-07L-13L-SWF-950	6,976	2,103	30%	4,873	70%	53	132
ACL3-3-07L-13L-SWF-BW-930	6,428	2,162	34%	4,266	66%	53	121
ACL3-3-07L-13L-SWF-BW-935	6,689	2,250	34%	4,439	66%	53	126
ACL3-3-07L-13L-SWF-BW-940	6,450	2,169	34%	4,281	66%	53	122
ACL3-3-07L-13L-SWF-BW-950	6,407	2,155	34%	4,252	66%	53	121
ACL3-3-07L-13L-WW-BW-930	6,063	1,797	30%	4,266	70%	53	114
ACL3-3-07L-13L-WW-BW-935	6,308	1,869	30%	4,439	70%	53	119
ACL3-3-07L-13L-WW-BW-940	6,084	1,803	30%	4,281	70%	53	115
ACL3-3-07L-13L-WW-BW-950	6,043	1,791	30%	4,252	70%	53	114
ACL3-3-07L-13L-WW-SWF-930	6,575	1,797	27%	4,779	73%	53	124
ACL3-3-07L-13L-WW-SWF-935	6,842	1,869	27%	4,972	73%	53	129
ACL3-3-07L-13L-WW-SWF-940	6,598	1,803	27%	4,795	73%	53	124
ACL3-3-07L-13L-WW-SWF-950	6,554	1,791	27%	4,763	73%	53	124
ACL3-3-10L-07L-SWF-930	5,858	3,189	54%	2,669	46%	45	130
ACL3-3-10L-07L-SWF-935	6,094	3,318	54%	2,776	46%	45	135
ACL3-3-10L-07L-SWF-940	5,878	3,200	54%	2,678	46%	45	131
ACL3-3-10L-07L-SWF-950	5,838	3,178	54%	2,660	46%	45	130
ACL3-3-10L-07L-SWF-BW-930	5,546	3,211	58%	2,335	42%	45	123
ACL3-3-10L-07L-SWF-BW-935	5,770	3,341	58%	2,429	42%	45	128
ACL3-3-10L-07L-SWF-BW-940	5,565	3,222	58%	2,343	42%	45	124
ACL3-3-10L-07L-SWF-BW-950	5,528	3,200	58%	2,327	42%	45	123
ACL3-3-10L-07L-WW-BW-930	4,963	2,628	53%	2,335	47%	45	110
ACL3-3-10L-07L-WW-BW-935	5,164	2,734	53%	2,429	47%	45	115
ACL3-3-10L-07L-WW-BW-940	4,980	2,637	53%	2,343	47%	45	111
ACL3-3-10L-07L-WW-BW-950	4,946	2,619	53%	2,327	47%	45	110
ACL3-3-10L-07L-WW-SWF-930	5,191	2,628	51%	2,563	49%	45	115
ACL3-3-10L-07L-WW-SWF-935	5,401	2,734	51%	2,667	49%	45	120
ACL3-3-10L-07L-WW-SWF-940	5,208	2,637	51%	2,572	49%	45	116
ACL3-3-10L-07L-WW-SWF-950	5,173	2,619	51%	2,554	49%	45	115
ACL3-3-10L-10L-SWF-930	6,986	3,115	45%	3,872	55%	54	129
ACL3-3-10L-10L-SWF-935	7,269	3,241	45%	4,029	55%	54	135
ACL3-3-10L-10L-SWF-940	7,010	3,125	45%	3,885	55%	54	130
ACL3-3-10L-10L-SWF-950	6,963	3,104	45%	3,859	55%	54	129
ACL3-3-10L-10L-SWF-BW-930	6,626	3,211	48%	3,415	52%	54	123
ACL3-3-10L-10L-SWF-BW-935	6,895	3,341	48%	3,553	52%	54	128
ACL3-3-10L-10L-SWF-BW-940	6,649	3,222	48%	3,427	52%	54	123
ACL3-3-10L-10L-SWF-BW-950	6,604	3,200	48%	3,404	52%	54	122
ACL3-3-10L-10L-WW-BW-930	6,043	2,628	43%	3,415	57%	54	112
ACL3-3-10L-10L-WW-BW-935	6,288	2,734	43%	3,553	57%	54	116
ACL3-3-10L-10L-WW-BW-940	6,064	2,637	43%	3,427	57%	54	112
ACL3-3-10L-10L-WW-BW-950	6,023	2,619	43%	3,404	57%	54	112
ACL3-3-10L-10L-WW-SWF-930	6,318	2,628	42%	3,691	58%	54	117
ACL3-3-10L-10L-WW-SWF-935	6,574	2,734	42%	3,840	58%	54	122
ACL3-3-10L-10L-WW-SWF-940	6,340	2,637	42%	3,703	58%	54	117
ACL3-3-10L-10L-WW-SWF-950	6,297	2,619	42%	3,678	58%	54	117
ACL3-3-10L-13L-SWF-930	8,074	3,154	39%	4,920	61%	62	130
ACL3-3-10L-13L-SWF-935	8,401	3,282	39%	5,120	61%	62	136
ACL3-3-10L-13L-SWF-940	8,102	3,165	39%	4,937	61%	62	131
ACL3-3-10L-13L-SWF-950	8,048	3,144	39%	4,904	61%	62	130
ACL3-3-10L-13L-SWF-BW-930	7,478	3,211	43%	4,266	57%	62	121
ACL3-3-10L-13L-SWF-BW-935	7,780	3,341	43%	4,439	57%	62	125
ACL3-3-10L-13L-SWF-BW-940	7,503	3,222	43%	4,281	57%	62	121
ACL3-3-10L-13L-SWF-BW-950	7,453	3,200	43%	4,252	57%	62	120
ACL3-3-10L-13L-WW-BW-930	6,894	2,628	38%	4,266	62%	62	111



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-3-10L-13L-WW-BW-935	7,173	2,734	38%	4,439	62%	62	116
ACL3-3-10L-13L-WW-BW-940	6,918	2,637	38%	4,281	62%	62	112
ACL3-3-10L-13L-WW-BW-950	6,871	2,619	38%	4,252	62%	62	111
ACL3-3-10L-13L-WW-SWF-930	7,406	2,628	35%	4,779	65%	62	119
ACL3-3-10L-13L-WW-SWF-935	7,706	2,734	35%	4,972	65%	62	124
ACL3-3-10L-13L-WW-SWF-940	7,432	2,637	35%	4,795	65%	62	120
ACL3-3-10L-13L-WW-SWF-950	7,382	2,619	35%	4,763	65%	62	119
ACL3-3-13L-07L-SWF-930	6,528	3,852	59%	2,677	41%	53	123
ACL3-3-13L-07L-SWF-935	6,793	4,007	59%	2,785	41%	53	128
ACL3-3-13L-07L-SWF-940	6,551	3,865	59%	2,686	41%	53	124
ACL3-3-13L-07L-SWF-950	6,507	3,839	59%	2,668	41%	53	123
ACL3-3-13L-07L-SWF-BW-930	6,202	3,867	62%	2,335	38%	53	117
ACL3-3-13L-07L-SWF-BW-935	6,453	4,024	62%	2,429	38%	53	122
ACL3-3-13L-07L-SWF-BW-940	6,223	3,880	62%	2,343	38%	53	117
ACL3-3-13L-07L-SWF-BW-950	6,181	3,854	62%	2,327	38%	53	117
ACL3-3-13L-07L-WW-BW-930	5,617	3,282	58%	2,335	42%	53	106
ACL3-3-13L-07L-WW-BW-935	5,845	3,415	58%	2,429	42%	53	110
ACL3-3-13L-07L-WW-BW-940	5,637	3,294	58%	2,343	42%	53	106
ACL3-3-13L-07L-WW-BW-950	5,599	3,272	58%	2,327	42%	53	106
ACL3-3-13L-07L-WW-SWF-930	5,845	3,282	56%	2,563	44%	53	110
ACL3-3-13L-07L-WW-SWF-935	6,082	3,415	56%	2,667	44%	53	115
ACL3-3-13L-07L-WW-SWF-940	5,865	3,294	56%	2,572	44%	53	111
ACL3-3-13L-07L-WW-SWF-950	5,826	3,272	56%	2,554	44%	53	110
ACL3-3-13L-10L-SWF-930	7,658	3,828	50%	3,830	50%	62	124
ACL3-3-13L-10L-SWF-935	7,968	3,983	50%	3,985	50%	62	129
ACL3-3-13L-10L-SWF-940	7,685	3,841	50%	3,844	50%	62	124
ACL3-3-13L-10L-SWF-950	7,633	3,816	50%	3,818	50%	62	123
ACL3-3-13L-10L-SWF-BW-930	7,282	3,867	53%	3,415	47%	62	117
ACL3-3-13L-10L-SWF-BW-935	7,577	4,024	53%	3,553	47%	62	122
ACL3-3-13L-10L-SWF-BW-940	7,307	3,880	53%	3,427	47%	62	118
ACL3-3-13L-10L-SWF-BW-950	7,258	3,854	53%	3,404	47%	62	117
ACL3-3-13L-10L-WW-BW-930	6,697	3,282	49%	3,415	51%	62	108
ACL3-3-13L-10L-WW-BW-935	6,969	3,415	49%	3,553	51%	62	112
ACL3-3-13L-10L-WW-BW-940	6,721	3,294	49%	3,427	51%	62	108
ACL3-3-13L-10L-WW-BW-950	6,675	3,272	49%	3,404	51%	62	108
ACL3-3-13L-10L-WW-SWF-930	6,973	3,282	47%	3,691	53%	62	112
ACL3-3-13L-10L-WW-SWF-935	7,255	3,415	47%	3,840	53%	62	117
ACL3-3-13L-10L-WW-SWF-940	6,997	3,294	47%	3,703	53%	62	113
ACL3-3-13L-10L-WW-SWF-950	6,950	3,272	47%	3,678	53%	62	112
ACL3-3-13L-13L-SWF-930	8,746	3,899	45%	4,847	55%	72	121
ACL3-3-13L-13L-SWF-935	9,100	4,057	45%	5,043	55%	72	126
ACL3-3-13L-13L-SWF-940	8,776	3,913	45%	4,864	55%	72	122
ACL3-3-13L-13L-SWF-950	8,717	3,886	45%	4,831	55%	72	121
ACL3-3-13L-13L-SWF-BW-930	8,133	3,867	48%	4,266	52%	69	118
ACL3-3-13L-13L-SWF-BW-935	8,463	4,024	48%	4,439	52%	69	123
ACL3-3-13L-13L-SWF-BW-940	8,161	3,880	48%	4,281	52%	69	118
ACL3-3-13L-13L-SWF-BW-950	8,106	3,854	48%	4,252	52%	69	117
ACL3-3-13L-13L-WW-BW-930	7,549	3,282	43%	4,266	57%	69	109
ACL3-3-13L-13L-WW-BW-935	7,854	3,415	43%	4,439	57%	69	114
ACL3-3-13L-13L-WW-BW-940	7,575	3,294	43%	4,281	57%	69	110
ACL3-3-13L-13L-WW-BW-950	7,524	3,272	43%	4,252	57%	69	109
ACL3-3-13L-13L-WW-SWF-930	8,061	3,282	41%	4,779	59%	70.5	114
ACL3-3-13L-13L-WW-SWF-935	8,387	3,415	41%	4,972	59%	70.5	119
ACL3-3-13L-13L-WW-SWF-940	8,089	3,294	41%	4,795	59%	70.5	115
ACL3-3-13L-13L-WW-SWF-950	8,034	3,272	41%	4,763	59%	70.5	114
ACL3-4-07L-07L-SWF-930	6,300	2,808	45%	3,491	55%	48	131
ACL3-4-07L-07L-SWF-935	6,555	2,922	45%	3,633	55%	48	137
ACL3-4-07L-07L-SWF-940	6,322	2,818	45%	3,503	55%	48	132
ACL3-4-07L-07L-SWF-950	6,279	2,799	45%	3,480	55%	48	131



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-4-07L-07L-SWF-BW-930	5,996	2,883	48%	3,113	52%	48	125
ACL3-4-07L-07L-SWF-BW-935	6,239	2,999	48%	3,239	52%	48	130
ACL3-4-07L-07L-SWF-BW-940	6,016	2,893	48%	3,124	52%	48	125
ACL3-4-07L-07L-SWF-BW-950	5,976	2,873	48%	3,103	52%	48	124
ACL3-4-07L-07L-WWW-BW-930	5,509	2,396	43%	3,113	57%	48	115
ACL3-4-07L-07L-WWW-BW-935	5,732	2,493	43%	3,239	57%	48	119
ACL3-4-07L-07L-WWW-BW-940	5,528	2,404	43%	3,124	57%	48	115
ACL3-4-07L-07L-WWW-BW-950	5,490	2,388	43%	3,103	57%	48	114
ACL3-4-07L-07L-WWW-SWF-930	5,813	2,396	41%	3,417	59%	48	121
ACL3-4-07L-07L-WWW-SWF-935	6,048	2,493	41%	3,555	59%	48	126
ACL3-4-07L-07L-WWW-SWF-940	5,833	2,404	41%	3,429	59%	48	122
ACL3-4-07L-07L-WWW-SWF-950	5,793	2,388	41%	3,406	59%	48	121
ACL3-4-07L-10L-SWF-930	7,805	2,798	36%	5,007	64%	60	130
ACL3-4-07L-10L-SWF-935	8,121	2,911	36%	5,210	64%	60	135
ACL3-4-07L-10L-SWF-940	7,832	2,807	36%	5,025	64%	60	131
ACL3-4-07L-10L-SWF-950	7,779	2,788	36%	4,991	64%	60	130
ACL3-4-07L-10L-SWF-BW-930	7,436	2,883	39%	4,553	61%	60	124
ACL3-4-07L-10L-SWF-BW-935	7,737	2,999	39%	4,738	61%	60	129
ACL3-4-07L-10L-SWF-BW-940	7,461	2,893	39%	4,569	61%	60	124
ACL3-4-07L-10L-SWF-BW-950	7,411	2,873	39%	4,538	61%	60	124
ACL3-4-07L-10L-WWW-BW-930	6,949	2,396	34%	4,553	66%	60	116
ACL3-4-07L-10L-WWW-BW-935	7,230	2,493	34%	4,738	66%	60	121
ACL3-4-07L-10L-WWW-BW-940	6,973	2,404	34%	4,569	66%	60	116
ACL3-4-07L-10L-WWW-BW-950	6,926	2,388	34%	4,538	66%	60	115
ACL3-4-07L-10L-WWW-SWF-930	7,316	2,396	33%	4,920	67%	60	122
ACL3-4-07L-10L-WWW-SWF-935	7,613	2,493	33%	5,120	67%	60	127
ACL3-4-07L-10L-WWW-SWF-940	7,342	2,404	33%	4,938	67%	60	122
ACL3-4-07L-10L-WWW-SWF-950	7,292	2,388	33%	4,904	67%	60	122
ACL3-4-07L-13L-SWF-930	9,253	2,789	30%	6,464	70%	71	130
ACL3-4-07L-13L-SWF-935	9,628	2,902	30%	6,726	70%	71	136
ACL3-4-07L-13L-SWF-940	9,285	2,799	30%	6,486	70%	71	131
ACL3-4-07L-13L-SWF-950	9,223	2,780	30%	6,443	70%	71	130
ACL3-4-07L-13L-SWF-BW-930	8,571	2,883	34%	5,688	66%	70	122
ACL3-4-07L-13L-SWF-BW-935	8,918	2,999	34%	5,919	66%	70	127
ACL3-4-07L-13L-SWF-BW-940	8,600	2,893	34%	5,708	66%	70	123
ACL3-4-07L-13L-SWF-BW-950	8,542	2,873	34%	5,669	66%	70	122
ACL3-4-07L-13L-WWW-BW-930	8,084	2,396	30%	5,688	70%	70	115
ACL3-4-07L-13L-WWW-BW-935	8,411	2,493	30%	5,919	70%	70	120
ACL3-4-07L-13L-WWW-BW-940	8,112	2,404	30%	5,708	70%	70	116
ACL3-4-07L-13L-WWW-BW-950	8,057	2,388	30%	5,669	70%	70	115
ACL3-4-07L-13L-WWW-SWF-930	8,767	2,396	27%	6,371	73%	71	123
ACL3-4-07L-13L-WWW-SWF-935	9,122	2,493	27%	6,630	73%	71	128
ACL3-4-07L-13L-WWW-SWF-940	8,798	2,404	27%	6,394	73%	71	124
ACL3-4-07L-13L-WWW-SWF-950	8,738	2,388	27%	6,350	73%	71	123
ACL3-4-10L-07L-SWF-930	7,700	4,192	54%	3,508	46%	60	128
ACL3-4-10L-07L-SWF-935	8,012	4,362	54%	3,650	46%	60	134
ACL3-4-10L-07L-SWF-940	7,726	4,207	54%	3,520	46%	60	129
ACL3-4-10L-07L-SWF-950	7,674	4,178	54%	3,496	46%	60	128
ACL3-4-10L-07L-SWF-BW-930	7,394	4,281	58%	3,113	42%	60	123
ACL3-4-10L-07L-SWF-BW-935	7,694	4,455	58%	3,239	42%	60	128
ACL3-4-10L-07L-SWF-BW-940	7,420	4,296	58%	3,124	42%	60	124
ACL3-4-10L-07L-SWF-BW-950	7,370	4,267	58%	3,103	42%	60	123
ACL3-4-10L-07L-WWW-BW-930	6,617	3,504	53%	3,113	47%	60	110
ACL3-4-10L-07L-WWW-BW-935	6,885	3,646	53%	3,239	47%	60	115
ACL3-4-10L-07L-WWW-BW-940	6,640	3,516	53%	3,124	47%	60	111
ACL3-4-10L-07L-WWW-BW-950	6,595	3,492	53%	3,103	47%	60	110
ACL3-4-10L-07L-WWW-SWF-930	6,921	3,504	51%	3,417	49%	60	115
ACL3-4-10L-07L-WWW-SWF-935	7,201	3,646	51%	3,555	49%	60	120
ACL3-4-10L-07L-WWW-SWF-940	6,945	3,516	51%	3,429	49%	60	116



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-4-10L-07L-WWF-950	6,898	3,492	51%	3,406	49%	60	115
ACL3-4-10L-10L-SWF-930	9,203	4,103	45%	5,100	55%	72	128
ACL3-4-10L-10L-SWF-935	9,575	4,269	45%	5,306	55%	72	133
ACL3-4-10L-10L-SWF-940	9,234	4,117	45%	5,117	55%	72	128
ACL3-4-10L-10L-SWF-950	9,172	4,089	45%	5,083	55%	72	127
ACL3-4-10L-10L-SWF-BW-930	8,834	4,281	48%	4,553	52%	72	123
ACL3-4-10L-10L-SWF-BW-935	9,192	4,455	48%	4,738	52%	72	128
ACL3-4-10L-10L-SWF-BW-940	8,865	4,296	48%	4,569	52%	72	123
ACL3-4-10L-10L-SWF-BW-950	8,805	4,267	48%	4,538	52%	72	122
ACL3-4-10L-10L-WWF-BW-930	8,057	3,504	43%	4,553	57%	72	112
ACL3-4-10L-10L-WWF-BW-935	8,383	3,646	43%	4,738	57%	72	116
ACL3-4-10L-10L-WWF-BW-940	8,085	3,516	43%	4,569	57%	72	112
ACL3-4-10L-10L-WWF-BW-950	8,030	3,492	43%	4,538	57%	72	112
ACL3-4-10L-10L-WWF-SWF-930	8,424	3,504	42%	4,920	58%	72	117
ACL3-4-10L-10L-WWF-SWF-935	8,766	3,646	42%	5,120	58%	72	122
ACL3-4-10L-10L-WWF-SWF-940	8,453	3,516	42%	4,938	58%	72	117
ACL3-4-10L-10L-WWF-SWF-950	8,396	3,492	42%	4,904	58%	72	117
ACL3-4-10L-13L-SWF-930	10,652	4,161	39%	6,491	61%	83	128
ACL3-4-10L-13L-SWF-935	11,084	4,330	39%	6,754	61%	83	134
ACL3-4-10L-13L-SWF-940	10,689	4,175	39%	6,514	61%	83	129
ACL3-4-10L-13L-SWF-950	10,617	4,147	39%	6,470	61%	83	128
ACL3-4-10L-13L-SWF-BW-930	9,969	4,281	43%	5,688	57%	82	122
ACL3-4-10L-13L-SWF-BW-935	10,373	4,455	43%	5,919	57%	82	127
ACL3-4-10L-13L-SWF-BW-940	10,004	4,296	43%	5,708	57%	82	122
ACL3-4-10L-13L-SWF-BW-950	9,936	4,267	43%	5,669	57%	82	121
ACL3-4-10L-13L-WWF-BW-930	9,192	3,504	38%	5,688	62%	82	112
ACL3-4-10L-13L-WWF-BW-935	9,564	3,646	38%	5,919	62%	82	117
ACL3-4-10L-13L-WWF-BW-940	9,224	3,516	38%	5,708	62%	82	112
ACL3-4-10L-13L-WWF-BW-950	9,161	3,492	38%	5,669	62%	82	112
ACL3-4-10L-13L-WWF-SWF-930	9,875	3,504	35%	6,371	65%	83	119
ACL3-4-10L-13L-WWF-SWF-935	10,275	3,646	35%	6,630	65%	83	124
ACL3-4-10L-13L-WWF-SWF-940	9,909	3,516	35%	6,394	65%	83	119
ACL3-4-10L-13L-WWF-SWF-950	9,843	3,492	35%	6,350	65%	83	119
ACL3-4-13L-07L-SWF-930	8,573	5,058	59%	3,515	41%	70	122
ACL3-4-13L-07L-SWF-935	8,920	5,263	59%	3,657	41%	70	127
ACL3-4-13L-07L-SWF-940	8,602	5,075	59%	3,527	41%	70	123
ACL3-4-13L-07L-SWF-950	8,545	5,041	59%	3,503	41%	70	122
ACL3-4-13L-07L-SWF-BW-930	8,269	5,156	62%	3,113	38%	70	118
ACL3-4-13L-07L-SWF-BW-935	8,604	5,365	62%	3,239	38%	70	123
ACL3-4-13L-07L-SWF-BW-940	8,298	5,174	62%	3,124	38%	70	119
ACL3-4-13L-07L-SWF-BW-950	8,242	5,139	62%	3,103	38%	70	118
ACL3-4-13L-07L-WWF-BW-930	7,490	4,377	58%	3,113	42%	70	107
ACL3-4-13L-07L-WWF-BW-935	7,793	4,554	58%	3,239	42%	70	111
ACL3-4-13L-07L-WWF-BW-940	7,516	4,392	58%	3,124	42%	70	107
ACL3-4-13L-07L-WWF-BW-950	7,465	4,362	58%	3,103	42%	70	107
ACL3-4-13L-07L-WWF-SWF-930	7,794	4,377	56%	3,417	44%	71	110
ACL3-4-13L-07L-WWF-SWF-935	8,109	4,554	56%	3,555	44%	71	114
ACL3-4-13L-07L-WWF-SWF-940	7,820	4,392	56%	3,429	44%	71	110
ACL3-4-13L-07L-WWF-SWF-950	7,768	4,362	56%	3,406	44%	71	109
ACL3-4-13L-10L-SWF-930	10,078	5,037	50%	5,041	50%	82	123
ACL3-4-13L-10L-SWF-935	10,486	5,241	50%	5,245	50%	82	128
ACL3-4-13L-10L-SWF-940	10,113	5,055	50%	5,058	50%	82	123
ACL3-4-13L-10L-SWF-950	10,045	5,021	50%	5,024	50%	82	122
ACL3-4-13L-10L-SWF-BW-930	9,709	5,156	53%	4,553	47%	82	118
ACL3-4-13L-10L-SWF-BW-935	10,103	5,365	53%	4,738	47%	82	123
ACL3-4-13L-10L-SWF-BW-940	9,743	5,174	53%	4,569	47%	82	119
ACL3-4-13L-10L-SWF-BW-950	9,677	5,139	53%	4,538	47%	82	118
ACL3-4-13L-10L-WWF-BW-930	8,930	4,377	49%	4,553	51%	82	109
ACL3-4-13L-10L-WWF-BW-935	9,292	4,554	49%	4,738	51%	82	113



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-4-13L-10L-WW-BW-940	8,961	4,392	49%	4,569	51%	82	109
ACL3-4-13L-10L-WW-BW-950	8,900	4,362	49%	4,538	51%	82	109
ACL3-4-13L-10L-WW-SWF-930	9,297	4,377	47%	4,920	53%	83	112
ACL3-4-13L-10L-WW-SWF-935	9,674	4,554	47%	5,120	53%	83	117
ACL3-4-13L-10L-WW-SWF-940	9,329	4,392	47%	4,938	53%	83	112
ACL3-4-13L-10L-WW-SWF-950	9,266	4,362	47%	4,904	53%	83	112
ACL3-4-13L-13L-SWF-930	11,526	5,138	45%	6,387	55%	96	120
ACL3-4-13L-13L-SWF-935	11,993	5,347	45%	6,646	55%	96	125
ACL3-4-13L-13L-SWF-940	11,566	5,156	45%	6,410	55%	96	120
ACL3-4-13L-13L-SWF-950	11,488	5,122	45%	6,366	55%	96	120
ACL3-4-13L-13L-SWF-BW-930	10,844	5,156	48%	5,688	52%	92	118
ACL3-4-13L-13L-SWF-BW-935	11,284	5,365	48%	5,919	52%	92	123
ACL3-4-13L-13L-SWF-BW-940	10,882	5,174	48%	5,708	52%	92	118
ACL3-4-13L-13L-SWF-BW-950	10,808	5,139	48%	5,669	52%	92	117
ACL3-4-13L-13L-WW-BW-930	10,065	4,377	43%	5,688	57%	92	109
ACL3-4-13L-13L-WW-BW-935	10,473	4,554	43%	5,919	57%	92	114
ACL3-4-13L-13L-WW-BW-940	10,100	4,392	43%	5,708	57%	92	110
ACL3-4-13L-13L-WW-BW-950	10,031	4,362	43%	5,669	57%	92	109
ACL3-4-13L-13L-WW-SWF-930	10,748	4,377	41%	6,371	59%	94	114
ACL3-4-13L-13L-WW-SWF-935	11,184	4,554	41%	6,630	59%	94	119
ACL3-4-13L-13L-WW-SWF-940	10,785	4,392	41%	6,394	59%	94	115
ACL3-4-13L-13L-WW-SWF-950	10,713	4,362	41%	6,350	59%	94	114
ACL3-5-07L-07L-SWF-930	7,879	3,513	45%	4,367	55%	60	131
ACL3-5-07L-07L-SWF-935	8,198	3,655	45%	4,543	55%	60	137
ACL3-5-07L-07L-SWF-940	7,906	3,525	45%	4,382	55%	60	132
ACL3-5-07L-07L-SWF-950	7,853	3,501	45%	4,352	55%	60	131
ACL3-5-07L-07L-SWF-BW-930	7,494	3,603	48%	3,891	52%	60	125
ACL3-5-07L-07L-SWF-BW-935	7,798	3,749	48%	4,049	52%	60	130
ACL3-5-07L-07L-SWF-BW-940	7,521	3,616	48%	3,905	52%	60	125
ACL3-5-07L-07L-SWF-BW-950	7,470	3,591	48%	3,878	52%	60	124
ACL3-5-07L-07L-WW-BW-930	6,886	2,995	43%	3,891	57%	60	115
ACL3-5-07L-07L-WW-BW-935	7,165	3,116	43%	4,049	57%	60	119
ACL3-5-07L-07L-WW-BW-940	6,910	3,005	43%	3,905	57%	60	115
ACL3-5-07L-07L-WW-BW-950	6,863	2,985	43%	3,878	57%	60	114
ACL3-5-07L-07L-WW-SWF-930	7,266	2,995	41%	4,271	59%	60	121
ACL3-5-07L-07L-WW-SWF-935	7,560	3,116	41%	4,444	59%	60	126
ACL3-5-07L-07L-WW-SWF-940	7,291	3,005	41%	4,286	59%	60	122
ACL3-5-07L-07L-WW-SWF-950	7,242	2,985	41%	4,257	59%	60	121
ACL3-5-07L-10L-SWF-930	9,765	3,500	36%	6,265	64%	75	130
ACL3-5-07L-10L-SWF-935	10,161	3,642	36%	6,519	64%	75	135
ACL3-5-07L-10L-SWF-940	9,799	3,512	36%	6,287	64%	75	131
ACL3-5-07L-10L-SWF-950	9,733	3,489	36%	6,244	64%	75	130
ACL3-5-07L-10L-SWF-BW-930	9,294	3,603	39%	5,691	61%	75	124
ACL3-5-07L-10L-SWF-BW-935	9,671	3,749	39%	5,922	61%	75	129
ACL3-5-07L-10L-SWF-BW-940	9,327	3,616	39%	5,711	61%	75	124
ACL3-5-07L-10L-SWF-BW-950	9,264	3,591	39%	5,672	61%	75	124
ACL3-5-07L-10L-WW-BW-930	8,686	2,995	34%	5,691	66%	75	116
ACL3-5-07L-10L-WW-BW-935	9,038	3,116	34%	5,922	66%	75	121
ACL3-5-07L-10L-WW-BW-940	8,716	3,005	34%	5,711	66%	75	116
ACL3-5-07L-10L-WW-BW-950	8,657	2,985	34%	5,672	66%	75	115
ACL3-5-07L-10L-WW-SWF-930	9,145	2,995	33%	6,151	67%	75	122
ACL3-5-07L-10L-WW-SWF-935	9,516	3,116	33%	6,400	67%	75	127
ACL3-5-07L-10L-WW-SWF-940	9,177	3,005	33%	6,172	67%	75	122
ACL3-5-07L-10L-WW-SWF-950	9,115	2,985	33%	6,130	67%	75	122
ACL3-5-07L-13L-SWF-930	11,581	3,491	30%	8,090	70%	90	129
ACL3-5-07L-13L-SWF-935	12,050	3,632	30%	8,418	70%	90	134
ACL3-5-07L-13L-SWF-940	11,621	3,503	30%	8,118	70%	90	129
ACL3-5-07L-13L-SWF-950	11,543	3,479	30%	8,063	70%	90	128
ACL3-5-07L-13L-SWF-BW-930	10,713	3,603	34%	7,110	66%	87.5	122



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-5-07L-13L-SWF-BW-935	11,147	3,749	34%	7,398	66%	87.5	127
ACL3-5-07L-13L-SWF-BW-940	10,751	3,616	34%	7,135	66%	87.5	123
ACL3-5-07L-13L-SWF-BW-950	10,678	3,591	34%	7,087	66%	87.5	122
ACL3-5-07L-13L-WW-BW-930	10,105	2,995	30%	7,110	70%	87.5	115
ACL3-5-07L-13L-WW-BW-935	10,514	3,116	30%	7,398	70%	87.5	120
ACL3-5-07L-13L-WW-BW-940	10,140	3,005	30%	7,135	70%	87.5	116
ACL3-5-07L-13L-WW-BW-950	10,071	2,985	30%	7,087	70%	87.5	115
ACL3-5-07L-13L-WW-SWF-930	10,959	2,995	27%	7,964	73%	88.75	123
ACL3-5-07L-13L-WW-SWF-935	11,403	3,116	27%	8,287	73%	88.75	128
ACL3-5-07L-13L-WW-SWF-940	10,997	3,005	27%	7,992	73%	88.75	124
ACL3-5-07L-13L-WW-SWF-950	10,923	2,985	27%	7,938	73%	88.75	123
ACL3-5-10L-07L-SWF-930	9,626	5,240	54%	4,385	46%	75	128
ACL3-5-10L-07L-SWF-935	10,016	5,453	54%	4,563	46%	75	134
ACL3-5-10L-07L-SWF-940	9,659	5,259	54%	4,400	46%	75	129
ACL3-5-10L-07L-SWF-950	9,594	5,223	54%	4,371	46%	75	128
ACL3-5-10L-07L-SWF-BW-930	9,243	5,351	58%	3,891	42%	75	123
ACL3-5-10L-07L-SWF-BW-935	9,617	5,568	58%	4,049	42%	75	128
ACL3-5-10L-07L-SWF-BW-940	9,275	5,370	58%	3,905	42%	75	124
ACL3-5-10L-07L-SWF-BW-950	9,212	5,334	58%	3,878	42%	75	123
ACL3-5-10L-07L-WW-BW-930	8,271	4,380	53%	3,891	47%	75	110
ACL3-5-10L-07L-WW-BW-935	8,606	4,557	53%	4,049	47%	75	115
ACL3-5-10L-07L-WW-BW-940	8,300	4,395	53%	3,905	47%	75	111
ACL3-5-10L-07L-WW-BW-950	8,244	4,365	53%	3,878	47%	75	110
ACL3-5-10L-07L-WW-SWF-930	8,651	4,380	51%	4,271	49%	75	115
ACL3-5-10L-07L-WW-SWF-935	9,001	4,557	51%	4,444	49%	75	120
ACL3-5-10L-07L-WW-SWF-940	8,681	4,395	51%	4,286	49%	75	116
ACL3-5-10L-07L-WW-SWF-950	8,622	4,365	51%	4,257	49%	75	115
ACL3-5-10L-10L-SWF-930	1,545	689	45%	856	55%	90	17
ACL3-5-10L-10L-SWF-935	1,608	717	45%	891	55%	90	18
ACL3-5-10L-10L-SWF-940	1,550	691	45%	859	55%	90	17
ACL3-5-10L-10L-SWF-950	1,541	687	45%	853	55%	90	17
ACL3-5-10L-10L-SWF-BW-930	11,042	5,351	48%	5,691	52%	90	123
ACL3-5-10L-10L-SWF-BW-935	11,490	5,568	48%	5,922	52%	90	128
ACL3-5-10L-10L-SWF-BW-940	11,081	5,370	48%	5,711	52%	90	123
ACL3-5-10L-10L-SWF-BW-950	11,006	5,334	48%	5,672	52%	90	122
ACL3-5-10L-10L-WW-BW-930	10,071	4,380	43%	5,691	57%	90	112
ACL3-5-10L-10L-WW-BW-935	10,479	4,557	43%	5,922	57%	90	116
ACL3-5-10L-10L-WW-BW-940	10,106	4,395	43%	5,711	57%	90	112
ACL3-5-10L-10L-WW-BW-950	10,037	4,365	43%	5,672	57%	90	112
ACL3-5-10L-10L-WW-SWF-930	10,530	4,380	42%	6,151	58%	90	117
ACL3-5-10L-10L-WW-SWF-935	10,957	4,557	42%	6,400	58%	90	122
ACL3-5-10L-10L-WW-SWF-940	10,567	4,395	42%	6,172	58%	90	117
ACL3-5-10L-10L-WW-SWF-950	10,495	4,365	42%	6,130	58%	90	117
ACL3-5-10L-13L-SWF-930	13,326	5,206	39%	8,121	61%	105	127
ACL3-5-10L-13L-SWF-935	13,866	5,417	39%	8,450	61%	105	132
ACL3-5-10L-13L-SWF-940	13,373	5,224	39%	8,149	61%	105	127
ACL3-5-10L-13L-SWF-950	13,282	5,188	39%	8,094	61%	105	126
ACL3-5-10L-13L-SWF-BW-930	12,461	5,351	43%	7,110	57%	102.5	122
ACL3-5-10L-13L-SWF-BW-935	12,967	5,568	43%	7,398	57%	102.5	127
ACL3-5-10L-13L-SWF-BW-940	12,505	5,370	43%	7,135	57%	102.5	122
ACL3-5-10L-13L-SWF-BW-950	12,420	5,334	43%	7,087	57%	102.5	121
ACL3-5-10L-13L-WW-BW-930	11,490	4,380	38%	7,110	62%	102.5	112
ACL3-5-10L-13L-WW-BW-935	11,955	4,557	38%	7,398	62%	102.5	117
ACL3-5-10L-13L-WW-BW-940	11,530	4,395	38%	7,135	62%	102.5	112
ACL3-5-10L-13L-WW-BW-950	11,452	4,365	38%	7,087	62%	102.5	112
ACL3-5-10L-13L-WW-SWF-930	12,344	4,380	35%	7,964	65%	103.75	119
ACL3-5-10L-13L-WW-SWF-935	12,844	4,557	35%	8,287	65%	103.75	124
ACL3-5-10L-13L-WW-SWF-940	12,387	4,395	35%	7,992	65%	103.75	119
ACL3-5-10L-13L-WW-SWF-950	12,303	4,365	35%	7,938	65%	103.75	119



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-5-13L-07L-SWF-930	10,715	6,322	59%	4,394	41%	90	119
ACL3-5-13L-07L-SWF-935	11,150	6,578	59%	4,572	41%	90	124
ACL3-5-13L-07L-SWF-940	10,753	6,344	59%	4,409	41%	90	119
ACL3-5-13L-07L-SWF-950	10,680	6,301	59%	4,379	41%	90	119
ACL3-5-13L-07L-SWF-BW-930	10,336	6,445	62%	3,891	38%	87.5	118
ACL3-5-13L-07L-SWF-BW-935	10,755	6,706	62%	4,049	38%	87.5	123
ACL3-5-13L-07L-SWF-BW-940	10,372	6,468	62%	3,905	38%	87.5	119
ACL3-5-13L-07L-SWF-BW-950	10,302	6,424	62%	3,878	38%	87.5	118
ACL3-5-13L-07L-WWW-BW-930	9,362	5,471	58%	3,891	42%	87.5	107
ACL3-5-13L-07L-WWW-BW-935	9,741	5,693	58%	4,049	42%	87.5	111
ACL3-5-13L-07L-WWW-BW-940	9,395	5,490	58%	3,905	42%	87.5	107
ACL3-5-13L-07L-WWW-BW-950	9,331	5,453	58%	3,878	42%	87.5	107
ACL3-5-13L-07L-WWW-SWF-930	9,742	5,471	56%	4,271	44%	88.75	110
ACL3-5-13L-07L-WWW-SWF-935	10,137	5,693	56%	4,444	44%	88.75	114
ACL3-5-13L-07L-WWW-SWF-940	9,776	5,490	56%	4,286	44%	88.75	110
ACL3-5-13L-07L-WWW-SWF-950	9,710	5,453	56%	4,257	44%	88.75	109
ACL3-5-13L-10L-SWF-930	12,601	6,299	50%	6,303	50%	105	120
ACL3-5-13L-10L-SWF-935	13,112	6,554	50%	6,558	50%	105	125
ACL3-5-13L-10L-SWF-940	12,645	6,321	50%	6,325	50%	105	120
ACL3-5-13L-10L-SWF-950	12,560	6,278	50%	6,282	50%	105	120
ACL3-5-13L-10L-SWF-BW-930	12,136	6,445	53%	5,691	47%	102.5	118
ACL3-5-13L-10L-SWF-BW-935	12,628	6,706	53%	5,922	47%	102.5	123
ACL3-5-13L-10L-SWF-BW-940	12,178	6,468	53%	5,711	47%	102.5	119
ACL3-5-13L-10L-SWF-BW-950	12,096	6,424	53%	5,672	47%	102.5	118
ACL3-5-13L-10L-WWW-BW-930	11,162	5,471	49%	5,691	51%	102.5	109
ACL3-5-13L-10L-WWW-BW-935	11,614	5,693	49%	5,922	51%	102.5	113
ACL3-5-13L-10L-WWW-BW-940	11,201	5,490	49%	5,711	51%	102.5	109
ACL3-5-13L-10L-WWW-BW-950	11,125	5,453	49%	5,672	51%	102.5	109
ACL3-5-13L-10L-WWW-SWF-930	11,621	5,471	47%	6,151	53%	103.75	112
ACL3-5-13L-10L-WWW-SWF-935	12,092	5,692	47%	6,400	53%	103.75	117
ACL3-5-13L-10L-WWW-SWF-940	11,662	5,490	47%	6,172	53%	103.75	112
ACL3-5-13L-10L-WWW-SWF-950	11,583	5,453	47%	6,130	53%	103.75	112
ACL3-5-13L-13L-SWF-930	14,416	6,427	45%	7,989	55%	120	120
ACL3-5-13L-13L-SWF-935	15,001	6,688	45%	8,313	55%	120	125
ACL3-5-13L-13L-SWF-940	14,467	6,449	45%	8,017	55%	120	121
ACL3-5-13L-13L-SWF-950	14,369	6,406	45%	7,963	55%	120	120
ACL3-5-13L-13L-SWF-BW-930	13,555	6,445	48%	7,110	52%	115	118
ACL3-5-13L-13L-SWF-BW-935	14,105	6,706	48%	7,398	52%	115	123
ACL3-5-13L-13L-SWF-BW-940	13,602	6,468	48%	7,135	52%	115	118
ACL3-5-13L-13L-SWF-BW-950	13,510	6,424	48%	7,087	52%	115	117
ACL3-5-13L-13L-WWW-BW-930	12,581	5,471	43%	7,110	57%	115	109
ACL3-5-13L-13L-WWW-BW-935	13,091	5,693	43%	7,398	57%	115	114
ACL3-5-13L-13L-WWW-BW-940	12,625	5,490	43%	7,135	57%	115	110
ACL3-5-13L-13L-WWW-BW-950	12,539	5,453	43%	7,087	57%	115	109
ACL3-5-13L-13L-WWW-SWF-930	13,435	5,471	41%	7,964	59%	117.5	114
ACL3-5-13L-13L-WWW-SWF-935	13,980	5,693	41%	8,287	59%	117.5	119
ACL3-5-13L-13L-WWW-SWF-940	13,482	5,490	41%	7,992	59%	117.5	115
ACL3-5-13L-13L-WWW-SWF-950	13,391	5,453	41%	7,938	59%	117.5	114
ACL3-6-07L-07L-SWF-930	9,563	4,263	45%	5,300	55%	72	133
ACL3-6-07L-07L-SWF-935	9,950	4,436	45%	5,514	55%	72	138
ACL3-6-07L-07L-SWF-940	9,596	4,278	45%	5,318	55%	72	133
ACL3-6-07L-07L-SWF-950	9,531	4,249	45%	5,282	55%	72	132
ACL3-6-07L-07L-SWF-BW-930	8,993	4,324	48%	4,670	52%	72	125
ACL3-6-07L-07L-SWF-BW-935	9,358	4,499	48%	4,859	52%	72	130
ACL3-6-07L-07L-SWF-BW-940	9,025	4,339	48%	4,686	52%	72	125
ACL3-6-07L-07L-SWF-BW-950	8,963	4,309	48%	4,654	52%	72	124
ACL3-6-07L-07L-WWW-BW-930	8,263	3,594	43%	4,670	57%	72	115
ACL3-6-07L-07L-WWW-BW-935	8,598	3,739	43%	4,859	57%	72	119
ACL3-6-07L-07L-WWW-BW-940	8,292	3,606	43%	4,686	57%	72	115



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-6-07L-07L-WW-BW-950	8,236	3,582	43%	4,654	57%	72	114
ACL3-6-07L-07L-WW-SWF-930	8,719	3,594	41%	5,125	59%	72	121
ACL3-6-07L-07L-WW-SWF-935	9,072	3,739	41%	5,333	59%	72	126
ACL3-6-07L-07L-WW-SWF-940	8,749	3,606	41%	5,143	59%	72	122
ACL3-6-07L-07L-WW-SWF-950	8,690	3,582	41%	5,108	59%	72	121
ACL3-6-07L-10L-SWF-930	11,823	4,238	36%	7,585	64%	90	131
ACL3-6-07L-10L-SWF-935	12,302	4,410	36%	7,892	64%	90	137
ACL3-6-07L-10L-SWF-940	11,864	4,253	36%	7,612	64%	90	132
ACL3-6-07L-10L-SWF-950	11,784	4,224	36%	7,560	64%	90	131
ACL3-6-07L-10L-SWF-BW-930	11,154	4,324	39%	6,830	61%	90	124
ACL3-6-07L-10L-SWF-BW-935	11,606	4,499	39%	7,107	61%	90	129
ACL3-6-07L-10L-SWF-BW-940	11,192	4,339	39%	6,854	61%	90	124
ACL3-6-07L-10L-SWF-BW-950	11,117	4,309	39%	6,807	61%	90	124
ACL3-6-07L-10L-WW-BW-930	10,423	3,594	34%	6,830	66%	90	116
ACL3-6-07L-10L-WW-BW-935	10,846	3,739	34%	7,107	66%	90	121
ACL3-6-07L-10L-WW-BW-940	10,460	3,606	34%	6,854	66%	90	116
ACL3-6-07L-10L-WW-BW-950	10,389	3,582	34%	6,807	66%	90	115
ACL3-6-07L-10L-WW-SWF-930	10,974	3,594	33%	7,381	67%	90	122
ACL3-6-07L-10L-WW-SWF-935	11,419	3,739	33%	7,680	67%	90	127
ACL3-6-07L-10L-WW-SWF-940	11,012	3,606	33%	7,406	67%	90	122
ACL3-6-07L-10L-WW-SWF-950	10,938	3,582	33%	7,356	67%	90	122
ACL3-6-07L-13L-SWF-930	13,999	4,220	30%	9,779	70%	108	130
ACL3-6-07L-13L-SWF-935	14,565	4,391	30%	10,175	70%	108	135
ACL3-6-07L-13L-SWF-940	14,047	4,234	30%	9,813	70%	108	130
ACL3-6-07L-13L-SWF-950	13,952	4,206	30%	9,746	70%	108	129
ACL3-6-07L-13L-SWF-BW-930	12,856	4,324	34%	8,532	66%	105	122
ACL3-6-07L-13L-SWF-BW-935	13,377	4,499	34%	8,878	66%	105	127
ACL3-6-07L-13L-SWF-BW-940	12,901	4,339	34%	8,562	66%	105	123
ACL3-6-07L-13L-SWF-BW-950	12,813	4,309	34%	8,504	66%	105	122
ACL3-6-07L-13L-WW-BW-930	12,126	3,594	30%	8,532	70%	105	115
ACL3-6-07L-13L-WW-BW-935	12,617	3,739	30%	8,878	70%	105	120
ACL3-6-07L-13L-WW-BW-940	12,168	3,606	30%	8,562	70%	105	116
ACL3-6-07L-13L-WW-BW-950	12,086	3,582	30%	8,504	70%	105	115
ACL3-6-07L-13L-WW-SWF-930	13,151	3,594	27%	9,557	73%	106.5	123
ACL3-6-07L-13L-WW-SWF-935	13,684	3,739	27%	9,944	73%	106.5	128
ACL3-6-07L-13L-WW-SWF-940	13,196	3,606	27%	9,590	73%	106.5	124
ACL3-6-07L-13L-WW-SWF-950	13,107	3,582	27%	9,526	73%	106.5	123
ACL3-6-10L-07L-SWF-930	11,714	6,377	54%	5,337	46%	90	130
ACL3-6-10L-07L-SWF-935	12,189	6,636	54%	5,553	46%	90	135
ACL3-6-10L-07L-SWF-940	11,755	6,400	54%	5,355	46%	90	131
ACL3-6-10L-07L-SWF-950	11,675	6,356	54%	5,319	46%	90	130
ACL3-6-10L-07L-SWF-BW-930	11,091	6,422	58%	4,670	42%	90	123
ACL3-6-10L-07L-SWF-BW-935	11,541	6,682	58%	4,859	42%	90	128
ACL3-6-10L-07L-SWF-BW-940	11,130	6,444	58%	4,686	42%	90	124
ACL3-6-10L-07L-SWF-BW-950	11,055	6,401	58%	4,654	42%	90	123
ACL3-6-10L-07L-WW-BW-930	9,925	5,255	53%	4,670	47%	90	110
ACL3-6-10L-07L-WW-BW-935	10,327	5,469	53%	4,859	47%	90	115
ACL3-6-10L-07L-WW-BW-940	9,960	5,274	53%	4,686	47%	90	111
ACL3-6-10L-07L-WW-BW-950	9,892	5,238	53%	4,654	47%	90	110
ACL3-6-10L-07L-WW-SWF-930	10,381	5,255	51%	5,125	49%	90	115
ACL3-6-10L-07L-WW-SWF-935	10,801	5,469	51%	5,333	49%	90	120
ACL3-6-10L-07L-WW-SWF-940	10,417	5,274	51%	5,143	49%	90	116
ACL3-6-10L-07L-WW-SWF-950	10,346	5,238	51%	5,108	49%	90	115
ACL3-6-10L-10L-SWF-930	13,971	6,229	45%	7,743	55%	108	129
ACL3-6-10L-10L-SWF-935	14,537	6,481	45%	8,056	55%	108	135
ACL3-6-10L-10L-SWF-940	14,020	6,250	45%	7,770	55%	108	130
ACL3-6-10L-10L-SWF-950	13,925	6,208	45%	7,717	55%	108	129
ACL3-6-10L-10L-SWF-BW-930	13,252	6,422	48%	6,830	52%	108	123
ACL3-6-10L-10L-SWF-BW-935	13,789	6,682	48%	7,107	52%	108	128



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-6-10L-10L-SWF-BW-940	13,298	6,444	48%	6,854	52%	108	123
ACL3-6-10L-10L-SWF-BW-950	13,208	6,401	48%	6,807	52%	108	122
ACL3-6-10L-10L-WWV-BW-930	12,085	5,255	43%	6,830	57%	108	112
ACL3-6-10L-10L-WWV-BW-935	12,575	5,469	43%	7,107	57%	108	116
ACL3-6-10L-10L-WWV-BW-940	12,127	5,274	43%	6,854	57%	108	112
ACL3-6-10L-10L-WWV-BW-950	12,045	5,238	43%	6,807	57%	108	112
ACL3-6-10L-10L-WWV-SWF-930	12,636	5,255	42%	7,381	58%	108	117
ACL3-6-10L-10L-WWV-SWF-935	13,148	5,469	42%	7,680	58%	108	122
ACL3-6-10L-10L-WWV-SWF-940	12,680	5,274	42%	7,406	58%	108	117
ACL3-6-10L-10L-WWV-SWF-950	12,594	5,238	42%	7,356	58%	108	117
ACL3-6-10L-13L-SWF-930	16,149	6,308	39%	9,841	61%	126	128
ACL3-6-10L-13L-SWF-935	16,804	6,564	39%	10,240	61%	126	133
ACL3-6-10L-13L-SWF-940	16,205	6,330	39%	9,875	61%	126	129
ACL3-6-10L-13L-SWF-950	16,096	6,288	39%	9,808	61%	126	128
ACL3-6-10L-13L-SWF-BW-930	14,954	6,422	43%	8,532	57%	123	122
ACL3-6-10L-13L-SWF-BW-935	15,560	6,682	43%	8,878	57%	123	127
ACL3-6-10L-13L-SWF-BW-940	15,006	6,444	43%	8,562	57%	123	122
ACL3-6-10L-13L-SWF-BW-950	14,905	6,401	43%	8,504	57%	123	121
ACL3-6-10L-13L-WWV-BW-930	13,788	5,255	38%	8,532	62%	123	112
ACL3-6-10L-13L-WWV-BW-935	14,347	5,469	38%	8,878	62%	123	117
ACL3-6-10L-13L-WWV-BW-940	13,836	5,274	38%	8,562	62%	123	112
ACL3-6-10L-13L-WWV-BW-950	13,742	5,238	38%	8,504	62%	123	112
ACL3-6-10L-13L-WWV-SWF-930	14,813	5,255	35%	9,557	65%	124.5	119
ACL3-6-10L-13L-WWV-SWF-935	15,413	5,469	35%	9,944	65%	124.5	124
ACL3-6-10L-13L-WWV-SWF-940	14,864	5,274	35%	9,590	65%	124.5	119
ACL3-6-10L-13L-WWV-SWF-950	14,764	5,238	35%	9,526	65%	124.5	119
ACL3-6-13L-07L-SWF-930	13,057	7,703	59%	5,354	41%	108	121
ACL3-6-13L-07L-SWF-935	13,586	8,015	59%	5,571	41%	108	126
ACL3-6-13L-07L-SWF-940	13,102	7,730	59%	5,372	41%	108	121
ACL3-6-13L-07L-SWF-950	13,014	7,678	59%	5,336	41%	108	120
ACL3-6-13L-07L-SWF-BW-930	12,404	7,734	62%	4,670	38%	105	118
ACL3-6-13L-07L-SWF-BW-935	12,906	8,047	62%	4,859	38%	105	123
ACL3-6-13L-07L-SWF-BW-940	12,447	7,761	62%	4,686	38%	105	119
ACL3-6-13L-07L-SWF-BW-950	12,362	7,708	62%	4,654	38%	105	118
ACL3-6-13L-07L-WWV-BW-930	11,234	6,565	58%	4,670	42%	105	107
ACL3-6-13L-07L-WWV-BW-935	11,690	6,831	58%	4,859	42%	105	111
ACL3-6-13L-07L-WWV-BW-940	11,274	6,588	58%	4,686	42%	105	107
ACL3-6-13L-07L-WWV-BW-950	11,197	6,543	58%	4,654	42%	105	107
ACL3-6-13L-07L-WWV-SWF-930	11,690	6,565	56%	5,125	44%	106.5	110
ACL3-6-13L-07L-WWV-SWF-935	12,164	6,831	56%	5,333	44%	106.5	114
ACL3-6-13L-07L-WWV-SWF-940	11,731	6,588	56%	5,143	44%	106.5	110
ACL3-6-13L-07L-WWV-SWF-950	11,651	6,543	56%	5,108	44%	106.5	109
ACL3-6-13L-10L-SWF-930	15,317	7,656	50%	7,661	50%	126	122
ACL3-6-13L-10L-SWF-935	15,938	7,967	50%	7,971	50%	126	126
ACL3-6-13L-10L-SWF-940	15,370	7,683	50%	7,688	50%	126	122
ACL3-6-13L-10L-SWF-950	15,267	7,631	50%	7,636	50%	126	121
ACL3-6-13L-10L-SWF-BW-930	14,564	7,734	53%	6,830	47%	123	118
ACL3-6-13L-10L-SWF-BW-935	15,154	8,047	53%	7,107	47%	123	123
ACL3-6-13L-10L-SWF-BW-940	14,615	7,761	53%	6,854	47%	123	119
ACL3-6-13L-10L-SWF-BW-950	14,516	7,708	53%	6,807	47%	123	118
ACL3-6-13L-10L-WWV-BW-930	13,395	6,565	49%	6,830	51%	123	109
ACL3-6-13L-10L-WWV-BW-935	13,937	6,831	49%	7,107	51%	123	113
ACL3-6-13L-10L-WWV-BW-940	13,441	6,588	49%	6,854	51%	123	109
ACL3-6-13L-10L-WWV-BW-950	13,350	6,543	49%	6,807	51%	123	109
ACL3-6-13L-10L-WWV-SWF-930	13,945	6,565	47%	7,381	53%	124.5	112
ACL3-6-13L-10L-WWV-SWF-935	14,511	6,831	47%	7,680	53%	124.5	117
ACL3-6-13L-10L-WWV-SWF-940	13,994	6,588	47%	7,406	53%	124.5	112
ACL3-6-13L-10L-WWV-SWF-950	13,900	6,543	47%	7,356	53%	124.5	112
ACL3-6-13L-13L-SWF-930	17,491	7,798	45%	9,694	55%	144	121



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-6-13L-13L-SWF-935	18,200	8,114	45%	10,086	55%	144	126
ACL3-6-13L-13L-SWF-940	17,552	7,825	45%	9,727	55%	144	122
ACL3-6-13L-13L-SWF-950	17,434	7,772	45%	9,662	55%	144	121
ACL3-6-13L-13L-SWF-BW-930	16,266	7,734	48%	8,532	52%	138	118
ACL3-6-13L-13L-SWF-BW-935	16,926	8,047	48%	8,878	52%	138	123
ACL3-6-13L-13L-SWF-BW-940	16,323	7,761	48%	8,562	52%	138	118
ACL3-6-13L-13L-SWF-BW-950	16,212	7,708	48%	8,504	52%	138	117
ACL3-6-13L-13L-WW-BW-930	15,097	6,565	43%	8,532	57%	138	109
ACL3-6-13L-13L-WW-BW-935	15,709	6,831	43%	8,878	57%	138	114
ACL3-6-13L-13L-WW-BW-940	15,150	6,588	43%	8,562	57%	138	110
ACL3-6-13L-13L-WW-BW-950	15,047	6,543	43%	8,504	57%	138	109
ACL3-6-13L-13L-WW-SWF-930	16,122	6,565	41%	9,557	59%	141	114
ACL3-6-13L-13L-WW-SWF-935	16,775	6,831	41%	9,944	59%	141	119
ACL3-6-13L-13L-WW-SWF-940	16,178	6,588	41%	9,590	59%	141	115
ACL3-6-13L-13L-WW-SWF-950	16,069	6,543	41%	9,526	59%	141	114
ACL3-7-07L-07L-SWF-930	11,024	4,915	45%	6,109	55%	84	131
ACL3-7-07L-07L-SWF-935	11,471	5,114	45%	6,357	55%	84	137
ACL3-7-07L-07L-SWF-940	11,063	4,932	45%	6,131	55%	84	132
ACL3-7-07L-07L-SWF-950	10,988	4,899	45%	6,089	55%	84	131
ACL3-7-07L-07L-SWF-BW-930	10,492	5,044	48%	5,448	52%	84	125
ACL3-7-07L-07L-SWF-BW-935	10,917	5,249	48%	5,669	52%	84	130
ACL3-7-07L-07L-SWF-BW-940	10,529	5,062	48%	5,467	52%	84	125
ACL3-7-07L-07L-SWF-BW-950	10,458	5,028	48%	5,430	52%	84	124
ACL3-7-07L-07L-WW-BW-930	9,640	4,192	43%	5,448	57%	84	115
ACL3-7-07L-07L-WW-BW-935	10,031	4,362	43%	5,669	57%	84	119
ACL3-7-07L-07L-WW-BW-940	9,674	4,207	43%	5,467	57%	84	115
ACL3-7-07L-07L-WW-BW-950	9,608	4,178	43%	5,430	57%	84	114
ACL3-7-07L-07L-WW-SWF-930	10,172	4,192	41%	5,979	59%	84	121
ACL3-7-07L-07L-WW-SWF-935	10,584	4,362	41%	6,222	59%	84	126
ACL3-7-07L-07L-WW-SWF-940	10,207	4,207	41%	6,000	59%	84	122
ACL3-7-07L-07L-WW-SWF-950	10,138	4,178	41%	5,960	59%	84	121
ACL3-7-07L-10L-SWF-930	13,658	4,896	36%	8,762	64%	105	130
ACL3-7-07L-10L-SWF-935	14,211	5,094	36%	9,117	64%	105	135
ACL3-7-07L-10L-SWF-940	13,706	4,913	36%	8,793	64%	105	131
ACL3-7-07L-10L-SWF-950	13,613	4,880	36%	8,733	64%	105	130
ACL3-7-07L-10L-SWF-BW-930	13,012	5,044	39%	7,968	61%	105	124
ACL3-7-07L-10L-SWF-BW-935	13,540	5,249	39%	8,291	61%	105	129
ACL3-7-07L-10L-SWF-BW-940	13,058	5,062	39%	7,996	61%	105	124
ACL3-7-07L-10L-SWF-BW-950	12,969	5,028	39%	7,942	61%	105	124
ACL3-7-07L-10L-WW-BW-930	12,160	4,192	34%	7,968	66%	105	116
ACL3-7-07L-10L-WW-BW-935	12,653	4,362	34%	8,291	66%	105	121
ACL3-7-07L-10L-WW-BW-940	12,203	4,207	34%	7,996	66%	105	116
ACL3-7-07L-10L-WW-BW-950	12,120	4,178	34%	7,942	66%	105	115
ACL3-7-07L-10L-WW-SWF-930	12,803	4,192	33%	8,611	67%	105	122
ACL3-7-07L-10L-WW-SWF-935	13,322	4,362	33%	8,960	67%	105	127
ACL3-7-07L-10L-WW-SWF-940	12,848	4,207	33%	8,641	67%	105	122
ACL3-7-07L-10L-WW-SWF-950	12,761	4,178	33%	8,582	67%	105	122
ACL3-7-07L-13L-SWF-930	16,193	4,881	30%	11,312	70%	126	129
ACL3-7-07L-13L-SWF-935	16,849	5,079	30%	11,770	70%	126	134
ACL3-7-07L-13L-SWF-940	16,249	4,898	30%	11,351	70%	126	129
ACL3-7-07L-13L-SWF-950	16,139	4,865	30%	11,274	70%	126	128
ACL3-7-07L-13L-SWF-BW-930	14,998	5,044	34%	9,954	66%	123	122
ACL3-7-07L-13L-SWF-BW-935	15,606	5,249	34%	10,358	66%	123	127
ACL3-7-07L-13L-SWF-BW-940	15,051	5,062	34%	9,989	66%	123	122
ACL3-7-07L-13L-SWF-BW-950	14,949	5,028	34%	9,921	66%	123	122
ACL3-7-07L-13L-WW-BW-930	14,146	4,192	30%	9,954	70%	123	115
ACL3-7-07L-13L-WW-BW-935	14,720	4,362	30%	10,358	70%	123	120
ACL3-7-07L-13L-WW-BW-940	14,196	4,207	30%	9,989	70%	123	115
ACL3-7-07L-13L-WW-BW-950	14,100	4,178	30%	9,921	70%	123	115



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-7-07L-13L-WW-SWF-930	15,342	4,192	27%	11,150	73%	124	124
ACL3-7-07L-13L-WW-SWF-935	15,964	4,362	27%	11,602	73%	124	129
ACL3-7-07L-13L-WW-SWF-940	15,396	4,207	27%	11,189	73%	124	124
ACL3-7-07L-13L-WW-SWF-950	15,292	4,178	27%	11,113	73%	124	123
ACL3-7-10L-07L-SWF-930	13,474	7,335	54%	6,138	46%	105	128
ACL3-7-10L-07L-SWF-935	14,020	7,633	54%	6,387	46%	105	134
ACL3-7-10L-07L-SWF-940	13,521	7,361	54%	6,160	46%	105	129
ACL3-7-10L-07L-SWF-950	13,429	7,311	54%	6,118	46%	105	128
ACL3-7-10L-07L-SWF-BW-930	12,940	7,492	58%	5,448	42%	105	123
ACL3-7-10L-07L-SWF-BW-935	13,464	7,796	58%	5,669	42%	105	128
ACL3-7-10L-07L-SWF-BW-940	12,985	7,518	58%	5,467	42%	105	124
ACL3-7-10L-07L-SWF-BW-950	12,897	7,467	58%	5,430	42%	105	123
ACL3-7-10L-07L-WW-BW-930	11,579	6,131	53%	5,448	47%	105	110
ACL3-7-10L-07L-WW-BW-935	12,048	6,380	53%	5,669	47%	105	115
ACL3-7-10L-07L-WW-BW-940	11,620	6,153	53%	5,467	47%	105	111
ACL3-7-10L-07L-WW-BW-950	11,541	6,111	53%	5,430	47%	105	110
ACL3-7-10L-07L-WW-SWF-930	12,111	6,131	51%	5,979	49%	105	115
ACL3-7-10L-07L-WW-SWF-935	12,602	6,380	51%	6,222	49%	105	120
ACL3-7-10L-07L-WW-SWF-940	12,153	6,153	51%	6,000	49%	105	116
ACL3-7-10L-07L-WW-SWF-950	12,071	6,111	51%	5,960	49%	105	115
ACL3-7-10L-10L-SWF-930	16,105	7,179	45%	8,925	55%	126	128
ACL3-7-10L-10L-SWF-935	16,757	7,471	45%	9,287	55%	126	133
ACL3-7-10L-10L-SWF-940	16,161	7,205	45%	8,956	55%	126	128
ACL3-7-10L-10L-SWF-950	16,052	7,156	45%	8,896	55%	126	127
ACL3-7-10L-10L-SWF-BW-930	15,460	7,492	48%	7,968	52%	126	123
ACL3-7-10L-10L-SWF-BW-935	16,087	7,796	48%	8,291	52%	126	128
ACL3-7-10L-10L-SWF-BW-940	15,514	7,518	48%	7,996	52%	126	123
ACL3-7-10L-10L-SWF-BW-950	15,409	7,467	48%	7,942	52%	126	122
ACL3-7-10L-10L-WW-BW-930	14,099	6,131	43%	7,968	57%	126	112
ACL3-7-10L-10L-WW-BW-935	14,671	6,380	43%	8,291	57%	126	116
ACL3-7-10L-10L-WW-BW-940	14,148	6,153	43%	7,996	57%	126	112
ACL3-7-10L-10L-WW-BW-950	14,053	6,111	43%	7,942	57%	126	112
ACL3-7-10L-10L-WW-SWF-930	14,742	6,131	42%	8,611	58%	126	117
ACL3-7-10L-10L-WW-SWF-935	15,340	6,380	42%	8,960	58%	126	122
ACL3-7-10L-10L-WW-SWF-940	14,794	6,153	42%	8,641	58%	126	117
ACL3-7-10L-10L-WW-SWF-950	14,693	6,111	42%	8,582	58%	126	117
ACL3-7-10L-13L-SWF-930	18,642	7,282	39%	11,360	61%	147	127
ACL3-7-10L-13L-SWF-935	19,397	7,577	39%	11,820	61%	147	132
ACL3-7-10L-13L-SWF-940	18,707	7,307	39%	11,399	61%	147	127
ACL3-7-10L-13L-SWF-950	18,580	7,258	39%	11,322	61%	147	126
ACL3-7-10L-13L-SWF-BW-930	17,446	7,492	43%	9,954	57%	144	121
ACL3-7-10L-13L-SWF-BW-935	18,153	7,796	43%	10,358	57%	144	126
ACL3-7-10L-13L-SWF-BW-940	17,507	7,518	43%	9,989	57%	144	122
ACL3-7-10L-13L-SWF-BW-950	17,389	7,467	43%	9,921	57%	144	121
ACL3-7-10L-13L-WW-BW-930	16,085	6,131	38%	9,954	62%	144	112
ACL3-7-10L-13L-WW-BW-935	16,738	6,380	38%	10,358	62%	144	116
ACL3-7-10L-13L-WW-BW-940	16,142	6,153	38%	9,989	62%	144	112
ACL3-7-10L-13L-WW-BW-950	16,032	6,111	38%	9,921	62%	144	111
ACL3-7-10L-13L-WW-SWF-930	17,281	6,131	35%	11,150	65%	145	119
ACL3-7-10L-13L-WW-SWF-935	17,982	6,380	35%	11,602	65%	145	124
ACL3-7-10L-13L-WW-SWF-940	17,342	6,153	35%	11,189	65%	145	120
ACL3-7-10L-13L-WW-SWF-950	17,224	6,111	35%	11,113	65%	145	119
ACL3-7-13L-07L-SWF-930	15,003	8,852	59%	6,152	41%	126	119
ACL3-7-13L-07L-SWF-935	15,611	9,211	59%	6,401	41%	126	124
ACL3-7-13L-07L-SWF-940	15,056	8,883	59%	6,173	41%	126	119
ACL3-7-13L-07L-SWF-950	14,954	8,822	59%	6,131	41%	126	119
ACL3-7-13L-07L-SWF-BW-930	14,471	9,023	62%	5,448	38%	123	118
ACL3-7-13L-07L-SWF-BW-935	15,057	9,389	62%	5,669	38%	123	122
ACL3-7-13L-07L-SWF-BW-940	14,521	9,054	62%	5,467	38%	123	118



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-7-13L-07L-SWF-BW-950	14,423	8,993	62%	5,430	38%	123	117
ACL3-7-13L-07L-WWV-BW-930	13,107	7,659	58%	5,448	42%	123	107
ACL3-7-13L-07L-WWV-BW-935	13,638	7,969	58%	5,669	42%	123	111
ACL3-7-13L-07L-WWV-BW-940	13,152	7,686	58%	5,467	42%	123	107
ACL3-7-13L-07L-WWV-BW-950	13,063	7,634	58%	5,430	42%	123	106
ACL3-7-13L-07L-WWV-SWF-930	13,638	7,659	56%	5,979	44%	124	110
ACL3-7-13L-07L-WWV-SWF-935	14,191	7,969	56%	6,222	44%	124	114
ACL3-7-13L-07L-WWV-SWF-940	13,686	7,686	56%	6,000	44%	124	110
ACL3-7-13L-07L-WWV-SWF-950	13,593	7,634	56%	5,960	44%	124	110
ACL3-7-13L-10L-SWF-930	17,636	8,815	50%	8,821	50%	147	120
ACL3-7-13L-10L-SWF-935	18,351	9,173	50%	9,178	50%	147	125
ACL3-7-13L-10L-SWF-940	17,698	8,846	50%	8,852	50%	147	120
ACL3-7-13L-10L-SWF-950	17,578	8,786	50%	8,792	50%	147	120
ACL3-7-13L-10L-SWF-BW-930	16,991	9,023	53%	7,968	47%	144	118
ACL3-7-13L-10L-SWF-BW-935	17,680	9,389	53%	8,291	47%	144	123
ACL3-7-13L-10L-SWF-BW-940	17,050	9,054	53%	7,996	47%	144	118
ACL3-7-13L-10L-SWF-BW-950	16,935	8,993	53%	7,942	47%	144	118
ACL3-7-13L-10L-WWV-BW-930	15,627	7,659	49%	7,968	51%	144	109
ACL3-7-13L-10L-WWV-BW-935	16,260	7,969	49%	8,291	51%	144	113
ACL3-7-13L-10L-WWV-BW-940	15,681	7,686	49%	7,996	51%	144	109
ACL3-7-13L-10L-WWV-BW-950	15,575	7,634	49%	7,942	51%	144	108
ACL3-7-13L-10L-WWV-SWF-930	16,270	7,659	47%	8,611	53%	145	112
ACL3-7-13L-10L-WWV-SWF-935	16,929	7,969	47%	8,960	53%	145	117
ACL3-7-13L-10L-WWV-SWF-940	16,327	7,686	47%	8,641	53%	145	113
ACL3-7-13L-10L-WWV-SWF-950	16,216	7,634	47%	8,582	53%	145	112
ACL3-7-13L-13L-SWF-930	20,170	8,992	45%	11,178	55%	168	120
ACL3-7-13L-13L-SWF-935	20,988	9,357	45%	11,631	55%	168	125
ACL3-7-13L-13L-SWF-940	20,240	9,023	45%	11,217	55%	168	120
ACL3-7-13L-13L-SWF-950	20,104	8,962	45%	11,141	55%	168	120
ACL3-7-13L-13L-SWF-BW-930	18,977	9,023	48%	9,954	52%	161	118
ACL3-7-13L-13L-SWF-BW-935	19,746	9,389	48%	10,358	52%	161	123
ACL3-7-13L-13L-SWF-BW-940	19,043	9,054	48%	9,989	52%	161	118
ACL3-7-13L-13L-SWF-BW-950	18,915	8,993	48%	9,921	52%	161	117
ACL3-7-13L-13L-WWV-BW-930	17,613	7,659	43%	9,954	57%	161	109
ACL3-7-13L-13L-WWV-BW-935	18,327	7,969	43%	10,358	57%	161	114
ACL3-7-13L-13L-WWV-BW-940	17,675	7,686	43%	9,989	57%	161	110
ACL3-7-13L-13L-WWV-BW-950	17,555	7,634	43%	9,921	57%	161	109
ACL3-7-13L-13L-WWV-SWF-930	18,809	7,659	41%	11,150	59%	165	114
ACL3-7-13L-13L-WWV-SWF-935	19,571	7,969	41%	11,602	59%	165	119
ACL3-7-13L-13L-WWV-SWF-940	18,874	7,686	41%	11,189	59%	165	114
ACL3-7-13L-13L-WWV-SWF-950	18,747	7,634	41%	11,113	59%	165	114
ACL3-8-07L-07L-SWF-930	12,599	5,617	45%	6,982	55%	96	131
ACL3-8-07L-07L-SWF-935	13,110	5,845	45%	7,265	55%	96	137
ACL3-8-07L-07L-SWF-940	12,643	5,636	45%	7,006	55%	96	132
ACL3-8-07L-07L-SWF-950	12,558	5,598	45%	6,959	55%	96	131
ACL3-8-07L-07L-SWF-BW-930	11,991	5,765	48%	6,226	52%	96	125
ACL3-8-07L-07L-SWF-BW-935	12,477	5,999	48%	6,478	52%	96	130
ACL3-8-07L-07L-SWF-BW-940	12,033	5,785	48%	6,248	52%	96	125
ACL3-8-07L-07L-SWF-BW-950	11,951	5,746	48%	6,206	52%	96	124
ACL3-8-07L-07L-WWV-BW-930	11,017	4,791	43%	6,226	57%	96	115
ACL3-8-07L-07L-WWV-BW-935	11,464	4,985	43%	6,478	57%	96	119
ACL3-8-07L-07L-WWV-BW-940	11,056	4,808	43%	6,248	57%	96	115
ACL3-8-07L-07L-WWV-BW-950	10,981	4,775	43%	6,206	57%	96	114
ACL3-8-07L-07L-WWV-SWF-930	11,625	4,791	41%	6,834	59%	96	121
ACL3-8-07L-07L-WWV-SWF-935	12,096	4,985	41%	7,111	59%	96	126
ACL3-8-07L-07L-WWV-SWF-940	11,665	4,808	41%	6,857	59%	96	122
ACL3-8-07L-07L-WWV-SWF-950	11,586	4,775	41%	6,811	59%	96	121
ACL3-8-07L-10L-SWF-930	15,609	5,595	36%	10,014	64%	120	130
ACL3-8-07L-10L-SWF-935	16,242	5,822	36%	10,420	64%	120	135



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-8-07L-10L-SWF-940	15,663	5,614	36%	10,049	64%	120	131
ACL3-8-07L-10L-SWF-950	15,558	5,577	36%	9,981	64%	120	130
ACL3-8-07L-10L-SWF-BW-930	14,871	5,765	39%	9,106	61%	120	124
ACL3-8-07L-10L-SWF-BW-935	15,474	5,999	39%	9,475	61%	120	129
ACL3-8-07L-10L-SWF-BW-940	14,923	5,785	39%	9,138	61%	120	124
ACL3-8-07L-10L-SWF-BW-950	14,822	5,746	39%	9,076	61%	120	124
ACL3-8-07L-10L-WVV-BW-930	13,897	4,791	34%	9,106	66%	120	116
ACL3-8-07L-10L-WVV-BW-935	14,461	4,985	34%	9,475	66%	120	121
ACL3-8-07L-10L-WVV-BW-940	13,946	4,808	34%	9,138	66%	120	116
ACL3-8-07L-10L-WVV-BW-950	13,851	4,775	34%	9,076	66%	120	115
ACL3-8-07L-10L-WVV-SWF-930	14,632	4,791	33%	9,841	67%	120	122
ACL3-8-07L-10L-WVV-SWF-935	15,225	4,985	33%	10,240	67%	120	127
ACL3-8-07L-10L-WVV-SWF-940	14,683	4,808	33%	9,875	67%	120	122
ACL3-8-07L-10L-WVV-SWF-950	14,584	4,775	33%	9,808	67%	120	122
ACL3-8-07L-13L-SWF-930	18,506	5,578	30%	12,928	70%	144	129
ACL3-8-07L-13L-SWF-935	19,256	5,805	30%	13,451	70%	144	134
ACL3-8-07L-13L-SWF-940	18,570	5,598	30%	12,973	70%	144	129
ACL3-8-07L-13L-SWF-950	18,445	5,560	30%	12,885	70%	144	128
ACL3-8-07L-13L-SWF-BW-930	17,141	5,765	34%	11,376	66%	140	122
ACL3-8-07L-13L-SWF-BW-935	17,836	5,999	34%	11,837	66%	140	127
ACL3-8-07L-13L-SWF-BW-940	17,201	5,785	34%	11,416	66%	140	123
ACL3-8-07L-13L-SWF-BW-950	17,085	5,746	34%	11,339	66%	140	122
ACL3-8-07L-13L-WVV-BW-930	16,167	4,791	30%	11,376	70%	140	115
ACL3-8-07L-13L-WVV-BW-935	16,823	4,985	30%	11,837	70%	140	120
ACL3-8-07L-13L-WVV-BW-940	16,224	4,808	30%	11,416	70%	140	116
ACL3-8-07L-13L-WVV-BW-950	16,114	4,775	30%	11,339	70%	140	115
ACL3-8-07L-13L-WVV-SWF-930	17,534	4,791	27%	12,743	73%	142	123
ACL3-8-07L-13L-WVV-SWF-935	18,245	4,985	27%	13,259	73%	142	128
ACL3-8-07L-13L-WVV-SWF-940	17,595	4,808	27%	12,787	73%	142	124
ACL3-8-07L-13L-WVV-SWF-950	17,476	4,775	27%	12,701	73%	142	123
ACL3-8-10L-07L-SWF-930	15,399	8,383	54%	7,015	46%	120	128
ACL3-8-10L-07L-SWF-935	16,023	8,723	54%	7,300	46%	120	134
ACL3-8-10L-07L-SWF-940	15,452	8,413	54%	7,040	46%	120	129
ACL3-8-10L-07L-SWF-950	15,348	8,356	54%	6,992	46%	120	128
ACL3-8-10L-07L-SWF-BW-930	14,788	8,562	58%	6,226	42%	120	123
ACL3-8-10L-07L-SWF-BW-935	15,388	8,909	58%	6,478	42%	120	128
ACL3-8-10L-07L-SWF-BW-940	14,840	8,592	58%	6,248	42%	120	124
ACL3-8-10L-07L-SWF-BW-950	14,739	8,534	58%	6,206	42%	120	123
ACL3-8-10L-07L-WVV-BW-930	13,233	7,007	53%	6,226	47%	120	110
ACL3-8-10L-07L-WVV-BW-935	13,770	7,291	53%	6,478	47%	120	115
ACL3-8-10L-07L-WVV-BW-940	13,279	7,032	53%	6,248	47%	120	111
ACL3-8-10L-07L-WVV-BW-950	13,190	6,984	53%	6,206	47%	120	110
ACL3-8-10L-07L-WVV-SWF-930	13,841	7,007	51%	6,834	49%	120	115
ACL3-8-10L-07L-WVV-SWF-935	14,402	7,291	51%	7,111	49%	120	120
ACL3-8-10L-07L-WVV-SWF-940	13,889	7,032	51%	6,857	49%	120	116
ACL3-8-10L-07L-WVV-SWF-950	13,795	6,984	51%	6,811	49%	120	115
ACL3-8-10L-10L-SWF-930	18,405	8,205	45%	10,200	55%	144	128
ACL3-8-10L-10L-SWF-935	19,151	8,538	45%	10,613	55%	144	133
ACL3-8-10L-10L-SWF-940	18,469	8,234	45%	10,236	55%	144	128
ACL3-8-10L-10L-SWF-950	18,345	8,178	45%	10,167	55%	144	127
ACL3-8-10L-10L-SWF-BW-930	17,668	8,562	48%	9,106	52%	144	123
ACL3-8-10L-10L-SWF-BW-935	18,385	8,909	48%	9,475	52%	144	128
ACL3-8-10L-10L-SWF-BW-940	17,730	8,592	48%	9,138	52%	144	123
ACL3-8-10L-10L-SWF-BW-950	17,610	8,534	48%	9,076	52%	144	122
ACL3-8-10L-10L-WVV-BW-930	16,113	7,007	43%	9,106	57%	144	112
ACL3-8-10L-10L-WVV-BW-935	16,766	7,291	43%	9,475	57%	144	116
ACL3-8-10L-10L-WVV-BW-940	16,170	7,032	43%	9,138	57%	144	112
ACL3-8-10L-10L-WVV-BW-950	16,060	6,984	43%	9,076	57%	144	112
ACL3-8-10L-10L-WVV-SWF-930	16,848	7,007	42%	9,841	58%	144	117



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-8-10L-10L-WW-SWF-935	17,531	7,291	42%	10,240	58%	144	122
ACL3-8-10L-10L-WW-SWF-940	16,907	7,032	42%	9,875	58%	144	117
ACL3-8-10L-10L-WW-SWF-950	16,793	6,984	42%	9,808	58%	144	117
ACL3-8-10L-13L-SWF-930	21,305	8,322	39%	12,983	61%	168	127
ACL3-8-10L-13L-SWF-935	22,168	8,660	39%	13,509	61%	168	132
ACL3-8-10L-13L-SWF-940	21,379	8,351	39%	13,028	61%	168	127
ACL3-8-10L-13L-SWF-950	21,234	8,295	39%	12,940	61%	168	126
ACL3-8-10L-13L-SWF-BW-930	19,938	8,562	43%	11,376	57%	164	122
ACL3-8-10L-13L-SWF-BW-935	20,747	8,909	43%	11,837	57%	164	127
ACL3-8-10L-13L-SWF-BW-940	20,008	8,592	43%	11,416	57%	164	122
ACL3-8-10L-13L-SWF-BW-950	19,873	8,534	43%	11,339	57%	164	121
ACL3-8-10L-13L-WW-BW-930	18,383	7,007	38%	11,376	62%	164	112
ACL3-8-10L-13L-WW-BW-935	19,129	7,291	38%	11,837	62%	164	117
ACL3-8-10L-13L-WW-BW-940	18,448	7,032	38%	11,416	62%	164	112
ACL3-8-10L-13L-WW-BW-950	18,323	6,984	38%	11,339	62%	164	112
ACL3-8-10L-13L-WW-SWF-930	19,750	7,007	35%	12,743	65%	166	119
ACL3-8-10L-13L-WW-SWF-935	20,550	7,291	35%	13,259	65%	166	124
ACL3-8-10L-13L-WW-SWF-940	19,819	7,032	35%	12,787	65%	166	119
ACL3-8-10L-13L-WW-SWF-950	19,685	6,984	35%	12,701	65%	166	119
ACL3-8-13L-07L-SWF-930	17,146	10,116	59%	7,030	41%	144	119
ACL3-8-13L-07L-SWF-935	17,842	10,526	59%	7,315	41%	144	124
ACL3-8-13L-07L-SWF-940	17,206	10,152	59%	7,055	41%	144	119
ACL3-8-13L-07L-SWF-950	17,090	10,083	59%	7,007	41%	144	119
ACL3-8-13L-07L-SWF-BW-930	16,538	10,312	62%	6,226	38%	140	118
ACL3-8-13L-07L-SWF-BW-935	17,208	10,730	62%	6,478	38%	140	123
ACL3-8-13L-07L-SWF-BW-940	16,596	10,348	62%	6,248	38%	140	119
ACL3-8-13L-07L-SWF-BW-950	16,484	10,278	62%	6,206	38%	140	118
ACL3-8-13L-07L-WW-BW-930	14,979	8,753	58%	6,226	42%	140	107
ACL3-8-13L-07L-WW-BW-935	15,586	9,108	58%	6,478	42%	140	111
ACL3-8-13L-07L-WW-BW-940	15,031	8,784	58%	6,248	42%	140	107
ACL3-8-13L-07L-WW-BW-950	14,930	8,724	58%	6,206	42%	140	107
ACL3-8-13L-07L-WW-SWF-930	15,587	8,753	56%	6,834	44%	142	110
ACL3-8-13L-07L-WW-SWF-935	16,218	9,108	56%	7,111	44%	142	114
ACL3-8-13L-07L-WW-SWF-940	15,641	8,784	56%	6,857	44%	142	110
ACL3-8-13L-07L-WW-SWF-950	15,535	8,724	56%	6,811	44%	142	109
ACL3-8-13L-10L-SWF-930	20,156	10,075	50%	10,081	50%	168	120
ACL3-8-13L-10L-SWF-935	20,973	10,483	50%	10,490	50%	168	125
ACL3-8-13L-10L-SWF-940	20,226	10,110	50%	10,116	50%	168	120
ACL3-8-13L-10L-SWF-950	20,089	10,041	50%	10,048	50%	168	120
ACL3-8-13L-10L-SWF-BW-930	19,418	10,312	53%	9,106	47%	164	118
ACL3-8-13L-10L-SWF-BW-935	20,205	10,730	53%	9,475	47%	164	123
ACL3-8-13L-10L-SWF-BW-940	19,486	10,348	53%	9,138	47%	164	119
ACL3-8-13L-10L-SWF-BW-950	19,354	10,278	53%	9,076	47%	164	118
ACL3-8-13L-10L-WW-BW-930	17,859	8,753	49%	9,106	51%	164	109
ACL3-8-13L-10L-WW-BW-935	18,583	9,108	49%	9,475	51%	164	113
ACL3-8-13L-10L-WW-BW-940	17,922	8,784	49%	9,138	51%	164	109
ACL3-8-13L-10L-WW-BW-950	17,800	8,724	49%	9,076	51%	164	109
ACL3-8-13L-10L-WW-SWF-930	18,594	8,753	47%	9,841	53%	166	112
ACL3-8-13L-10L-WW-SWF-935	19,348	9,108	47%	10,240	53%	166	117
ACL3-8-13L-10L-WW-SWF-940	18,659	8,784	47%	9,875	53%	166	112
ACL3-8-13L-10L-WW-SWF-950	18,533	8,724	47%	9,808	53%	166	112
ACL3-8-13L-13L-SWF-930	23,051	10,276	45%	12,775	55%	192	120
ACL3-8-13L-13L-SWF-935	23,986	10,693	45%	13,293	55%	192	125
ACL3-8-13L-13L-SWF-940	23,132	10,312	45%	12,819	55%	192	120
ACL3-8-13L-13L-SWF-950	22,976	10,243	45%	12,733	55%	192	120
ACL3-8-13L-13L-SWF-BW-930	21,688	10,312	48%	11,376	52%	184	118
ACL3-8-13L-13L-SWF-BW-935	22,567	10,730	48%	11,837	52%	184	123
ACL3-8-13L-13L-SWF-BW-940	21,764	10,348	48%	11,416	52%	184	118
ACL3-8-13L-13L-SWF-BW-950	21,617	10,278	48%	11,339	52%	184	117



# ACL3 Direct-Indirect Advantage Continuous Linear

## ACL3 Direct-Indirect PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Direct Lumens	Direct Lumens %	Indirect Lumens	Indirect Lumens %	Watts	Lumens/Watt
ACL3-8-13L-13L-WW-BW-930	20,129	8,753	43%	11,376	57%	184	109
ACL3-8-13L-13L-WW-BW-935	20,945	9,108	43%	11,837	57%	184	114
ACL3-8-13L-13L-WW-BW-940	20,199	8,784	43%	11,416	57%	184	110
ACL3-8-13L-13L-WW-BW-950	20,063	8,724	43%	11,339	57%	184	109
ACL3-8-13L-13L-WW-SWF-930	21,496	8,753	41%	12,743	59%	188	114
ACL3-8-13L-13L-WW-SWF-935	22,367	9,108	41%	13,259	59%	188	119
ACL3-8-13L-13L-WW-SWF-940	21,571	8,784	41%	12,787	59%	188	115
ACL3-8-13L-13L-WW-SWF-950	21,425	8,724	41%	12,701	59%	188	114
ACL3-CH-07L-07L-SWF-930	6,153	2,916	47%	3,237	53%	48	128
ACL3-CH-07L-07L-SWF-935	6,402	3,034	47%	3,368	53%	48	133
ACL3-CH-07L-07L-SWF-940	6,174	2,926	47%	3,248	53%	48	129
ACL3-CH-07L-07L-SWF-950	6,133	2,906	47%	3,226	53%	48	128
ACL3-CH-07L-10L-SWF-930	762	294	39%	468	61%	60	13
ACL3-CH-07L-10L-SWF-935	791	304	38%	487	62%	60	13
ACL3-CH-07L-10L-SWF-940	763	294	39%	469	61%	60	13
ACL3-CH-07L-10L-SWF-950	759	292	38%	466	61%	60	13
ACL3-CH-07L-13L-SWF-930	8,949	2,916	33%	6,033	67%	72	124
ACL3-CH-07L-13L-SWF-935	9,312	3,034	33%	6,278	67%	72	129
ACL3-CH-07L-13L-SWF-940	8,980	2,926	33%	6,054	67%	72	125
ACL3-CH-07L-13L-SWF-950	8,920	2,906	33%	6,013	67%	72	124
ACL3-CH-10L-07L-SWF-930	7,569	4,333	57%	3,237	43%	60	126
ACL3-CH-10L-07L-SWF-935	7,876	4,508	57%	3,368	43%	60	131
ACL3-CH-10L-07L-SWF-940	7,596	4,348	57%	3,248	43%	60	127
ACL3-CH-10L-07L-SWF-950	7,544	4,318	57%	3,226	43%	60	126
ACL3-CH-10L-10L-SWF-930	8,992	4,262	47%	4,731	53%	72	125
ACL3-CH-10L-10L-SWF-935	9,356	4,434	47%	4,922	53%	72	130
ACL3-CH-10L-10L-SWF-940	9,024	4,277	47%	4,747	53%	72	125
ACL3-CH-10L-10L-SWF-950	8,963	4,248	47%	4,715	53%	72	124
ACL3-CH-10L-13L-SWF-930	10,366	4,333	42%	6,033	58%	84	123
ACL3-CH-10L-13L-SWF-935	10,786	4,508	42%	6,278	58%	84	128
ACL3-CH-10L-13L-SWF-940	10,402	4,348	42%	6,054	58%	84	124
ACL3-CH-10L-13L-SWF-950	10,331	4,318	42%	6,013	58%	84	123
ACL3-CH-13L-07L-SWF-930	8,453	5,216	62%	3,237	38%	70	121
ACL3-CH-13L-07L-SWF-935	8,796	5,428	62%	3,368	38%	70	126
ACL3-CH-13L-07L-SWF-940	8,483	5,234	62%	3,248	38%	70	121
ACL3-CH-13L-07L-SWF-950	8,425	5,199	62%	3,226	38%	70	120
ACL3-CH-13L-10L-SWF-930	9,876	5,216	53%	4,660	47%	82	120
ACL3-CH-13L-10L-SWF-935	10,276	5,428	53%	4,849	47%	82	125
ACL3-CH-13L-10L-SWF-940	9,911	5,234	53%	4,676	47%	82	121
ACL3-CH-13L-10L-SWF-950	9,844	5,199	53%	4,645	47%	82	120
ACL3-CH-13L-13L-SWF-930	11,249	5,332	47%	5,918	53%	96	117
ACL3-CH-13L-13L-SWF-935	11,705	5,548	47%	6,158	53%	96	122
ACL3-CH-13L-13L-SWF-940	11,289	5,350	47%	5,939	53%	96	118
ACL3-CH-13L-13L-SWF-950	11,212	5,314	47%	5,898	53%	96	117