



ACL3R Direct Advantage Continuous Linear

ACL3R Direct PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	Efficiency
ACL3R-2-03L-SWF-930	689	7	98
ACL3R-2-03L-SWF-935	695	7	99
ACL3R-2-03L-SWF-940	685	7	98
ACL3R-2-03L-SWF-950	703	7	100
ACL3R-2-03L-WW-930	605	7	86
ACL3R-2-03L-WW-935	610	7	87
ACL3R-2-03L-WW-940	601	7	86
ACL3R-2-03L-WW-950	617	7	88
ACL3R-2-05L-SWF-930	1,027	10	103
ACL3R-2-05L-SWF-935	1,035	10	104
ACL3R-2-05L-SWF-940	1,020	10	102
ACL3R-2-05L-SWF-950	1,047	10	105
ACL3R-2-05L-WW-930	900	10	90
ACL3R-2-05L-WW-935	908	10	91
ACL3R-2-05L-WW-940	894	10	89
ACL3R-2-05L-WW-950	918	10	92
ACL3R-2-07L-SWF-930	1,342	13	107
ACL3R-2-07L-SWF-935	1,353	13	108
ACL3R-2-07L-SWF-940	1,333	13	107
ACL3R-2-07L-SWF-950	1,369	13	110
ACL3R-2-07L-WW-930	1,177	13	94
ACL3R-2-07L-WW-935	1,187	13	95
ACL3R-2-07L-WW-940	1,169	13	94
ACL3R-2-07L-WW-950	1,201	13	96
ACL3R-2-10L-SWF-930	1,888	18	103
ACL3R-2-10L-SWF-935	1,903	18	103
ACL3R-2-10L-SWF-940	1,875	18	102
ACL3R-2-10L-SWF-950	1,926	18	105
ACL3R-2-10L-WW-930	1,656	18	90
ACL3R-2-10L-WW-935	1,669	18	91
ACL3R-2-10L-WW-940	1,644	18	89
ACL3R-2-10L-WW-950	1,689	18	92
ACL3R-2-13L-SWF-930	2,357	23	102
ACL3R-2-13L-SWF-935	2,377	23	103
ACL3R-2-13L-SWF-940	2,341	23	102
ACL3R-2-13L-SWF-950	2,405	23	105
ACL3R-2-13L-WW-930	2,068	23	90
ACL3R-2-13L-WW-935	2,084	23	91
ACL3R-2-13L-WW-940	2,053	23	89
ACL3R-2-13L-WW-950	2,109	23	92
ACL3R-3-03L-SWF-930	911	9	101
ACL3R-3-03L-SWF-935	918	9	102
ACL3R-3-03L-SWF-940	905	9	101
ACL3R-3-03L-SWF-950	929	9	103
ACL3R-3-03L-WW-930	800	9	89
ACL3R-3-03L-WW-935	806	9	90
ACL3R-3-03L-WW-940	794	9	88
ACL3R-3-03L-WW-950	816	9	91
ACL3R-3-05L-SWF-930	1,578	14	113
ACL3R-3-05L-SWF-935	1,591	14	114
ACL3R-3-05L-SWF-940	1,567	14	112



ACL3R Direct Advantage Continuous Linear

ACL3R Direct PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>
ACL3R-3-05L-SWF-950	1,610	14	115
ACL3R-3-05L-WW-930	1,385	14	99
ACL3R-3-05L-WW-935	1,396	14	100
ACL3R-3-05L-WW-940	1,375	14	98
ACL3R-3-05L-WW-950	1,413	14	101
ACL3R-3-07L-SWF-930	2,063	18	115
ACL3R-3-07L-SWF-935	2,079	18	116
ACL3R-3-07L-SWF-940	2,048	18	114
ACL3R-3-07L-SWF-950	2,104	18	117
ACL3R-3-07L-WW-930	1,810	18	101
ACL3R-3-07L-WW-935	1,824	18	101
ACL3R-3-07L-WW-940	1,797	18	100
ACL3R-3-07L-WW-950	1,846	18	103
ACL3R-3-10L-SWF-930	2,901	27	107
ACL3R-3-10L-SWF-935	2,925	27	108
ACL3R-3-10L-SWF-940	2,881	27	107
ACL3R-3-10L-SWF-950	2,959	27	110
ACL3R-3-10L-WW-930	2,545	27	94
ACL3R-3-10L-WW-935	2,566	27	95
ACL3R-3-10L-WW-940	2,527	27	94
ACL3R-3-10L-WW-950	2,596	27	96
ACL3R-3-13L-SWF-930	3,622	34	107
ACL3R-3-13L-SWF-935	3,651	34	107
ACL3R-3-13L-SWF-940	3,596	34	106
ACL3R-3-13L-SWF-950	3,694	34	109
ACL3R-3-13L-WW-930	3,178	34	93
ACL3R-3-13L-WW-935	3,203	34	94
ACL3R-3-13L-WW-940	3,155	34	93
ACL3R-3-13L-WW-950	3,241	34	95
ACL3R-4-03L-SWF-930	1,401	14	100
ACL3R-4-03L-SWF-935	1,412	14	101
ACL3R-4-03L-SWF-940	1,391	14	99
ACL3R-4-03L-SWF-950	1,428	14	102
ACL3R-4-03L-WW-930	1,229	14	88
ACL3R-4-03L-WW-935	1,239	14	88
ACL3R-4-03L-WW-940	1,220	14	87
ACL3R-4-03L-WW-950	1,253	14	90
ACL3R-4-05L-SWF-930	2,144	20	107
ACL3R-4-05L-SWF-935	2,161	20	108
ACL3R-4-05L-SWF-940	2,129	20	106
ACL3R-4-05L-SWF-950	2,187	20	109
ACL3R-4-05L-WW-930	1,880	20	94
ACL3R-4-05L-WW-935	1,895	20	95
ACL3R-4-05L-WW-940	1,867	20	93
ACL3R-4-05L-WW-950	1,918	20	96
ACL3R-4-07L-SWF-930	2,801	23	122
ACL3R-4-07L-SWF-935	2,824	23	123
ACL3R-4-07L-SWF-940	2,781	23	121
ACL3R-4-07L-SWF-950	2,858	23	124
ACL3R-4-07L-WW-930	2,457	23	107
ACL3R-4-07L-WW-935	2,477	23	108
ACL3R-4-07L-WW-940	2,440	23	106
ACL3R-4-07L-WW-950	2,507	23	109



ACL3R Direct Advantage Continuous Linear

ACL3R Direct PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>
ACL3R-4-10L-SWF-930	3,940	36	109
ACL3R-4-10L-SWF-935	3,972	36	110
ACL3R-4-10L-SWF-940	3,912	36	109
ACL3R-4-10L-SWF-950	4,019	36	112
ACL3R-4-10L-WW-930	3,457	36	96
ACL3R-4-10L-WW-935	3,484	36	97
ACL3R-4-10L-WW-940	3,432	36	95
ACL3R-4-10L-WW-950	3,526	36	98
ACL3R-4-13L-SWF-930	5,344	47	114
ACL3R-4-13L-SWF-935	5,387	47	115
ACL3R-4-13L-SWF-940	5,306	47	113
ACL3R-4-13L-SWF-950	5,451	47	116
ACL3R-4-13L-WW-930	4,687	47	100
ACL3R-4-13L-WW-935	4,725	47	101
ACL3R-4-13L-WW-940	4,654	47	99
ACL3R-4-13L-WW-950	4,781	47	102
ACL3R-5-03L-SWF-930	1,579	16	99
ACL3R-5-03L-SWF-935	1,591	16	99
ACL3R-5-03L-SWF-940	1,568	16	98
ACL3R-5-03L-SWF-950	1,611	16	101
ACL3R-5-03L-WW-930	1,385	16	87
ACL3R-5-03L-WW-935	1,396	16	87
ACL3R-5-03L-WW-940	1,375	16	86
ACL3R-5-03L-WW-950	1,413	16	88
ACL3R-5-05L-SWF-930	2,606	24	109
ACL3R-5-05L-SWF-935	2,627	24	109
ACL3R-5-05L-SWF-940	2,587	24	108
ACL3R-5-05L-SWF-950	2,658	24	111
ACL3R-5-05L-WW-930	2,285	24	95
ACL3R-5-05L-WW-935	2,304	24	96
ACL3R-5-05L-WW-940	2,269	24	95
ACL3R-5-05L-WW-950	2,331	24	97
ACL3R-5-07L-SWF-930	3,405	30	114
ACL3R-5-07L-SWF-935	3,433	30	114
ACL3R-5-07L-SWF-940	3,381	30	113
ACL3R-5-07L-SWF-950	3,474	30	116
ACL3R-5-07L-WW-930	2,987	30	100
ACL3R-5-07L-WW-935	3,011	30	100
ACL3R-5-07L-WW-940	2,966	30	99
ACL3R-5-07L-WW-950	3,047	30	102
ACL3R-5-10L-SWF-930	4,790	45	106
ACL3R-5-10L-SWF-935	4,828	45	107
ACL3R-5-10L-SWF-940	4,756	45	106
ACL3R-5-10L-SWF-950	4,886	45	109
ACL3R-5-10L-WW-930	4,201	45	93
ACL3R-5-10L-WW-935	4,235	45	94
ACL3R-5-10L-WW-940	4,171	45	93
ACL3R-5-10L-WW-950	4,285	45	95
ACL3R-5-13L-SWF-930	5,980	60	100
ACL3R-5-13L-SWF-935	6,028	60	100
ACL3R-5-13L-SWF-940	5,938	60	99
ACL3R-5-13L-SWF-950	6,100	60	102
ACL3R-5-13L-WW-930	5,245	60	87



ACL3R Direct Advantage Continuous Linear

ACL3R Direct PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>
ACL3R-5-13L-WW-935	5,288	60	88
ACL3R-5-13L-WW-940	5,208	60	87
ACL3R-5-13L-WW-950	5,351	60	89
ACL3R-6-03L-SWF-930	1,794	18	100
ACL3R-6-03L-SWF-935	1,809	18	101
ACL3R-6-03L-SWF-940	1,782	18	99
ACL3R-6-03L-SWF-950	1,831	18	102
ACL3R-6-03L-WW-930	1,574	18	87
ACL3R-6-03L-WW-935	1,587	18	88
ACL3R-6-03L-WW-940	1,563	18	87
ACL3R-6-03L-WW-950	1,606	18	89
ACL3R-6-05L-SWF-930	3,157	30	105
ACL3R-6-05L-SWF-935	3,183	30	106
ACL3R-6-05L-SWF-940	3,135	30	104
ACL3R-6-05L-SWF-950	3,220	30	107
ACL3R-6-05L-WW-930	2,770	30	92
ACL3R-6-05L-WW-935	2,792	30	93
ACL3R-6-05L-WW-940	2,750	30	92
ACL3R-6-05L-WW-950	2,825	30	94
ACL3R-6-07L-SWF-930	4,127	36	115
ACL3R-6-07L-SWF-935	4,160	36	116
ACL3R-6-07L-SWF-940	4,098	36	114
ACL3R-6-07L-SWF-950	4,210	36	117
ACL3R-6-07L-WW-930	3,619	36	101
ACL3R-6-07L-WW-935	3,648	36	101
ACL3R-6-07L-WW-940	3,593	36	100
ACL3R-6-07L-WW-950	3,691	36	103
ACL3R-6-10L-SWF-930	5,805	54	108
ACL3R-6-10L-SWF-935	5,852	54	108
ACL3R-6-10L-SWF-940	5,764	54	107
ACL3R-6-10L-SWF-950	5,921	54	110
ACL3R-6-10L-WW-930	5,090	54	94
ACL3R-6-10L-WW-935	5,131	54	95
ACL3R-6-10L-WW-940	5,054	54	94
ACL3R-6-10L-WW-950	5,192	54	96
ACL3R-6-13L-SWF-930	7,247	72	101
ACL3R-6-13L-SWF-935	7,305	72	101
ACL3R-6-13L-SWF-940	7,195	72	100
ACL3R-6-13L-SWF-950	7,392	72	103
ACL3R-6-13L-WW-930	6,357	72	88
ACL3R-6-13L-WW-935	6,408	72	89
ACL3R-6-13L-WW-940	6,311	72	88
ACL3R-6-13L-WW-950	6,484	72	90
ACL3R-7-03L-SWF-930	2,138	21	102
ACL3R-7-03L-SWF-935	2,155	21	103
ACL3R-7-03L-SWF-940	2,123	21	101
ACL3R-7-03L-SWF-950	2,181	21	104
ACL3R-7-03L-WW-930	1,875	21	89
ACL3R-7-03L-WW-935	1,891	21	90
ACL3R-7-03L-WW-940	1,862	21	89
ACL3R-7-03L-WW-950	1,913	21	91
ACL3R-7-05L-SWF-930	3,633	37	98



ACL3R Direct Advantage Continuous Linear

ACL3R Direct PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>
ACL3R-7-05L-SWF-935	3,663	37	99
ACL3R-7-05L-SWF-940	3,608	37	98
ACL3R-7-05L-SWF-950	3,706	37	100
ACL3R-7-05L-WW-930	3,187	37	86
ACL3R-7-05L-WW-935	3,213	37	87
ACL3R-7-05L-WW-940	3,164	37	86
ACL3R-7-05L-WW-950	3,251	37	88
ACL3R-7-07L-SWF-930	4,748	42	113
ACL3R-7-07L-SWF-935	4,786	42	114
ACL3R-7-07L-SWF-940	4,714	42	112
ACL3R-7-07L-SWF-950	4,843	42	115
ACL3R-7-07L-WW-930	4,165	42	99
ACL3R-7-07L-WW-935	4,199	42	100
ACL3R-7-07L-WW-940	4,135	42	98
ACL3R-7-07L-WW-950	4,248	42	101
ACL3R-7-10L-SWF-930	6,679	64	104
ACL3R-7-10L-SWF-935	6,732	64	105
ACL3R-7-10L-SWF-940	6,631	64	104
ACL3R-7-10L-SWF-950	6,812	64	106
ACL3R-7-10L-WW-930	5,858	64	92
ACL3R-7-10L-WW-935	5,905	64	92
ACL3R-7-10L-WW-940	5,816	64	91
ACL3R-7-10L-WW-950	5,975	64	93
ACL3R-7-13L-SWF-930	8,338	80	104
ACL3R-7-13L-SWF-935	8,405	80	105
ACL3R-7-13L-SWF-940	8,279	80	103
ACL3R-7-13L-SWF-950	8,505	80	106
ACL3R-7-13L-WW-930	7,314	80	91
ACL3R-7-13L-WW-935	7,373	80	92
ACL3R-7-13L-WW-940	7,262	80	91
ACL3R-7-13L-WW-950	7,460	80	93
ACL3R-8-03L-SWF-930	2,445	25	98
ACL3R-8-03L-SWF-935	2,465	25	99
ACL3R-8-03L-SWF-940	2,428	25	97
ACL3R-8-03L-SWF-950	2,494	25	100
ACL3R-8-03L-WW-930	2,144	25	86
ACL3R-8-03L-WW-935	2,162	25	86
ACL3R-8-03L-WW-940	2,129	25	85
ACL3R-8-03L-WW-950	2,187	25	87
ACL3R-8-05L-SWF-930	4,287	42	102
ACL3R-8-05L-SWF-935	4,321	42	103
ACL3R-8-05L-SWF-940	4,256	42	101
ACL3R-8-05L-SWF-950	4,372	42	104
ACL3R-8-05L-WW-930	3,761	42	90
ACL3R-8-05L-WW-935	3,791	42	90
ACL3R-8-05L-WW-940	3,734	42	89
ACL3R-8-05L-WW-950	3,836	42	91
ACL3R-8-07L-SWF-930	5,603	48	117
ACL3R-8-07L-SWF-935	5,648	48	118
ACL3R-8-07L-SWF-940	5,563	48	116
ACL3R-8-07L-SWF-950	5,715	48	119
ACL3R-8-07L-WW-930	4,914	48	102
ACL3R-8-07L-WW-935	4,954	48	103



ACL3R Direct Advantage Continuous Linear

ACL3R Direct PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>
ACL3R-8-07L-WW-940	4,879	48	102
ACL3R-8-07L-WW-950	5,013	48	104
ACL3R-8-10L-SWF-930	7,881	72	109
ACL3R-8-10L-SWF-935	7,945	72	110
ACL3R-8-10L-SWF-940	7,825	72	109
ACL3R-8-10L-SWF-950	8,039	72	112
ACL3R-8-10L-WW-930	6,913	72	96
ACL3R-8-10L-WW-935	6,968	72	97
ACL3R-8-10L-WW-940	6,863	72	95
ACL3R-8-10L-WW-950	7,051	72	98
ACL3R-8-13L-SWF-930	10,690	96	111
ACL3R-8-13L-SWF-935	10,775	96	112
ACL3R-8-13L-SWF-940	10,613	96	111
ACL3R-8-13L-SWF-950	10,903	96	114
ACL3R-8-13L-WW-930	9,376	96	98
ACL3R-8-13L-WW-935	9,451	96	98
ACL3R-8-13L-WW-940	9,309	96	97
ACL3R-8-13L-WW-950	9,563	96	100