



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|------------|------------|
| LAL4-22-03L-2-27K8 | 2,732 | 25 | 109 | B1-U0-G1 |
| LAL4-22-03L-2-27K8-IS | 2,066 | 25 | 83 | B0-U0-G0 |
| LAL4-22-03L-2-30K8 | 2,890 | 25 | 116 | B1-U0-G1 |
| LAL4-22-03L-2-30K8-IS | 2,185 | 25 | 87 | B0-U0-G0 |
| LAL4-22-03L-2-35K8 | 2,956 | 25 | 118 | B1-U0-G1 |
| LAL4-22-03L-2-35K8-IS | 2,235 | 25 | 89 | B0-U0-G0 |
| LAL4-22-03L-2-40K8 | 3,047 | 25 | 122 | B1-U0-G1 |
| LAL4-22-03L-2-40K8-IS | 2,304 | 25 | 92 | B0-U0-G1 |
| LAL4-22-03L-2-50K8 | 3,038 | 25 | 122 | B1-U0-G1 |
| LAL4-22-03L-2-50K8-IS | 2,297 | 25 | 92 | B0-U0-G1 |
| LAL4-22-03L-3-27K8 | 2,682 | 25 | 107 | B1-U0-G1 |
| LAL4-22-03L-3-27K8-IS | 2,026 | 25 | 81 | B0-U0-G0 |
| LAL4-22-03L-3-30K8 | 2,838 | 25 | 114 | B1-U0-G1 |
| LAL4-22-03L-3-30K8-IS | 2,144 | 25 | 86 | B0-U0-G0 |
| LAL4-22-03L-3-35K8 | 2,902 | 25 | 116 | B1-U0-G1 |
| LAL4-22-03L-3-35K8-IS | 2,192 | 25 | 88 | B0-U0-G0 |
| LAL4-22-03L-3-40K8 | 2,991 | 25 | 120 | B1-U0-G1 |
| LAL4-22-03L-3-40K8-IS | 2,259 | 25 | 90 | B0-U0-G0 |
| LAL4-22-03L-3-50K8 | 2,983 | 25 | 119 | B1-U0-G1 |
| LAL4-22-03L-3-50K8-IS | 2,253 | 25 | 90 | B0-U0-G0 |
| LAL4-22-03L-4-27K8 | 2,682 | 25 | 107 | B1-U0-G1 |
| LAL4-22-03L-4-27K8-IS | 1,994 | 25 | 80 | B0-U0-G1 |
| LAL4-22-03L-4-30K8 | 2,838 | 25 | 114 | B1-U0-G1 |
| LAL4-22-03L-4-30K8-IS | 2,109 | 25 | 84 | B0-U0-G1 |
| LAL4-22-03L-4-35K8 | 2,902 | 25 | 116 | B1-U0-G1 |
| LAL4-22-03L-4-35K8-IS | 2,157 | 25 | 86 | B0-U0-G1 |
| LAL4-22-03L-4-40K8 | 2,991 | 25 | 120 | B1-U0-G1 |
| LAL4-22-03L-4-40K8-IS | 2,223 | 25 | 89 | B0-U0-G1 |
| LAL4-22-03L-4-50K8 | 2,982 | 25 | 119 | B1-U0-G1 |
| LAL4-22-03L-4-50K8-IS | 2,217 | 25 | 89 | B0-U0-G1 |
| LAL4-22-03L-5-27K8 | 2,727 | 25 | 109 | B2-U0-G1 |
| LAL4-22-03L-5-27K8-IS | 1,642 | 25 | 66 | B0-U0-G0 |
| LAL4-22-03L-5-30K8 | 2,886 | 25 | 115 | B2-U0-G1 |
| LAL4-22-03L-5-30K8-IS | 1,737 | 25 | 69 | B0-U0-G0 |
| LAL4-22-03L-5-35K8 | 2,950 | 25 | 118 | B2-U0-G1 |
| LAL4-22-03L-5-35K8-IS | 1,776 | 25 | 71 | B0-U0-G0 |
| LAL4-22-03L-5-40K8 | 3,041 | 25 | 122 | B2-U0-G1 |
| LAL4-22-03L-5-40K8-IS | 1,831 | 25 | 73 | B0-U0-G0 |
| LAL4-22-03L-5-50K8 | 3,032 | 25 | 121 | B2-U0-G1 |
| LAL4-22-03L-5-50K8-IS | 1,825 | 25 | 73 | B0-U0-G0 |
| | | | | |
| LAL4-22-06L-2-27K8 | 5,442 | 48 | 113 | B1-U0-G1 |
| LAL4-22-06L-2-27K8-IS | 4,115 | 48 | 86 | B1-U0-G1 |
| LAL4-22-06L-2-30K8 | 5,757 | 48 | 120 | B1-U0-G1 |
| LAL4-22-06L-2-30K8-IS | 4,353 | 48 | 91 | B1-U0-G1 |
| LAL4-22-06L-2-35K8 | 5,887 | 48 | 123 | B1-U0-G1 |
| LAL4-22-06L-2-35K8-IS | 4,451 | 48 | 93 | B1-U0-G1 |
| LAL4-22-06L-2-40K8 | 6,069 | 48 | 126 | B1-U0-G1 |
| LAL4-22-06L-2-40K8-IS | 4,588 | 48 | 96 | B1-U0-G1 |
| LAL4-22-06L-2-50K8 | 6,051 | 48 | 126 | B1-U0-G1 |
| LAL4-22-06L-2-50K8-IS | 4,575 | 48 | 95 | B1-U0-G1 |



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|------------|------------|
| LAL4-22-06L-3-27K8 | 5,343 | 48 | 111 | B1-U0-G1 |
| LAL4-22-06L-3-27K8-IS | 4,036 | 48 | 84 | B1-U0-G1 |
| LAL4-22-06L-3-30K8 | 5,652 | 48 | 118 | B1-U0-G1 |
| LAL4-22-06L-3-30K8-IS | 4,269 | 48 | 89 | B1-U0-G1 |
| LAL4-22-06L-3-35K8 | 5,780 | 48 | 120 | B1-U0-G1 |
| LAL4-22-06L-3-35K8-IS | 4,366 | 48 | 91 | B1-U0-G1 |
| LAL4-22-06L-3-40K8 | 5,958 | 48 | 124 | B1-U0-G1 |
| LAL4-22-06L-3-40K8-IS | 4,500 | 48 | 94 | B1-U0-G1 |
| LAL4-22-06L-3-50K8 | 5,940 | 48 | 124 | B1-U0-G1 |
| LAL4-22-06L-3-50K8-IS | 4,487 | 48 | 93 | B1-U0-G1 |
| LAL4-22-06L-4-27K8 | 5,342 | 48 | 111 | B1-U0-G1 |
| LAL4-22-06L-4-27K8-IS | 3,971 | 48 | 83 | B1-U0-G1 |
| LAL4-22-06L-4-30K8 | 5,652 | 48 | 118 | B1-U0-G1 |
| LAL4-22-06L-4-30K8-IS | 4,202 | 48 | 88 | B1-U0-G1 |
| LAL4-22-06L-4-35K8 | 5,779 | 48 | 120 | B1-U0-G2 |
| LAL4-22-06L-4-35K8-IS | 4,296 | 48 | 90 | B1-U0-G1 |
| LAL4-22-06L-4-40K8 | 5,958 | 48 | 124 | B1-U0-G2 |
| LAL4-22-06L-4-40K8-IS | 4,429 | 48 | 92 | B1-U0-G1 |
| LAL4-22-06L-4-50K8 | 5,940 | 48 | 124 | B1-U0-G2 |
| LAL4-22-06L-4-50K8-IS | 4,416 | 48 | 92 | B1-U0-G1 |
| LAL4-22-06L-5-27K8 | 5,431 | 48 | 113 | B3-U0-G1 |
| LAL4-22-06L-5-27K8-IS | 3,270 | 48 | 68 | B1-U0-G1 |
| LAL4-22-06L-5-30K8 | 5,746 | 48 | 120 | B3-U0-G1 |
| LAL4-22-06L-5-30K8-IS | 3,460 | 48 | 72 | B1-U0-G1 |
| LAL4-22-06L-5-35K8 | 5,876 | 48 | 122 | B3-U0-G1 |
| LAL4-22-06L-5-35K8-IS | 3,538 | 48 | 74 | B1-U0-G1 |
| LAL4-22-06L-5-40K8 | 6,057 | 48 | 126 | B3-U0-G1 |
| LAL4-22-06L-5-40K8-IS | 3,647 | 48 | 76 | B1-U0-G1 |
| LAL4-22-06L-5-50K8 | 6,039 | 48 | 126 | B3-U0-G1 |
| LAL4-22-06L-5-50K8-IS | 3,637 | 48 | 76 | B1-U0-G1 |
| | | | | |
| LAL4-32-03L-2-27K8 | 2,732 | 25 | 109 | B1-U0-G1 |
| LAL4-32-03L-2-27K8-IS | 2,066 | 25 | 83 | B0-U0-G0 |
| LAL4-32-03L-2-30K8 | 2,890 | 25 | 116 | B1-U0-G1 |
| LAL4-32-03L-2-30K8-IS | 2,185 | 25 | 87 | B0-U0-G0 |
| LAL4-32-03L-2-35K8 | 2,956 | 25 | 118 | B1-U0-G1 |
| LAL4-32-03L-2-35K8-IS | 2,235 | 25 | 89 | B0-U0-G0 |
| LAL4-32-03L-2-40K8 | 3,047 | 25 | 122 | B1-U0-G1 |
| LAL4-32-03L-2-40K8-IS | 2,304 | 25 | 92 | B0-U0-G1 |
| LAL4-32-03L-2-50K8 | 3,038 | 25 | 122 | B1-U0-G1 |
| LAL4-32-03L-2-50K8-IS | 2,297 | 25 | 92 | B0-U0-G1 |
| LAL4-32-03L-3-27K8 | 2,682 | 25 | 107 | B1-U0-G1 |
| LAL4-32-03L-3-27K8-IS | 2,026 | 25 | 81 | B0-U0-G0 |
| LAL4-32-03L-3-30K8 | 2,838 | 25 | 114 | B1-U0-G1 |
| LAL4-32-03L-3-30K8-IS | 2,144 | 25 | 86 | B0-U0-G0 |
| LAL4-32-03L-3-35K8 | 2,902 | 25 | 116 | B1-U0-G1 |
| LAL4-32-03L-3-35K8-IS | 2,192 | 25 | 88 | B0-U0-G0 |
| LAL4-32-03L-3-40K8 | 2,991 | 25 | 120 | B1-U0-G1 |
| LAL4-32-03L-3-40K8-IS | 2,259 | 25 | 90 | B0-U0-G0 |
| LAL4-32-03L-3-50K8 | 2,983 | 25 | 119 | B1-U0-G1 |
| LAL4-32-03L-3-50K8-IS | 2,253 | 25 | 90 | B0-U0-G0 |



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|------------|------------|
| LAL4-32-03L-4-27K8 | 2,682 | 25 | 107 | B1-U0-G1 |
| LAL4-32-03L-4-27K8-IS | 1,994 | 25 | 80 | B0-U0-G1 |
| LAL4-32-03L-4-30K8 | 2,838 | 25 | 114 | B1-U0-G1 |
| LAL4-32-03L-4-30K8-IS | 2,109 | 25 | 84 | B0-U0-G1 |
| LAL4-32-03L-4-35K8 | 2,902 | 25 | 116 | B1-U0-G1 |
| LAL4-32-03L-4-35K8-IS | 2,157 | 25 | 86 | B0-U0-G1 |
| LAL4-32-03L-4-40K8 | 2,991 | 25 | 120 | B1-U0-G1 |
| LAL4-32-03L-4-40K8-IS | 2,223 | 25 | 89 | B0-U0-G1 |
| LAL4-32-03L-4-50K8 | 2,982 | 25 | 119 | B1-U0-G1 |
| LAL4-32-03L-4-50K8-IS | 2,217 | 25 | 89 | B0-U0-G1 |
| LAL4-32-03L-5-27K8 | 2,727 | 25 | 109 | B2-U0-G1 |
| LAL4-32-03L-5-27K8-IS | 1,642 | 25 | 66 | B0-U0-G0 |
| LAL4-32-03L-5-30K8 | 2,886 | 25 | 115 | B2-U0-G1 |
| LAL4-32-03L-5-30K8-IS | 1,737 | 25 | 69 | B0-U0-G0 |
| LAL4-32-03L-5-35K8 | 2,950 | 25 | 118 | B2-U0-G1 |
| LAL4-32-03L-5-35K8-IS | 1,776 | 25 | 71 | B0-U0-G0 |
| LAL4-32-03L-5-40K8 | 3,041 | 25 | 122 | B2-U0-G1 |
| LAL4-32-03L-5-40K8-IS | 1,831 | 25 | 73 | B0-U0-G0 |
| LAL4-32-03L-5-50K8 | 3,032 | 25 | 121 | B2-U0-G1 |
| LAL4-32-03L-5-50K8-IS | 1,825 | 25 | 73 | B0-U0-G0 |
| | | | | |
| LAL4-32-06L-2-27K8 | 5,442 | 48 | 113 | B1-U0-G1 |
| LAL4-32-06L-2-27K8-IS | 4,115 | 48 | 86 | B1-U0-G1 |
| LAL4-32-06L-2-30K8 | 5,757 | 48 | 120 | B1-U0-G1 |
| LAL4-32-06L-2-30K8-IS | 4,353 | 48 | 91 | B1-U0-G1 |
| LAL4-32-06L-2-35K8 | 5,887 | 48 | 123 | B1-U0-G1 |
| LAL4-32-06L-2-35K8-IS | 4,451 | 48 | 93 | B1-U0-G1 |
| LAL4-32-06L-2-40K8 | 6,069 | 48 | 126 | B1-U0-G1 |
| LAL4-32-06L-2-40K8-IS | 4,588 | 48 | 96 | B1-U0-G1 |
| LAL4-32-06L-2-50K8 | 6,051 | 48 | 126 | B1-U0-G1 |
| LAL4-32-06L-2-50K8-IS | 4,575 | 48 | 95 | B1-U0-G1 |
| LAL4-32-06L-3-27K8 | 5,343 | 48 | 111 | B1-U0-G1 |
| LAL4-32-06L-3-27K8-IS | 4,036 | 48 | 84 | B1-U0-G1 |
| LAL4-32-06L-3-30K8 | 5,652 | 48 | 118 | B1-U0-G1 |
| LAL4-32-06L-3-30K8-IS | 4,269 | 48 | 89 | B1-U0-G1 |
| LAL4-32-06L-3-35K8 | 5,780 | 48 | 120 | B1-U0-G1 |
| LAL4-32-06L-3-35K8-IS | 4,366 | 48 | 91 | B1-U0-G1 |
| LAL4-32-06L-3-40K8 | 5,958 | 48 | 124 | B1-U0-G1 |
| LAL4-32-06L-3-40K8-IS | 4,500 | 48 | 94 | B1-U0-G1 |
| LAL4-32-06L-3-50K8 | 5,940 | 48 | 124 | B1-U0-G1 |
| LAL4-32-06L-3-50K8-IS | 4,487 | 48 | 93 | B1-U0-G1 |
| LAL4-32-06L-4-27K8 | 5,342 | 48 | 111 | B1-U0-G1 |
| LAL4-32-06L-4-27K8-IS | 3,971 | 48 | 83 | B1-U0-G1 |
| LAL4-32-06L-4-30K8 | 5,652 | 48 | 118 | B1-U0-G1 |
| LAL4-32-06L-4-30K8-IS | 4,202 | 48 | 88 | B1-U0-G1 |
| LAL4-32-06L-4-35K8 | 5,779 | 48 | 120 | B1-U0-G2 |
| LAL4-32-06L-4-35K8-IS | 4,296 | 48 | 90 | B1-U0-G1 |
| LAL4-32-06L-4-40K8 | 5,958 | 48 | 124 | B1-U0-G2 |
| LAL4-32-06L-4-40K8-IS | 4,429 | 48 | 92 | B1-U0-G1 |
| LAL4-32-06L-4-50K8 | 5,940 | 48 | 124 | B1-U0-G2 |
| LAL4-32-06L-4-50K8-IS | 4,416 | 48 | 92 | B1-U0-G1 |



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|------------|------------|
| LAL4-32-06L-5-27K8 | 5,431 | 48 | 113 | B3-U0-G1 |
| LAL4-32-06L-5-27K8-IS | 3,270 | 48 | 68 | B1-U0-G1 |
| LAL4-32-06L-5-30K8 | 5,746 | 48 | 120 | B3-U0-G1 |
| LAL4-32-06L-5-30K8-IS | 3,460 | 48 | 72 | B1-U0-G1 |
| LAL4-32-06L-5-35K8 | 5,876 | 48 | 122 | B3-U0-G1 |
| LAL4-32-06L-5-35K8-IS | 3,538 | 48 | 74 | B1-U0-G1 |
| LAL4-32-06L-5-40K8 | 6,057 | 48 | 126 | B3-U0-G1 |
| LAL4-32-06L-5-40K8-IS | 3,647 | 48 | 76 | B1-U0-G1 |
| LAL4-32-06L-5-50K8 | 6,039 | 48 | 126 | B3-U0-G1 |
| LAL4-32-06L-5-50K8-IS | 3,637 | 48 | 76 | B1-U0-G1 |
| | | | | |
| LAL4-40-03L-2-27K8 | 2,732 | 25 | 109 | B1-U0-G1 |
| LAL4-40-03L-2-27K8-IS | 2,066 | 25 | 83 | B0-U0-G0 |
| LAL4-40-03L-2-30K8 | 2,890 | 25 | 116 | B1-U0-G1 |
| LAL4-40-03L-2-30K8-IS | 2,185 | 25 | 87 | B0-U0-G0 |
| LAL4-40-03L-2-35K8 | 2,956 | 25 | 118 | B1-U0-G1 |
| LAL4-40-03L-2-35K8-IS | 2,235 | 25 | 89 | B0-U0-G0 |
| LAL4-40-03L-2-40K8 | 3,047 | 25 | 122 | B1-U0-G1 |
| LAL4-40-03L-2-40K8-IS | 2,304 | 25 | 92 | B0-U0-G1 |
| LAL4-40-03L-2-50K8 | 3,038 | 25 | 122 | B1-U0-G1 |
| LAL4-40-03L-2-50K8-IS | 2,297 | 25 | 92 | B0-U0-G1 |
| LAL4-40-03L-3-27K8 | 2,682 | 25 | 107 | B1-U0-G1 |
| LAL4-40-03L-3-27K8-IS | 2,026 | 25 | 81 | B0-U0-G0 |
| LAL4-40-03L-3-30K8 | 2,838 | 25 | 114 | B1-U0-G1 |
| LAL4-40-03L-3-30K8-IS | 2,144 | 25 | 86 | B0-U0-G0 |
| LAL4-40-03L-3-35K8 | 2,902 | 25 | 116 | B1-U0-G1 |
| LAL4-40-03L-3-35K8-IS | 2,192 | 25 | 88 | B0-U0-G0 |
| LAL4-40-03L-3-40K8 | 2,991 | 25 | 120 | B1-U0-G1 |
| LAL4-40-03L-3-40K8-IS | 2,259 | 25 | 90 | B0-U0-G0 |
| LAL4-40-03L-3-50K8 | 2,983 | 25 | 119 | B1-U0-G1 |
| LAL4-40-03L-3-50K8-IS | 2,253 | 25 | 90 | B0-U0-G0 |
| LAL4-40-03L-4-27K8 | 2,682 | 25 | 107 | B1-U0-G1 |
| LAL4-40-03L-4-27K8-IS | 1,994 | 25 | 80 | B0-U0-G1 |
| LAL4-40-03L-4-30K8 | 2,838 | 25 | 114 | B1-U0-G1 |
| LAL4-40-03L-4-30K8-IS | 2,109 | 25 | 84 | B0-U0-G1 |
| LAL4-40-03L-4-35K8 | 2,902 | 25 | 116 | B1-U0-G1 |
| LAL4-40-03L-4-35K8-IS | 2,157 | 25 | 86 | B0-U0-G1 |
| LAL4-40-03L-4-40K8 | 2,991 | 25 | 120 | B1-U0-G1 |
| LAL4-40-03L-4-40K8-IS | 2,223 | 25 | 89 | B0-U0-G1 |
| LAL4-40-03L-4-50K8 | 2,982 | 25 | 119 | B1-U0-G1 |
| LAL4-40-03L-4-50K8-IS | 2,217 | 25 | 89 | B0-U0-G1 |
| LAL4-40-03L-5-27K8 | 2,727 | 25 | 109 | B2-U0-G1 |
| LAL4-40-03L-5-27K8-IS | 1,642 | 25 | 66 | B0-U0-G0 |
| LAL4-40-03L-5-30K8 | 2,886 | 25 | 115 | B2-U0-G1 |
| LAL4-40-03L-5-30K8-IS | 1,737 | 25 | 69 | B0-U0-G0 |
| LAL4-40-03L-5-35K8 | 2,950 | 25 | 118 | B2-U0-G1 |
| LAL4-40-03L-5-35K8-IS | 1,776 | 25 | 71 | B0-U0-G0 |
| LAL4-40-03L-5-40K8 | 3,041 | 25 | 122 | B2-U0-G1 |
| LAL4-40-03L-5-40K8-IS | 1,831 | 25 | 73 | B0-U0-G0 |
| LAL4-40-03L-5-50K8 | 3,032 | 25 | 121 | B2-U0-G1 |
| LAL4-40-03L-5-50K8-IS | 1,825 | 25 | 73 | B0-U0-G0 |



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|------------|------------|
| LAL4-40-06L-2-27K8 | 5,442 | 48 | 113 | B1-U0-G1 |
| LAL4-40-06L-2-27K8-IS | 4,115 | 48 | 86 | B1-U0-G1 |
| LAL4-40-06L-2-30K8 | 5,757 | 48 | 120 | B1-U0-G1 |
| LAL4-40-06L-2-30K8-IS | 4,353 | 48 | 91 | B1-U0-G1 |
| LAL4-40-06L-2-35K8 | 5,887 | 48 | 123 | B1-U0-G1 |
| LAL4-40-06L-2-35K8-IS | 4,451 | 48 | 93 | B1-U0-G1 |
| LAL4-40-06L-2-40K8 | 6,069 | 48 | 126 | B1-U0-G1 |
| LAL4-40-06L-2-40K8-IS | 4,588 | 48 | 96 | B1-U0-G1 |
| LAL4-40-06L-2-50K8 | 6,051 | 48 | 126 | B1-U0-G1 |
| LAL4-40-06L-2-50K8-IS | 4,575 | 48 | 95 | B1-U0-G1 |
| LAL4-40-06L-3-27K8 | 5,343 | 48 | 111 | B1-U0-G1 |
| LAL4-40-06L-3-27K8-IS | 4,036 | 48 | 84 | B1-U0-G1 |
| LAL4-40-06L-3-30K8 | 5,652 | 48 | 118 | B1-U0-G1 |
| LAL4-40-06L-3-30K8-IS | 4,269 | 48 | 89 | B1-U0-G1 |
| LAL4-40-06L-3-35K8 | 5,780 | 48 | 120 | B1-U0-G1 |
| LAL4-40-06L-3-35K8-IS | 4,366 | 48 | 91 | B1-U0-G1 |
| LAL4-40-06L-3-40K8 | 5,958 | 48 | 124 | B1-U0-G1 |
| LAL4-40-06L-3-40K8-IS | 4,500 | 48 | 94 | B1-U0-G1 |
| LAL4-40-06L-3-50K8 | 5,940 | 48 | 124 | B1-U0-G1 |
| LAL4-40-06L-3-50K8-IS | 4,487 | 48 | 93 | B1-U0-G1 |
| LAL4-40-06L-4-27K8 | 5,342 | 48 | 111 | B1-U0-G1 |
| LAL4-40-06L-4-27K8-IS | 3,971 | 48 | 83 | B1-U0-G1 |
| LAL4-40-06L-4-30K8 | 5,652 | 48 | 118 | B1-U0-G1 |
| LAL4-40-06L-4-30K8-IS | 4,202 | 48 | 88 | B1-U0-G1 |
| LAL4-40-06L-4-35K8 | 5,779 | 48 | 120 | B1-U0-G2 |
| LAL4-40-06L-4-35K8-IS | 4,296 | 48 | 90 | B1-U0-G1 |
| LAL4-40-06L-4-40K8 | 5,958 | 48 | 124 | B1-U0-G2 |
| LAL4-40-06L-4-40K8-IS | 4,429 | 48 | 92 | B1-U0-G1 |
| LAL4-40-06L-4-50K8 | 5,940 | 48 | 124 | B1-U0-G2 |
| LAL4-40-06L-4-50K8-IS | 4,416 | 48 | 92 | B1-U0-G1 |
| LAL4-40-06L-5-27K8 | 5,431 | 48 | 113 | B3-U0-G1 |
| LAL4-40-06L-5-27K8-IS | 3,270 | 48 | 68 | B1-U0-G1 |
| LAL4-40-06L-5-30K8 | 5,746 | 48 | 120 | B3-U0-G1 |
| LAL4-40-06L-5-30K8-IS | 3,460 | 48 | 72 | B1-U0-G1 |
| LAL4-40-06L-5-35K8 | 5,876 | 48 | 122 | B3-U0-G1 |
| LAL4-40-06L-5-35K8-IS | 3,538 | 48 | 74 | B1-U0-G1 |
| LAL4-40-06L-5-40K8 | 6,057 | 48 | 126 | B3-U0-G1 |
| LAL4-40-06L-5-40K8-IS | 3,647 | 48 | 76 | B1-U0-G1 |
| LAL4-40-06L-5-50K8 | 6,039 | 48 | 126 | B3-U0-G1 |
| LAL4-40-06L-5-50K8-IS | 3,637 | 48 | 76 | B1-U0-G1 |
| | | | | |
| LAL4-40-09L-2-27K8 | 8,108 | 72 | 113 | B1-U0-G1 |
| LAL4-40-09L-2-27K8-IS | 6,132 | 72 | 85 | B1-U0-G1 |
| LAL4-40-09L-2-30K8 | 8,578 | 72 | 119 | B1-U0-G2 |
| LAL4-40-09L-2-30K8-IS | 6,488 | 72 | 90 | B1-U0-G2 |
| LAL4-40-09L-2-35K8 | 8,771 | 72 | 122 | B1-U0-G2 |
| LAL4-40-09L-2-35K8-IS | 6,634 | 72 | 92 | B1-U0-G2 |
| LAL4-40-09L-2-40K8 | 9,042 | 72 | 126 | B2-U0-G2 |
| LAL4-40-09L-2-40K8-IS | 6,838 | 72 | 95 | B1-U0-G2 |
| LAL4-40-09L-2-50K8 | 9,015 | 72 | 125 | B2-U0-G2 |



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|------------|------------|
| LAL4-40-09L-2-50K8-IS | 6,818 | 72 | 95 | B1-U0-G2 |
| LAL4-40-09L-3-27K8 | 7,960 | 72 | 111 | B2-U0-G2 |
| LAL4-40-09L-3-27K8-IS | 6,012 | 72 | 84 | B1-U0-G1 |
| LAL4-40-09L-3-30K8 | 8,421 | 72 | 117 | B2-U0-G2 |
| LAL4-40-09L-3-30K8-IS | 6,361 | 72 | 88 | B1-U0-G1 |
| LAL4-40-09L-3-35K8 | 8,611 | 72 | 120 | B2-U0-G2 |
| LAL4-40-09L-3-35K8-IS | 6,504 | 72 | 90 | B1-U0-G1 |
| LAL4-40-09L-3-40K8 | 8,877 | 72 | 123 | B2-U0-G2 |
| LAL4-40-09L-3-40K8-IS | 6,705 | 72 | 93 | B1-U0-G2 |
| LAL4-40-09L-3-50K8 | 8,851 | 72 | 123 | B2-U0-G2 |
| LAL4-40-09L-3-50K8-IS | 6,685 | 72 | 93 | B1-U0-G2 |
| LAL4-40-09L-4-27K8 | 7,960 | 72 | 111 | B2-U0-G2 |
| LAL4-40-09L-4-27K8-IS | 5,917 | 72 | 82 | B1-U0-G2 |
| LAL4-40-09L-4-30K8 | 8,421 | 72 | 117 | B2-U0-G2 |
| LAL4-40-09L-4-30K8-IS | 6,260 | 72 | 87 | B1-U0-G2 |
| LAL4-40-09L-4-35K8 | 8,611 | 72 | 120 | B2-U0-G2 |
| LAL4-40-09L-4-35K8-IS | 6,401 | 72 | 89 | B1-U0-G2 |
| LAL4-40-09L-4-40K8 | 8,876 | 72 | 123 | B2-U0-G2 |
| LAL4-40-09L-4-40K8-IS | 6,598 | 72 | 92 | B1-U0-G2 |
| LAL4-40-09L-4-50K8 | 8,850 | 72 | 123 | B2-U0-G2 |
| LAL4-40-09L-4-50K8-IS | 6,579 | 72 | 91 | B1-U0-G2 |
| LAL4-40-09L-5-27K8 | 8,092 | 72 | 112 | B3-U0-G2 |
| LAL4-40-09L-5-27K8-IS | 4,872 | 72 | 68 | B1-U0-G1 |
| LAL4-40-09L-5-30K8 | 8,561 | 72 | 119 | B3-U0-G2 |
| LAL4-40-09L-5-30K8-IS | 5,154 | 72 | 72 | B1-U0-G2 |
| LAL4-40-09L-5-35K8 | 8,754 | 72 | 122 | B3-U0-G2 |
| LAL4-40-09L-5-35K8-IS | 5,270 | 72 | 73 | B1-U0-G2 |
| LAL4-40-09L-5-40K8 | 9,024 | 72 | 125 | B3-U0-G2 |
| LAL4-40-09L-5-40K8-IS | 5,433 | 72 | 75 | B1-U0-G2 |
| LAL4-40-09L-5-50K8 | 8,998 | 72 | 125 | B3-U0-G2 |
| LAL4-40-09L-5-50K8-IS | 5,417 | 72 | 75 | B1-U0-G2 |
| | | | | |
| LAL4-40-12L-2-27K8 | 10,850 | 98 | 111 | B2-U0-G2 |
| LAL4-40-12L-2-27K8-IS | 8,204 | 98 | 84 | B1-U0-G2 |
| LAL4-40-12L-2-30K8 | 11,478 | 98 | 117 | B2-U0-G2 |
| LAL4-40-12L-2-30K8-IS | 8,680 | 98 | 89 | B1-U0-G2 |
| LAL4-40-12L-2-35K8 | 11,737 | 98 | 120 | B2-U0-G2 |
| LAL4-40-12L-2-35K8-IS | 8,875 | 98 | 91 | B1-U0-G2 |
| LAL4-40-12L-2-40K8 | 12,099 | 98 | 123 | B2-U0-G2 |
| LAL4-40-12L-2-40K8-IS | 9,149 | 98 | 93 | B1-U0-G2 |
| LAL4-40-12L-2-50K8 | 12,063 | 98 | 123 | B2-U0-G2 |
| LAL4-40-12L-2-50K8-IS | 9,122 | 98 | 93 | B1-U0-G2 |
| LAL4-40-12L-3-27K8 | 10,651 | 98 | 109 | B2-U0-G2 |
| LAL4-40-12L-3-27K8-IS | 8,046 | 98 | 82 | B1-U0-G2 |
| LAL4-40-12L-3-30K8 | 11,268 | 98 | 115 | B2-U0-G2 |
| LAL4-40-12L-3-30K8-IS | 8,512 | 98 | 87 | B1-U0-G2 |
| LAL4-40-12L-3-35K8 | 11,521 | 98 | 118 | B2-U0-G2 |
| LAL4-40-12L-3-35K8-IS | 8,704 | 98 | 89 | B1-U0-G2 |
| LAL4-40-12L-3-40K8 | 11,877 | 98 | 121 | B2-U0-G2 |
| LAL4-40-12L-3-40K8-IS | 8,972 | 98 | 92 | B1-U0-G2 |
| LAL4-40-12L-3-50K8 | 11,842 | 98 | 121 | B2-U0-G2 |



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|------------|------------|
| LAL4-40-12L-3-50K8-IS | 8,946 | 98 | 91 | B1-U0-G2 |
| LAL4-40-12L-4-27K8 | 10,650 | 98 | 109 | B2-U0-G2 |
| LAL4-40-12L-4-27K8-IS | 7,917 | 98 | 81 | B1-U0-G2 |
| LAL4-40-12L-4-30K8 | 11,267 | 98 | 115 | B2-U0-G2 |
| LAL4-40-12L-4-30K8-IS | 8,375 | 98 | 85 | B1-U0-G2 |
| LAL4-40-12L-4-35K8 | 11,521 | 98 | 118 | B2-U0-G2 |
| LAL4-40-12L-4-35K8-IS | 8,564 | 98 | 87 | B1-U0-G2 |
| LAL4-40-12L-4-40K8 | 11,877 | 98 | 121 | B2-U0-G2 |
| LAL4-40-12L-4-40K8-IS | 8,828 | 98 | 90 | B1-U0-G2 |
| LAL4-40-12L-4-50K8 | 11,841 | 98 | 121 | B2-U0-G2 |
| LAL4-40-12L-4-50K8-IS | 8,802 | 98 | 90 | B1-U0-G2 |
| LAL4-40-12L-5-27K8 | 10,828 | 98 | 110 | B4-U0-G2 |
| LAL4-40-12L-5-27K8-IS | 6,519 | 98 | 67 | B1-U0-G2 |
| LAL4-40-12L-5-30K8 | 11,456 | 98 | 117 | B4-U0-G2 |
| LAL4-40-12L-5-30K8-IS | 6,897 | 98 | 70 | B1-U0-G2 |
| LAL4-40-12L-5-35K8 | 11,714 | 98 | 120 | B4-U0-G2 |
| LAL4-40-12L-5-35K8-IS | 7,052 | 98 | 72 | B1-U0-G2 |
| LAL4-40-12L-5-40K8 | 12,075 | 98 | 123 | B4-U0-G2 |
| LAL4-40-12L-5-40K8-IS | 7,270 | 98 | 74 | B1-U0-G2 |
| LAL4-40-12L-5-50K8 | 12,040 | 98 | 123 | B4-U0-G2 |
| LAL4-40-12L-5-50K8-IS | 7,249 | 98 | 74 | B1-U0-G2 |
| | | | | |
| LAL4-48-06L-2-27K8 | 5,442 | 48 | 113 | B1-U0-G1 |
| LAL4-48-06L-2-27K8-IS | 4,115 | 48 | 86 | B1-U0-G1 |
| LAL4-48-06L-2-30K8 | 5,757 | 48 | 120 | B1-U0-G1 |
| LAL4-48-06L-2-30K8-IS | 4,353 | 48 | 91 | B1-U0-G1 |
| LAL4-48-06L-2-35K8 | 5,887 | 48 | 123 | B1-U0-G1 |
| LAL4-48-06L-2-35K8-IS | 4,451 | 48 | 93 | B1-U0-G1 |
| LAL4-48-06L-2-40K8 | 6,069 | 48 | 126 | B1-U0-G1 |
| LAL4-48-06L-2-40K8-IS | 4,588 | 48 | 96 | B1-U0-G1 |
| LAL4-48-06L-2-50K8 | 6,051 | 48 | 126 | B1-U0-G1 |
| LAL4-48-06L-2-50K8-IS | 4,575 | 48 | 95 | B1-U0-G1 |
| LAL4-48-06L-3-27K8 | 5,343 | 48 | 111 | B1-U0-G1 |
| LAL4-48-06L-3-27K8-IS | 4,036 | 48 | 84 | B1-U0-G1 |
| LAL4-48-06L-3-30K8 | 5,652 | 48 | 118 | B1-U0-G1 |
| LAL4-48-06L-3-30K8-IS | 4,269 | 48 | 89 | B1-U0-G1 |
| LAL4-48-06L-3-35K8 | 5,780 | 48 | 120 | B1-U0-G1 |
| LAL4-48-06L-3-35K8-IS | 4,366 | 48 | 91 | B1-U0-G1 |
| LAL4-48-06L-3-40K8 | 5,958 | 48 | 124 | B1-U0-G1 |
| LAL4-48-06L-3-40K8-IS | 4,500 | 48 | 94 | B1-U0-G1 |
| LAL4-48-06L-3-50K8 | 5,940 | 48 | 124 | B1-U0-G1 |
| LAL4-48-06L-3-50K8-IS | 4,487 | 48 | 93 | B1-U0-G1 |
| LAL4-48-06L-4-27K8 | 5,342 | 48 | 111 | B1-U0-G1 |
| LAL4-48-06L-4-27K8-IS | 3,971 | 48 | 83 | B1-U0-G1 |
| LAL4-48-06L-4-30K8 | 5,652 | 48 | 118 | B1-U0-G1 |
| LAL4-48-06L-4-30K8-IS | 4,202 | 48 | 88 | B1-U0-G1 |
| LAL4-48-06L-4-35K8 | 5,779 | 48 | 120 | B1-U0-G2 |
| LAL4-48-06L-4-35K8-IS | 4,296 | 48 | 90 | B1-U0-G1 |
| LAL4-48-06L-4-40K8 | 5,958 | 48 | 124 | B1-U0-G2 |
| LAL4-48-06L-4-40K8-IS | 4,429 | 48 | 92 | B1-U0-G1 |
| LAL4-48-06L-4-50K8 | 5,940 | 48 | 124 | B1-U0-G2 |



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|------------|------------|
| LAL4-48-06L-4-50K8-IS | 4,416 | 48 | 92 | B1-U0-G1 |
| LAL4-48-06L-5-27K8 | 5,431 | 48 | 113 | B3-U0-G1 |
| LAL4-48-06L-5-27K8-IS | 3,270 | 48 | 68 | B1-U0-G1 |
| LAL4-48-06L-5-30K8 | 5,746 | 48 | 120 | B3-U0-G1 |
| LAL4-48-06L-5-30K8-IS | 3,460 | 48 | 72 | B1-U0-G1 |
| LAL4-48-06L-5-35K8 | 5,876 | 48 | 122 | B3-U0-G1 |
| LAL4-48-06L-5-35K8-IS | 3,538 | 48 | 74 | B1-U0-G1 |
| LAL4-48-06L-5-40K8 | 6,057 | 48 | 126 | B3-U0-G1 |
| LAL4-48-06L-5-40K8-IS | 3,647 | 48 | 76 | B1-U0-G1 |
| LAL4-48-06L-5-50K8 | 6,039 | 48 | 126 | B3-U0-G1 |
| LAL4-48-06L-5-50K8-IS | 3,637 | 48 | 76 | B1-U0-G1 |
| | | | | |
| LAL4-48-09L-2-27K8 | 8,108 | 72 | 113 | B1-U0-G1 |
| LAL4-48-09L-2-27K8-IS | 6,132 | 72 | 85 | B1-U0-G1 |
| LAL4-48-09L-2-30K8 | 8,578 | 72 | 119 | B1-U0-G2 |
| LAL4-48-09L-2-30K8-IS | 6,488 | 72 | 90 | B1-U0-G2 |
| LAL4-48-09L-2-35K8 | 8,771 | 72 | 122 | B1-U0-G2 |
| LAL4-48-09L-2-35K8-IS | 6,634 | 72 | 92 | B1-U0-G2 |
| LAL4-48-09L-2-40K8 | 9,042 | 72 | 126 | B2-U0-G2 |
| LAL4-48-09L-2-40K8-IS | 6,838 | 72 | 95 | B1-U0-G2 |
| LAL4-48-09L-2-50K8 | 9,015 | 72 | 125 | B2-U0-G2 |
| LAL4-48-09L-2-50K8-IS | 6,818 | 72 | 95 | B1-U0-G2 |
| LAL4-48-09L-3-27K8 | 7,960 | 72 | 111 | B2-U0-G2 |
| LAL4-48-09L-3-27K8-IS | 6,012 | 72 | 84 | B1-U0-G1 |
| LAL4-48-09L-3-30K8 | 8,421 | 72 | 117 | B2-U0-G2 |
| LAL4-48-09L-3-30K8-IS | 6,361 | 72 | 88 | B1-U0-G1 |
| LAL4-48-09L-3-35K8 | 8,611 | 72 | 120 | B2-U0-G2 |
| LAL4-48-09L-3-35K8-IS | 6,504 | 72 | 90 | B1-U0-G1 |
| LAL4-48-09L-3-40K8 | 8,877 | 72 | 123 | B2-U0-G2 |
| LAL4-48-09L-3-40K8-IS | 6,705 | 72 | 93 | B1-U0-G2 |
| LAL4-48-09L-3-50K8 | 8,851 | 72 | 123 | B2-U0-G2 |
| LAL4-48-09L-3-50K8-IS | 6,685 | 72 | 93 | B1-U0-G2 |
| LAL4-48-09L-4-27K8 | 7,960 | 72 | 111 | B2-U0-G2 |
| LAL4-48-09L-4-27K8-IS | 5,917 | 72 | 82 | B1-U0-G2 |
| LAL4-48-09L-4-30K8 | 8,421 | 72 | 117 | B2-U0-G2 |
| LAL4-48-09L-4-30K8-IS | 6,260 | 72 | 87 | B1-U0-G2 |
| LAL4-48-09L-4-35K8 | 8,611 | 72 | 120 | B2-U0-G2 |
| LAL4-48-09L-4-35K8-IS | 6,401 | 72 | 89 | B1-U0-G2 |
| LAL4-48-09L-4-40K8 | 8,876 | 72 | 123 | B2-U0-G2 |
| LAL4-48-09L-4-40K8-IS | 6,598 | 72 | 92 | B1-U0-G2 |
| LAL4-48-09L-4-50K8 | 8,850 | 72 | 123 | B2-U0-G2 |
| LAL4-48-09L-4-50K8-IS | 6,579 | 72 | 91 | B1-U0-G2 |
| LAL4-48-09L-5-27K8 | 8,092 | 72 | 112 | B3-U0-G2 |
| LAL4-48-09L-5-27K8-IS | 4,872 | 72 | 68 | B1-U0-G1 |
| LAL4-48-09L-5-30K8 | 8,561 | 72 | 119 | B3-U0-G2 |
| LAL4-48-09L-5-30K8-IS | 5,154 | 72 | 72 | B1-U0-G2 |
| LAL4-48-09L-5-35K8 | 8,754 | 72 | 122 | B3-U0-G2 |
| LAL4-48-09L-5-35K8-IS | 5,270 | 72 | 73 | B1-U0-G2 |
| LAL4-48-09L-5-40K8 | 9,024 | 72 | 125 | B3-U0-G2 |
| LAL4-48-09L-5-40K8-IS | 5,433 | 72 | 75 | B1-U0-G2 |
| LAL4-48-09L-5-50K8 | 8,998 | 72 | 125 | B3-U0-G2 |



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|------------|------------|
| LAL4-48-09L-5-50K8-IS | 5,417 | 72 | 75 | B1-U0-G2 |
| LAL4-48-12L-2-27K8 | 10,850 | 98 | 111 | B2-U0-G2 |
| LAL4-48-12L-2-27K8-IS | 8,204 | 98 | 84 | B1-U0-G2 |
| LAL4-48-12L-2-30K8 | 11,478 | 98 | 117 | B2-U0-G2 |
| LAL4-48-12L-2-30K8-IS | 8,680 | 98 | 89 | B1-U0-G2 |
| LAL4-48-12L-2-35K8 | 11,737 | 98 | 120 | B2-U0-G2 |
| LAL4-48-12L-2-35K8-IS | 8,875 | 98 | 91 | B1-U0-G2 |
| LAL4-48-12L-2-40K8 | 12,099 | 98 | 123 | B2-U0-G2 |
| LAL4-48-12L-2-40K8-IS | 9,149 | 98 | 93 | B1-U0-G2 |
| LAL4-48-12L-2-50K8 | 12,063 | 98 | 123 | B2-U0-G2 |
| LAL4-48-12L-2-50K8-IS | 9,122 | 98 | 93 | B1-U0-G2 |
| LAL4-48-12L-3-27K8 | 10,651 | 98 | 109 | B2-U0-G2 |
| LAL4-48-12L-3-27K8-IS | 8,046 | 98 | 82 | B1-U0-G2 |
| LAL4-48-12L-3-30K8 | 11,268 | 98 | 115 | B2-U0-G2 |
| LAL4-48-12L-3-30K8-IS | 8,512 | 98 | 87 | B1-U0-G2 |
| LAL4-48-12L-3-35K8 | 11,521 | 98 | 118 | B2-U0-G2 |
| LAL4-48-12L-3-35K8-IS | 8,704 | 98 | 89 | B1-U0-G2 |
| LAL4-48-12L-3-40K8 | 11,877 | 98 | 121 | B2-U0-G2 |
| LAL4-48-12L-3-40K8-IS | 8,972 | 98 | 92 | B1-U0-G2 |
| LAL4-48-12L-3-50K8 | 11,842 | 98 | 121 | B2-U0-G2 |
| LAL4-48-12L-3-50K8-IS | 8,946 | 98 | 91 | B1-U0-G2 |
| LAL4-48-12L-4-27K8 | 10,650 | 98 | 109 | B2-U0-G2 |
| LAL4-48-12L-4-27K8-IS | 7,917 | 98 | 81 | B1-U0-G2 |
| LAL4-48-12L-4-30K8 | 11,267 | 98 | 115 | B2-U0-G2 |
| LAL4-48-12L-4-30K8-IS | 8,375 | 98 | 85 | B1-U0-G2 |
| LAL4-48-12L-4-35K8 | 11,521 | 98 | 118 | B2-U0-G2 |
| LAL4-48-12L-4-35K8-IS | 8,564 | 98 | 87 | B1-U0-G2 |
| LAL4-48-12L-4-40K8 | 11,877 | 98 | 121 | B2-U0-G2 |
| LAL4-48-12L-4-40K8-IS | 8,828 | 98 | 90 | B1-U0-G2 |
| LAL4-48-12L-4-50K8 | 11,841 | 98 | 121 | B2-U0-G2 |
| LAL4-48-12L-4-50K8-IS | 8,802 | 98 | 90 | B1-U0-G2 |
| LAL4-48-12L-5-27K8 | 10,828 | 98 | 110 | B4-U0-G2 |
| LAL4-48-12L-5-27K8-IS | 6,519 | 98 | 67 | B1-U0-G2 |
| LAL4-48-12L-5-30K8 | 11,456 | 98 | 117 | B4-U0-G2 |
| LAL4-48-12L-5-30K8-IS | 6,897 | 98 | 70 | B1-U0-G2 |
| LAL4-48-12L-5-35K8 | 11,714 | 98 | 120 | B4-U0-G2 |
| LAL4-48-12L-5-35K8-IS | 7,052 | 98 | 72 | B1-U0-G2 |
| LAL4-48-12L-5-40K8 | 12,075 | 98 | 123 | B4-U0-G2 |
| LAL4-48-12L-5-40K8-IS | 7,270 | 98 | 74 | B1-U0-G2 |
| LAL4-48-12L-5-50K8 | 12,040 | 98 | 123 | B4-U0-G2 |
| LAL4-48-12L-5-50K8-IS | 7,249 | 98 | 74 | B1-U0-G2 |
| LAL4-48-15L-2-27K8 | 13,628 | 117 | 116 | B2-U0-G2 |
| LAL4-48-15L-2-27K8-IS | 10,305 | 117 | 88 | B1-U0-G2 |
| LAL4-48-15L-2-30K8 | 14,418 | 117 | 123 | B2-U0-G2 |
| LAL4-48-15L-2-30K8-IS | 10,902 | 117 | 93 | B1-U0-G2 |
| LAL4-48-15L-2-35K8 | 14,743 | 117 | 126 | B2-U0-G2 |
| LAL4-48-15L-2-35K8-IS | 11,148 | 117 | 95 | B1-U0-G2 |
| LAL4-48-15L-2-40K8 | 15,198 | 117 | 130 | B2-U0-G2 |
| LAL4-48-15L-2-40K8-IS | 11,491 | 117 | 98 | B1-U0-G2 |



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|------------|------------|
| LAL4-48-15L-2-50K8 | 15,153 | 117 | 130 | B2-U0-G2 |
| LAL4-48-15L-2-50K8-IS | 11,458 | 117 | 98 | B1-U0-G2 |
| LAL4-48-15L-3-27K8 | 13,378 | 117 | 114 | B3-U0-G3 |
| LAL4-48-15L-3-27K8-IS | 10,104 | 117 | 86 | B1-U0-G2 |
| LAL4-48-15L-3-30K8 | 14,153 | 117 | 121 | B3-U0-G3 |
| LAL4-48-15L-3-30K8-IS | 10,690 | 117 | 91 | B1-U0-G2 |
| LAL4-48-15L-3-35K8 | 14,472 | 117 | 124 | B3-U0-G3 |
| LAL4-48-15L-3-35K8-IS | 10,931 | 117 | 93 | B1-U0-G2 |
| LAL4-48-15L-3-40K8 | 14,919 | 117 | 128 | B3-U0-G3 |
| LAL4-48-15L-3-40K8-IS | 11,268 | 117 | 96 | B1-U0-G2 |
| LAL4-48-15L-3-50K8 | 14,875 | 117 | 127 | B3-U0-G3 |
| LAL4-48-15L-3-50K8-IS | 11,235 | 117 | 96 | B1-U0-G2 |
| LAL4-48-15L-4-27K8 | 13,379 | 117 | 114 | B2-U0-G2 |
| LAL4-48-15L-4-27K8-IS | 9,943 | 117 | 85 | B1-U0-G2 |
| LAL4-48-15L-4-30K8 | 14,154 | 117 | 121 | B2-U0-G2 |
| LAL4-48-15L-4-30K8-IS | 10,519 | 117 | 90 | B1-U0-G2 |
| LAL4-48-15L-4-35K8 | 14,473 | 117 | 124 | B2-U0-G2 |
| LAL4-48-15L-4-35K8-IS | 10,756 | 117 | 92 | B1-U0-G2 |
| LAL4-48-15L-4-40K8 | 14,920 | 117 | 128 | B3-U0-G3 |
| LAL4-48-15L-4-40K8-IS | 11,088 | 117 | 95 | B1-U0-G2 |
| LAL4-48-15L-4-50K8 | 14,876 | 117 | 127 | B2-U0-G2 |
| LAL4-48-15L-4-50K8-IS | 11,055 | 117 | 94 | B1-U0-G2 |
| LAL4-48-15L-5-27K8 | 13,601 | 117 | 116 | B4-U0-G2 |
| LAL4-48-15L-5-27K8-IS | 8,190 | 117 | 70 | B1-U0-G2 |
| LAL4-48-15L-5-30K8 | 14,390 | 117 | 123 | B4-U0-G2 |
| LAL4-48-15L-5-30K8-IS | 8,664 | 117 | 74 | B1-U0-G2 |
| LAL4-48-15L-5-35K8 | 14,714 | 117 | 126 | B4-U0-G2 |
| LAL4-48-15L-5-35K8-IS | 8,860 | 117 | 76 | B1-U0-G2 |
| LAL4-48-15L-5-40K8 | 15,168 | 117 | 130 | B4-U0-G2 |
| LAL4-48-15L-5-40K8-IS | 9,133 | 117 | 78 | B1-U0-G2 |
| LAL4-48-15L-5-50K8 | 15,123 | 117 | 129 | B4-U0-G2 |
| LAL4-48-15L-5-50K8-IS | 9,106 | 117 | 78 | B1-U0-G2 |
| | | | | |
| LAL4-48-18L-2-27K8 | 16,250 | 144 | 113 | B2-U0-G2 |
| LAL4-48-18L-2-27K8-IS | 12,286 | 144 | 85 | B2-U0-G2 |
| LAL4-48-18L-2-30K8 | 17,191 | 144 | 119 | B2-U0-G2 |
| LAL4-48-18L-2-30K8-IS | 12,998 | 144 | 90 | B2-U0-G2 |
| LAL4-48-18L-2-35K8 | 17,579 | 144 | 122 | B2-U0-G2 |
| LAL4-48-18L-2-35K8-IS | 13,291 | 144 | 92 | B2-U0-G2 |
| LAL4-48-18L-2-40K8 | 18,121 | 144 | 126 | B3-U0-G3 |
| LAL4-48-18L-2-40K8-IS | 13,701 | 144 | 95 | B2-U0-G2 |
| LAL4-48-18L-2-50K8 | 18,068 | 144 | 125 | B3-U0-G3 |
| LAL4-48-18L-2-50K8-IS | 13,661 | 144 | 95 | B2-U0-G2 |
| LAL4-48-18L-3-27K8 | 15,952 | 144 | 111 | B3-U0-G3 |
| LAL4-48-18L-3-27K8-IS | 12,050 | 144 | 84 | B1-U0-G2 |
| LAL4-48-18L-3-30K8 | 16,876 | 144 | 117 | B3-U0-G3 |
| LAL4-48-18L-3-30K8-IS | 12,748 | 144 | 89 | B1-U0-G2 |
| LAL4-48-18L-3-35K8 | 17,256 | 144 | 120 | B3-U0-G3 |
| LAL4-48-18L-3-35K8-IS | 13,036 | 144 | 91 | B1-U0-G2 |
| LAL4-48-18L-3-40K8 | 17,789 | 144 | 124 | B3-U0-G3 |
| LAL4-48-18L-3-40K8-IS | 13,438 | 144 | 93 | B1-U0-G2 |

