



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
LAL4-22-03L-2-27K8	2,732	25	109	B1-U0-G1
LAL4-22-03L-2-30K8	2,890	25	116	B1-U0-G1
LAL4-22-03L-2-35K8	2,956	25	118	B1-U0-G1
LAL4-22-03L-2-40K8	3,047	25	122	B1-U0-G1
LAL4-22-03L-2-50K8	3,038	25	122	B1-U0-G1
LAL4-22-03L-3-27K8	2,682	25	107	B1-U0-G1
LAL4-22-03L-3-30K8	2,838	25	114	B1-U0-G1
LAL4-22-03L-3-35K8	2,902	25	116	B1-U0-G1
LAL4-22-03L-3-40K8	2,991	25	120	B1-U0-G1
LAL4-22-03L-3-50K8	2,983	25	119	B1-U0-G1
LAL4-22-03L-4-27K8	2,682	25	107	B1-U0-G1
LAL4-22-03L-4-30K8	2,838	25	114	B1-U0-G1
LAL4-22-03L-4-35K8	2,902	25	116	B1-U0-G1
LAL4-22-03L-4-40K8	2,991	25	120	B1-U0-G1
LAL4-22-03L-4-50K8	2,982	25	119	B1-U0-G1
LAL4-22-03L-5-27K8	2,727	25	109	B2-U0-G1
LAL4-22-03L-5-30K8	2,886	25	115	B2-U0-G1
LAL4-22-03L-5-35K8	2,950	25	118	B2-U0-G1
LAL4-22-03L-5-40K8	3,041	25	122	B2-U0-G1
LAL4-22-03L-5-50K8	3,032	25	121	B2-U0-G1
LAL4-22-06L-2-27K8	5,442	48	113	B1-U0-G1
LAL4-22-06L-2-30K8	5,757	48	120	B1-U0-G1
LAL4-22-06L-2-35K8	5,887	48	123	B1-U0-G1
LAL4-22-06L-2-40K8	6,069	48	126	B1-U0-G1
LAL4-22-06L-2-50K8	6,051	48	126	B1-U0-G1
LAL4-22-06L-3-27K8	5,343	48	111	B1-U0-G1
LAL4-22-06L-3-30K8	5,652	48	118	B1-U0-G1
LAL4-22-06L-3-35K8	5,780	48	120	B1-U0-G1
LAL4-22-06L-3-40K8	5,958	48	124	B1-U0-G1
LAL4-22-06L-3-50K8	5,940	48	124	B1-U0-G1
LAL4-22-06L-4-27K8	5,342	48	111	B1-U0-G1
LAL4-22-06L-4-30K8	5,652	48	118	B1-U0-G1
LAL4-22-06L-4-35K8	5,779	48	120	B1-U0-G2
LAL4-22-06L-4-40K8	5,958	48	124	B1-U0-G2
LAL4-22-06L-4-50K8	5,940	48	124	B1-U0-G2
LAL4-22-06L-5-27K8	5,431	48	113	B3-U0-G1
LAL4-22-06L-5-30K8	5,746	48	120	B3-U0-G1
LAL4-22-06L-5-35K8	5,876	48	122	B3-U0-G1
LAL4-22-06L-5-40K8	6,057	48	126	B3-U0-G1
LAL4-22-06L-5-50K8	6,039	48	126	B3-U0-G1
LAL4-32-03L-2-27K8	2,732	25	109	B1-U0-G1
LAL4-32-03L-2-30K8	2,890	25	116	B1-U0-G1
LAL4-32-03L-2-35K8	2,956	25	118	B1-U0-G1
LAL4-32-03L-2-40K8	3,047	25	122	B1-U0-G1
LAL4-32-03L-2-50K8	3,038	25	122	B1-U0-G1
LAL4-32-03L-3-27K8	2,682	25	107	B1-U0-G1
LAL4-32-03L-3-30K8	2,838	25	114	B1-U0-G1
LAL4-32-03L-3-35K8	2,902	25	116	B1-U0-G1
LAL4-32-03L-3-40K8	2,991	25	120	B1-U0-G1
LAL4-32-03L-3-50K8	2,983	25	119	B1-U0-G1



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
LAL4-32-03L-4-27K8	2,682	25	107	B1-U0-G1
LAL4-32-03L-4-30K8	2,838	25	114	B1-U0-G1
LAL4-32-03L-4-35K8	2,902	25	116	B1-U0-G1
LAL4-32-03L-4-40K8	2,991	25	120	B1-U0-G1
LAL4-32-03L-4-50K8	2,982	25	119	B1-U0-G1
LAL4-32-03L-5-27K8	2,727	25	109	B2-U0-G1
LAL4-32-03L-5-30K8	2,886	25	115	B2-U0-G1
LAL4-32-03L-5-35K8	2,950	25	118	B2-U0-G1
LAL4-32-03L-5-40K8	3,041	25	122	B2-U0-G1
LAL4-32-03L-5-50K8	3,032	25	121	B2-U0-G1
LAL4-32-06L-2-27K8	5,442	48	113	B1-U0-G1
LAL4-32-06L-2-30K8	5,757	48	120	B1-U0-G1
LAL4-32-06L-2-35K8	5,887	48	123	B1-U0-G1
LAL4-32-06L-2-40K8	6,069	48	126	B1-U0-G1
LAL4-32-06L-2-50K8	6,051	48	126	B1-U0-G1
LAL4-32-06L-3-27K8	5,343	48	111	B1-U0-G1
LAL4-32-06L-3-30K8	5,652	48	118	B1-U0-G1
LAL4-32-06L-3-35K8	5,780	48	120	B1-U0-G1
LAL4-32-06L-3-40K8	5,958	48	124	B1-U0-G1
LAL4-32-06L-3-50K8	5,940	48	124	B1-U0-G1
LAL4-32-06L-4-27K8	5,342	48	111	B1-U0-G1
LAL4-32-06L-4-30K8	5,652	48	118	B1-U0-G1
LAL4-32-06L-4-35K8	5,779	48	120	B1-U0-G2
LAL4-32-06L-4-40K8	5,958	48	124	B1-U0-G2
LAL4-32-06L-4-50K8	5,940	48	124	B1-U0-G2
LAL4-32-06L-5-27K8	5,431	48	113	B3-U0-G1
LAL4-32-06L-5-30K8	5,746	48	120	B3-U0-G1
LAL4-32-06L-5-35K8	5,876	48	122	B3-U0-G1
LAL4-32-06L-5-40K8	6,057	48	126	B3-U0-G1
LAL4-32-06L-5-50K8	6,039	48	126	B3-U0-G1
LAL4-40-03L-2-27K8	2,732	25	109	B1-U0-G1
LAL4-40-03L-2-30K8	2,890	25	116	B1-U0-G1
LAL4-40-03L-2-35K8	2,956	25	118	B1-U0-G1
LAL4-40-03L-2-40K8	3,047	25	122	B1-U0-G1
LAL4-40-03L-2-50K8	3,038	25	122	B1-U0-G1
LAL4-40-03L-3-27K8	2,682	25	107	B1-U0-G1
LAL4-40-03L-3-30K8	2,838	25	114	B1-U0-G1
LAL4-40-03L-3-35K8	2,902	25	116	B1-U0-G1
LAL4-40-03L-3-40K8	2,991	25	120	B1-U0-G1
LAL4-40-03L-3-50K8	2,983	25	119	B1-U0-G1
LAL4-40-03L-4-27K8	2,682	25	107	B1-U0-G1
LAL4-40-03L-4-30K8	2,838	25	114	B1-U0-G1
LAL4-40-03L-4-35K8	2,902	25	116	B1-U0-G1
LAL4-40-03L-4-40K8	2,991	25	120	B1-U0-G1
LAL4-40-03L-4-50K8	2,982	25	119	B1-U0-G1
LAL4-40-03L-5-27K8	2,727	25	109	B2-U0-G1
LAL4-40-03L-5-30K8	2,886	25	115	B2-U0-G1
LAL4-40-03L-5-35K8	2,950	25	118	B2-U0-G1
LAL4-40-03L-5-40K8	3,041	25	122	B2-U0-G1
LAL4-40-03L-5-50K8	3,032	25	121	B2-U0-G1



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
LAL4-40-06L-2-27K8	5,442	48	113	B1-U0-G1
LAL4-40-06L-2-30K8	5,757	48	120	B1-U0-G1
LAL4-40-06L-2-35K8	5,887	48	123	B1-U0-G1
LAL4-40-06L-2-40K8	6,069	48	126	B1-U0-G1
LAL4-40-06L-2-50K8	6,051	48	126	B1-U0-G1
LAL4-40-06L-3-27K8	5,343	48	111	B1-U0-G1
LAL4-40-06L-3-30K8	5,652	48	118	B1-U0-G1
LAL4-40-06L-3-35K8	5,780	48	120	B1-U0-G1
LAL4-40-06L-3-40K8	5,958	48	124	B1-U0-G1
LAL4-40-06L-3-50K8	5,940	48	124	B1-U0-G1
LAL4-40-06L-4-27K8	5,342	48	111	B1-U0-G1
LAL4-40-06L-4-30K8	5,652	48	118	B1-U0-G1
LAL4-40-06L-4-35K8	5,779	48	120	B1-U0-G2
LAL4-40-06L-4-40K8	5,958	48	124	B1-U0-G2
LAL4-40-06L-4-50K8	5,940	48	124	B1-U0-G2
LAL4-40-06L-5-27K8	5,431	48	113	B3-U0-G1
LAL4-40-06L-5-30K8	5,746	48	120	B3-U0-G1
LAL4-40-06L-5-35K8	5,876	48	122	B3-U0-G1
LAL4-40-06L-5-40K8	6,057	48	126	B3-U0-G1
LAL4-40-06L-5-50K8	6,039	48	126	B3-U0-G1
LAL4-40-09L-2-27K8	8,108	72	113	B1-U0-G1
LAL4-40-09L-2-30K8	8,578	72	119	B1-U0-G2
LAL4-40-09L-2-35K8	8,771	72	122	B1-U0-G2
LAL4-40-09L-2-40K8	9,042	72	126	B2-U0-G2
LAL4-40-09L-2-50K8	9,015	72	125	B2-U0-G2
LAL4-40-09L-3-27K8	7,960	72	111	B2-U0-G2
LAL4-40-09L-3-30K8	8,421	72	117	B2-U0-G2
LAL4-40-09L-3-35K8	8,611	72	120	B2-U0-G2
LAL4-40-09L-3-40K8	8,877	72	123	B2-U0-G2
LAL4-40-09L-3-50K8	8,851	72	123	B2-U0-G2
LAL4-40-09L-4-27K8	7,960	72	111	B2-U0-G2
LAL4-40-09L-4-30K8	8,421	72	117	B2-U0-G2
LAL4-40-09L-4-35K8	8,611	72	120	B2-U0-G2
LAL4-40-09L-4-40K8	8,876	72	123	B2-U0-G2
LAL4-40-09L-4-50K8	8,850	72	123	B2-U0-G2
LAL4-40-09L-5-27K8	8,092	72	112	B3-U0-G2
LAL4-40-09L-5-30K8	8,561	72	119	B3-U0-G2
LAL4-40-09L-5-35K8	8,754	72	122	B3-U0-G2
LAL4-40-09L-5-40K8	9,024	72	125	B3-U0-G2
LAL4-40-09L-5-50K8	8,998	72	125	B3-U0-G2
LAL4-40-12L-2-27K8	10,850	98	111	B2-U0-G2
LAL4-40-12L-2-30K8	11,478	98	117	B2-U0-G2
LAL4-40-12L-2-35K8	11,737	98	120	B2-U0-G2
LAL4-40-12L-2-40K8	12,099	98	123	B2-U0-G2
LAL4-40-12L-2-50K8	12,063	98	123	B2-U0-G2
LAL4-40-12L-3-27K8	10,651	98	109	B2-U0-G2
LAL4-40-12L-3-30K8	11,268	98	115	B2-U0-G2
LAL4-40-12L-3-35K8	11,521	98	118	B2-U0-G2
LAL4-40-12L-3-40K8	11,877	98	121	B2-U0-G2
LAL4-40-12L-3-50K8	11,842	98	121	B2-U0-G2
LAL4-40-12L-4-27K8	10,650	98	109	B2-U0-G2



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
LAL4-40-12L-4-30K8	11,267	98	115	B2-U0-G2
LAL4-40-12L-4-35K8	11,521	98	118	B2-U0-G2
LAL4-40-12L-4-40K8	11,877	98	121	B2-U0-G2
LAL4-40-12L-4-50K8	11,841	98	121	B2-U0-G2
LAL4-40-12L-5-27K8	10,828	98	110	B4-U0-G2
LAL4-40-12L-5-30K8	11,456	98	117	B4-U0-G2
LAL4-40-12L-5-35K8	11,714	98	120	B4-U0-G2
LAL4-40-12L-5-40K8	12,075	98	123	B4-U0-G2
LAL4-40-12L-5-50K8	12,040	98	123	B4-U0-G2
LAL4-48-06L-2-27K8	5,442	48	113	B1-U0-G1
LAL4-48-06L-2-30K8	5,757	48	120	B1-U0-G1
LAL4-48-06L-2-35K8	5,887	48	123	B1-U0-G1
LAL4-48-06L-2-40K8	6,069	48	126	B1-U0-G1
LAL4-48-06L-2-50K8	6,051	48	126	B1-U0-G1
LAL4-48-06L-3-27K8	5,343	48	111	B1-U0-G1
LAL4-48-06L-3-30K8	5,652	48	118	B1-U0-G1
LAL4-48-06L-3-35K8	5,780	48	120	B1-U0-G1
LAL4-48-06L-3-40K8	5,958	48	124	B1-U0-G1
LAL4-48-06L-3-50K8	5,940	48	124	B1-U0-G1
LAL4-48-06L-4-27K8	5,342	48	111	B1-U0-G1
LAL4-48-06L-4-30K8	5,652	48	118	B1-U0-G1
LAL4-48-06L-4-35K8	5,779	48	120	B1-U0-G2
LAL4-48-06L-4-40K8	5,958	48	124	B1-U0-G2
LAL4-48-06L-4-50K8	5,940	48	124	B1-U0-G2
LAL4-48-06L-5-27K8	5,431	48	113	B3-U0-G1
LAL4-48-06L-5-30K8	5,746	48	120	B3-U0-G1
LAL4-48-06L-5-35K8	5,876	48	122	B3-U0-G1
LAL4-48-06L-5-40K8	6,057	48	126	B3-U0-G1
LAL4-48-06L-5-50K8	6,039	48	126	B3-U0-G1
LAL4-48-09L-2-27K8	8,108	72	113	B1-U0-G1
LAL4-48-09L-2-30K8	8,578	72	119	B1-U0-G2
LAL4-48-09L-2-35K8	8,771	72	122	B1-U0-G2
LAL4-48-09L-2-40K8	9,042	72	126	B2-U0-G2
LAL4-48-09L-2-50K8	9,015	72	125	B2-U0-G2
LAL4-48-09L-3-27K8	7,960	72	111	B2-U0-G2
LAL4-48-09L-3-30K8	8,421	72	117	B2-U0-G2
LAL4-48-09L-3-35K8	8,611	72	120	B2-U0-G2
LAL4-48-09L-3-40K8	8,877	72	123	B2-U0-G2
LAL4-48-09L-3-50K8	8,851	72	123	B2-U0-G2
LAL4-48-09L-4-27K8	7,960	72	111	B2-U0-G2
LAL4-48-09L-4-30K8	8,421	72	117	B2-U0-G2
LAL4-48-09L-4-35K8	8,611	72	120	B2-U0-G2
LAL4-48-09L-4-40K8	8,876	72	123	B2-U0-G2
LAL4-48-09L-4-50K8	8,850	72	123	B2-U0-G2
LAL4-48-09L-5-27K8	8,092	72	112	B3-U0-G2
LAL4-48-09L-5-30K8	8,561	72	119	B3-U0-G2
LAL4-48-09L-5-35K8	8,754	72	122	B3-U0-G2
LAL4-48-09L-5-40K8	9,024	72	125	B3-U0-G2
LAL4-48-09L-5-50K8	8,998	72	125	B3-U0-G2
LAL4-48-12L-2-27K8	10,850	98	111	B2-U0-G2



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
LAL4-48-12L-2-30K8	11,478	98	117	B2-U0-G2
LAL4-48-12L-2-35K8	11,737	98	120	B2-U0-G2
LAL4-48-12L-2-40K8	12,099	98	123	B2-U0-G2
LAL4-48-12L-2-50K8	12,063	98	123	B2-U0-G2
LAL4-48-12L-3-27K8	10,651	98	109	B2-U0-G2
LAL4-48-12L-3-30K8	11,268	98	115	B2-U0-G2
LAL4-48-12L-3-35K8	11,521	98	118	B2-U0-G2
LAL4-48-12L-3-40K8	11,877	98	121	B2-U0-G2
LAL4-48-12L-3-50K8	11,842	98	121	B2-U0-G2
LAL4-48-12L-4-27K8	10,650	98	109	B2-U0-G2
LAL4-48-12L-4-30K8	11,267	98	115	B2-U0-G2
LAL4-48-12L-4-35K8	11,521	98	118	B2-U0-G2
LAL4-48-12L-4-40K8	11,877	98	121	B2-U0-G2
LAL4-48-12L-4-50K8	11,841	98	121	B2-U0-G2
LAL4-48-12L-5-27K8	10,828	98	110	B4-U0-G2
LAL4-48-12L-5-30K8	11,456	98	117	B4-U0-G2
LAL4-48-12L-5-35K8	11,714	98	120	B4-U0-G2
LAL4-48-12L-5-40K8	12,075	98	123	B4-U0-G2
LAL4-48-12L-5-50K8	12,040	98	123	B4-U0-G2
LAL4-48-15L-2-27K8	13,628	117	116	B2-U0-G2
LAL4-48-15L-2-30K8	14,418	117	123	B2-U0-G2
LAL4-48-15L-2-35K8	14,743	117	126	B2-U0-G2
LAL4-48-15L-2-40K8	15,198	117	130	B2-U0-G2
LAL4-48-15L-2-50K8	15,153	117	130	B2-U0-G2
LAL4-48-15L-3-27K8	13,378	117	114	B3-U0-G3
LAL4-48-15L-3-30K8	14,153	117	121	B3-U0-G3
LAL4-48-15L-3-35K8	14,472	117	124	B3-U0-G3
LAL4-48-15L-3-40K8	14,919	117	128	B3-U0-G3
LAL4-48-15L-3-50K8	14,875	117	127	B3-U0-G3
LAL4-48-15L-4-27K8	13,379	117	114	B2-U0-G2
LAL4-48-15L-4-30K8	14,154	117	121	B2-U0-G2
LAL4-48-15L-4-35K8	14,473	117	124	B2-U0-G2
LAL4-48-15L-4-40K8	14,920	117	128	B3-U0-G3
LAL4-48-15L-4-50K8	14,876	117	127	B2-U0-G2
LAL4-48-15L-5-27K8	13,601	117	116	B4-U0-G2
LAL4-48-15L-5-30K8	14,390	117	123	B4-U0-G2
LAL4-48-15L-5-35K8	14,714	117	126	B4-U0-G2
LAL4-48-15L-5-40K8	15,168	117	130	B4-U0-G2
LAL4-48-15L-5-50K8	15,123	117	129	B4-U0-G2
LAL4-48-18L-2-27K8	16,250	144	113	B2-U0-G2
LAL4-48-18L-2-30K8	17,191	144	119	B2-U0-G2
LAL4-48-18L-2-35K8	17,579	144	122	B2-U0-G2
LAL4-48-18L-2-40K8	18,121	144	126	B3-U0-G3
LAL4-48-18L-2-50K8	18,068	144	125	B3-U0-G3
LAL4-48-18L-3-27K8	15,952	144	111	B3-U0-G3
LAL4-48-18L-3-30K8	16,876	144	117	B3-U0-G3
LAL4-48-18L-3-35K8	17,256	144	120	B3-U0-G3
LAL4-48-18L-3-40K8	17,789	144	124	B3-U0-G3
LAL4-48-18L-3-50K8	17,736	144	123	B3-U0-G3
LAL4-48-18L-4-27K8	15,953	144	111	B3-U0-G3
LAL4-48-18L-4-30K8	16,877	144	117	B3-U0-G3



LAL4 Outdoor LED Light

LAL4 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
LAL4-48-18L-4-35K8	17,257	144	120	B3-U0-G3
LAL4-48-18L-4-40K8	17,790	144	124	B3-U0-G3
LAL4-48-18L-4-50K8	17,737	144	123	B3-U0-G3
LAL4-48-18L-5-27K8	16,218	144	113	B4-U0-G2
LAL4-48-18L-5-30K8	17,158	144	119	B4-U0-G2
LAL4-48-18L-5-35K8	17,545	144	122	B4-U0-G2
LAL4-48-18L-5-40K8	18,086	144	126	B4-U0-G2
LAL4-48-18L-5-50K8	18,032	144	125	B4-U0-G2