



MPP - Mirada Post Top Pedestrian Scale Area Light

MPP PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
MPP-LED-10L-SIL-2-30-70CRI	10,259	67	153	B2-U3-G2
MPP-LED-10L-SIL-2-30-70CRI-IH	7,076	67	106	B1-U3-G1
MPP-LED-10L-SIL-2-30-70CRI-IL	3,987	67	60	B1-U3-G1
MPP-LED-10L-SIL-2-40-70CRI	10,685	67	159	B2-U3-G2
MPP-LED-10L-SIL-2-40-70CRI-IH	7,370	67	110	B1-U3-G1
MPP-LED-10L-SIL-2-40-70CRI-IL	4,153	67	62	B1-U3-G1
MPP-LED-10L-SIL-2-50-70CRI	10,513	67	157	B2-U3-G2
MPP-LED-10L-SIL-2-50-70CRI-IH	7,251	67	108	B1-U3-G1
MPP-LED-10L-SIL-2-50-70CRI-IL	4,086	67	61	B1-U3-G1
MPP-LED-10L-SIL-3-30-70CRI	10,535	67	157	B2-U3-G2
MPP-LED-10L-SIL-3-30-70CRI-IH	8,034	67	120	B1-U3-G2
MPP-LED-10L-SIL-3-30-70CRI-IL	5,181	67	77	B1-U3-G2
MPP-LED-10L-SIL-3-40-70CRI	10,973	67	164	B2-U3-G2
MPP-LED-10L-SIL-3-40-70CRI-IH	8,368	67	125	B1-U3-G2
MPP-LED-10L-SIL-3-40-70CRI-IL	5,396	67	81	B1-U3-G2
MPP-LED-10L-SIL-3-50-70CRI	10,796	67	161	B2-U3-G2
MPP-LED-10L-SIL-3-50-70CRI-IH	8,233	67	123	B1-U3-G2
MPP-LED-10L-SIL-3-50-70CRI-IL	5,310	67	79	B1-U3-G2
MPP-LED-10L-SIL-5W-30-70CRI	10,136	67	151	B3-U3-G2
MPP-LED-10L-SIL-5W-40-70CRI	10,557	67	158	B3-U3-G2
MPP-LED-10L-SIL-5W-50-70CRI	10,387	67	155	B3-U3-G2
MPP-LED-10L-SIL-FT-30-70CRI	10,385	67	155	B2-U3-G2
MPP-LED-10L-SIL-FT-30-70CRI-IH	7,505	67	112	B1-U3-G2
MPP-LED-10L-SIL-FT-30-70CRI-IL	4,942	67	74	B0-U3-G2
MPP-LED-10L-SIL-FT-40-70CRI	10,817	67	161	B2-U3-G2
MPP-LED-10L-SIL-FT-40-70CRI-IH	7,817	67	117	B1-U3-G2
MPP-LED-10L-SIL-FT-40-70CRI-IL	5,147	67	77	B0-U3-G2
MPP-LED-10L-SIL-FT-50-70CRI	10,643	67	159	B2-U3-G2
MPP-LED-10L-SIL-FT-50-70CRI-IH	7,691	67	115	B1-U3-G2
MPP-LED-10L-SIL-FT-50-70CRI-IL	5,064	67	76	B0-U3-G2
MPP-LED-15L-SIL-2-30-70CRI	14,783	102	145	B3-U4-G3
MPP-LED-15L-SIL-2-30-70CRI-IH	10,196	102	100	B1-U3-G2
MPP-LED-15L-SIL-2-30-70CRI-IL	5,746	102	56	B1-U3-G2
MPP-LED-15L-SIL-2-40-70CRI	15,397	102	151	B3-U4-G3
MPP-LED-15L-SIL-2-40-70CRI-IH	10,620	102	104	B1-U3-G2
MPP-LED-15L-SIL-2-40-70CRI-IL	5,985	102	59	B1-U3-G2
MPP-LED-15L-SIL-2-50-70CRI	15,149	102	149	B3-U4-G3
MPP-LED-15L-SIL-2-50-70CRI-IH	10,449	102	102	B1-U3-G2
MPP-LED-15L-SIL-2-50-70CRI-IL	5,889	102	58	B1-U3-G2
MPP-LED-15L-SIL-3-30-70CRI	15,181	102	149	B3-U3-G3
MPP-LED-15L-SIL-3-30-70CRI-IH	11,577	102	114	B1-U3-G2
MPP-LED-15L-SIL-3-30-70CRI-IL	7,465	102	73	B1-U3-G2
MPP-LED-15L-SIL-3-40-70CRI	15,812	102	155	B3-U3-G3
MPP-LED-15L-SIL-3-40-70CRI-IH	12,058	102	118	B1-U3-G2
MPP-LED-15L-SIL-3-40-70CRI-IL	7,775	102	76	B1-U3-G2
MPP-LED-15L-SIL-3-50-70CRI	15,557	102	153	B3-U3-G3
MPP-LED-15L-SIL-3-50-70CRI-IH	11,864	102	116	B1-U3-G2
MPP-LED-15L-SIL-3-50-70CRI-IL	7,649	102	75	B1-U3-G2



MPP - Mirada Post Top Pedestrian Scale Area Light

MPP PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
MPP-LED-15L-SIL-5W-30-70CRI	14,605	102	143	B4-U3-G2
MPP-LED-15L-SIL-5W-40-70CRI	15,212	102	149	B4-U3-G2
MPP-LED-15L-SIL-5W-50-70CRI	14,967	102	147	B4-U3-G2
MPP-LED-15L-SIL-FT-30-70CRI	14,964	102	147	B3-U3-G3
MPP-LED-15L-SIL-FT-30-70CRI-IH	10,814	102	106	B1-U3-G2
MPP-LED-15L-SIL-FT-30-70CRI-IL	7,121	102	70	B1-U3-G2
MPP-LED-15L-SIL-FT-40-70CRI	15,586	102	153	B3-U3-G3
MPP-LED-15L-SIL-FT-40-70CRI-IH	11,264	102	110	B1-U3-G2
MPP-LED-15L-SIL-FT-40-70CRI-IL	7,417	102	73	B1-U3-G2
MPP-LED-15L-SIL-FT-50-70CRI	15,335	102	150	B3-U3-G3
MPP-LED-15L-SIL-FT-50-70CRI-IH	11,083	102	109	B1-U3-G2
MPP-LED-15L-SIL-FT-50-70CRI-IL	7,297	102	72	B1-U3-G2
MPP-LED-20L-SIL-2-30-70CRI	20,226	149	136	B3-U4-G3
MPP-LED-20L-SIL-2-30-70CRI-IH	13,951	149	94	B2-U3-G2
MPP-LED-20L-SIL-2-30-70CRI-IL	7,862	149	53	B1-U3-G2
MPP-LED-20L-SIL-2-40-70CRI	21,067	149	141	B3-U4-G3
MPP-LED-20L-SIL-2-40-70CRI-IH	14,531	149	98	B2-U4-G2
MPP-LED-20L-SIL-2-40-70CRI-IL	8,188	149	55	B1-U3-G2
MPP-LED-20L-SIL-2-50-70CRI	20,728	149	139	B3-U4-G3
MPP-LED-20L-SIL-2-50-70CRI-IH	14,297	149	96	B2-U4-G2
MPP-LED-20L-SIL-2-50-70CRI-IL	8,057	149	54	B1-U3-G2
MPP-LED-20L-SIL-3-30-70CRI	20,771	149	139	B3-U4-G3
MPP-LED-20L-SIL-3-30-70CRI-IH	15,840	149	106	B1-U3-G3
MPP-LED-20L-SIL-3-30-70CRI-IL	10,214	149	69	B1-U3-G2
MPP-LED-20L-SIL-3-40-70CRI	21,634	149	145	B3-U4-G3
MPP-LED-20L-SIL-3-40-70CRI-IH	16,498	149	111	B1-U3-G3
MPP-LED-20L-SIL-3-40-70CRI-IL	10,639	149	71	B1-U3-G3
MPP-LED-20L-SIL-3-50-70CRI	21,285	149	143	B3-U4-G3
MPP-LED-20L-SIL-3-50-70CRI-IH	16,233	149	109	B1-U3-G3
MPP-LED-20L-SIL-3-50-70CRI-IL	10,468	149	70	B1-U3-G2
MPP-LED-20L-SIL-5W-30-70CRI	19,983	149	134	B4-U4-G3
MPP-LED-20L-SIL-5W-40-70CRI	20,814	149	140	B4-U4-G3
MPP-LED-20L-SIL-5W-50-70CRI	20,479	149	137	B4-U4-G3
MPP-LED-20L-SIL-FT-30-70CRI	20,475	149	137	B3-U4-G3
MPP-LED-20L-SIL-FT-30-70CRI-IH	14,797	149	99	B2-U3-G2
MPP-LED-20L-SIL-FT-30-70CRI-IL	9,743	149	65	B1-U3-G2
MPP-LED-20L-SIL-FT-40-70CRI	21,326	149	143	B3-U4-G3
MPP-LED-20L-SIL-FT-40-70CRI-IH	15,412	149	103	B2-U4-G2
MPP-LED-20L-SIL-FT-40-70CRI-IL	10,149	149	68	B1-U3-G2
MPP-LED-20L-SIL-FT-50-70CRI	20,983	149	141	B3-U4-G3
MPP-LED-20L-SIL-FT-50-70CRI-IH	15,163	149	102	B2-U4-G2
MPP-LED-20L-SIL-FT-50-70CRI-IL	9,986	149	67	B1-U3-G2
MPP-LED-25L-SIL-2-30-70CRI	25,250	191	132	B4-U4-G3
MPP-LED-25L-SIL-2-30-70CRI-IH	17,416	191	91	B2-U4-G2
MPP-LED-25L-SIL-2-30-70CRI-IL	9,815	191	51	B1-U3-G2
MPP-LED-25L-SIL-2-40-70CRI	26,299	191	137	B4-U4-G3
MPP-LED-25L-SIL-2-40-70CRI-IH	18,140	191	95	B2-U4-G2
MPP-LED-25L-SIL-2-40-70CRI-IL	10,222	191	54	B1-U3-G2



MPP - Mirada Post Top Pedestrian Scale Area Light

MPP PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
MPP-LED-25L-SIL-2-50-70CRI	25,876	191	135	B4-U4-G3
MPP-LED-25L-SIL-2-50-70CRI-IH	17,848	191	93	B2-U4-G2
MPP-LED-25L-SIL-2-50-70CRI-IL	10,058	191	53	B1-U3-G2
MPP-LED-25L-SIL-3-30-70CRI	25,929	191	136	B3-U4-G4
MPP-LED-25L-SIL-3-30-70CRI-IH	19,774	191	104	B2-U3-G4
MPP-LED-25L-SIL-3-30-70CRI-IL	12,751	191	67	B1-U3-G3
MPP-LED-25L-SIL-3-40-70CRI	27,007	191	141	B3-U4-G4
MPP-LED-25L-SIL-3-40-70CRI-IH	20,595	191	108	B2-U4-G4
MPP-LED-25L-SIL-3-40-70CRI-IL	13,281	191	70	B1-U3-G3
MPP-LED-25L-SIL-3-50-70CRI	26,572	191	139	B3-U4-G4
MPP-LED-25L-SIL-3-50-70CRI-IH	20,264	191	106	B2-U3-G4
MPP-LED-25L-SIL-3-50-70CRI-IL	13,067	191	68	B1-U3-G3
MPP-LED-25L-SIL-5W-30-70CRI	24,947	191	131	B5-U4-G3
MPP-LED-25L-SIL-5W-40-70CRI	25,983	191	136	B5-U4-G3
MPP-LED-25L-SIL-5W-50-70CRI	25,565	191	134	B5-U4-G3
MPP-LED-25L-SIL-FT-30-70CRI	25,560	191	134	B3-U4-G4
MPP-LED-25L-SIL-FT-30-70CRI-IH	18,471	191	97	B2-U4-G3
MPP-LED-25L-SIL-FT-30-70CRI-IL	12,163	191	64	B1-U3-G2
MPP-LED-25L-SIL-FT-40-70CRI	26,622	191	139	B3-U4-G4
MPP-LED-25L-SIL-FT-40-70CRI-IH	19,239	191	101	B2-U4-G3
MPP-LED-25L-SIL-FT-40-70CRI-IL	12,669	191	66	B1-U3-G2
MPP-LED-25L-SIL-FT-50-70CRI	26,193	191	137	B3-U4-G4
MPP-LED-25L-SIL-FT-50-70CRI-IH	18,929	191	99	B2-U4-G3
MPP-LED-25L-SIL-FT-50-70CRI-IL	12,465	191	65	B1-U3-G2