



MRL-80CRI - Mirada Large Area Light

MRL-80CRI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	Efficiency	BUG
MRL-LED-40L-SIL-2-27-80CRI	34,228	270	127	B4-U0-G3
MRL-LED-40L-SIL-2-27-80CRI-IH	25,436	270	94	B3-U0-G2
MRL-LED-40L-SIL-2-27-80CRI-IL	18,019	270	67	B1-U0-G2
MRL-LED-40L-SIL-2-30-80CRI	37,014	270	137	B4-U0-G3
MRL-LED-40L-SIL-2-30-80CRI-IH	27,507	270	102	B3-U0-G2
MRL-LED-40L-SIL-2-30-80CRI-IL	19,486	270	72	B1-U0-G2
MRL-LED-40L-SIL-2-35-80CRI	39,800	270	147	B4-U0-G3
MRL-LED-40L-SIL-2-35-80CRI-IH	29,577	270	110	B3-U0-G3
MRL-LED-40L-SIL-2-35-80CRI-IL	20,953	270	78	B1-U0-G2
MRL-LED-40L-SIL-2-40-80CRI	39,004	270	144	B4-U0-G3
MRL-LED-40L-SIL-2-40-80CRI-IH	28,986	270	107	B3-U0-G3
MRL-LED-40L-SIL-2-40-80CRI-IL	20,534	270	76	B1-U0-G2
MRL-LED-40L-SIL-2-50-80CRI	38,357	270	142	B4-U0-G3
MRL-LED-40L-SIL-2-50-80CRI-IH	28,505	270	106	B3-U0-G3
MRL-LED-40L-SIL-2-50-80CRI-IL	20,193	270	75	B1-U0-G2
MRL-LED-40L-SIL-3-27-80CRI	35,070	270	130	B3-U0-G4
MRL-LED-40L-SIL-3-27-80CRI-IH	26,767	270	99	B2-U0-G4
MRL-LED-40L-SIL-3-27-80CRI-IL	22,046	270	82	B1-U0-G4
MRL-LED-40L-SIL-3-30-80CRI	37,925	270	140	B4-U0-G4
MRL-LED-40L-SIL-3-30-80CRI-IH	28,946	270	107	B2-U0-G4
MRL-LED-40L-SIL-3-30-80CRI-IL	23,841	270	88	B1-U0-G4
MRL-LED-40L-SIL-3-35-80CRI	40,779	270	151	B4-U0-G5
MRL-LED-40L-SIL-3-35-80CRI-IH	31,125	270	115	B2-U0-G4
MRL-LED-40L-SIL-3-35-80CRI-IL	25,635	270	95	B1-U0-G4
MRL-LED-40L-SIL-3-40-80CRI	39,964	270	148	B4-U0-G5
MRL-LED-40L-SIL-3-40-80CRI-IH	30,502	270	113	B2-U0-G4
MRL-LED-40L-SIL-3-40-80CRI-IL	25,122	270	93	B1-U0-G4
MRL-LED-40L-SIL-3-50-80CRI	39,301	270	146	B4-U0-G4
MRL-LED-40L-SIL-3-50-80CRI-IH	29,996	270	111	B2-U0-G4
MRL-LED-40L-SIL-3-50-80CRI-IL	24,705	270	92	B1-U0-G4
MRL-LED-40L-SIL-5W-27-80CRI	34,628	270	128	B5-U0-G4
MRL-LED-40L-SIL-5W-30-80CRI	37,446	270	139	B5-U0-G4
MRL-LED-40L-SIL-5W-35-80CRI	40,265	270	149	B5-U0-G4
MRL-LED-40L-SIL-5W-40-80CRI	39,460	270	146	B5-U0-G4
MRL-LED-40L-SIL-5W-50-80CRI	38,805	270	144	B5-U0-G4
MRL-LED-40L-SIL-AM-27-80CRI	36,221	286	127	B3-U0-G3
MRL-LED-40L-SIL-AM-27-80CRI-IH	27,628	270	102	B3-U0-G2
MRL-LED-40L-SIL-AM-27-80CRI-IL	22,223	270	82	B2-U0-G2
MRL-LED-40L-SIL-AM-30-80CRI	39,169	286	137	B4-U0-G3
MRL-LED-40L-SIL-AM-30-80CRI-IH	29,877	270	111	B3-U0-G2
MRL-LED-40L-SIL-AM-30-80CRI-IL	24,032	270	89	B2-U0-G2
MRL-LED-40L-SIL-AM-35-80CRI	42,117	286	147	B4-U0-G3
MRL-LED-40L-SIL-AM-35-80CRI-IH	32,126	270	119	B3-U0-G2
MRL-LED-40L-SIL-AM-35-80CRI-IL	25,841	270	96	B2-U0-G2
MRL-LED-40L-SIL-AM-40-80CRI	40,664	286	142	B4-U0-G3
MRL-LED-40L-SIL-AM-40-80CRI-IH	31,484	270	117	B3-U0-G2
MRL-LED-40L-SIL-AM-40-80CRI-IL	25,324	270	94	B2-U0-G2
MRL-LED-40L-SIL-AM-50-80CRI	40,606	286	142	B4-U0-G3
MRL-LED-40L-SIL-AM-50-80CRI-IH	30,961	270	115	B3-U0-G2
MRL-LED-40L-SIL-AM-50-80CRI-IL	24,904	270	92	B2-U0-G2
MRL-LED-40L-SIL-FT-27-80CRI	34,957	270	129	B4-U0-G4
MRL-LED-40L-SIL-FT-27-80CRI-IH	25,751	270	95	B3-U0-G4
MRL-LED-40L-SIL-FT-27-80CRI-IL	20,716	270	77	B1-U0-G3
MRL-LED-40L-SIL-FT-30-80CRI	37,802	270	140	B4-U0-G5



MRL-80CRI - Mirada Large Area Light

MRL-80CRI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	Efficiency	BUG
MRL-LED-40L-SIL-FT-30-80CRI-IH	27,847	270	103	B3-U0-G4
MRL-LED-40L-SIL-FT-30-80CRI-IL	22,402	270	83	B1-U0-G4
MRL-LED-40L-SIL-FT-35-80CRI	40,648	270	151	B4-U0-G5
MRL-LED-40L-SIL-FT-35-80CRI-IH	29,943	270	111	B3-U0-G4
MRL-LED-40L-SIL-FT-35-80CRI-IL	24,088	270	89	B2-U0-G4
MRL-LED-40L-SIL-FT-40-80CRI	39,835	270	148	B4-U0-G5
MRL-LED-40L-SIL-FT-40-80CRI-IH	29,345	270	109	B3-U0-G4
MRL-LED-40L-SIL-FT-40-80CRI-IL	23,607	270	87	B2-U0-G4
MRL-LED-40L-SIL-FT-50-80CRI	39,174	270	145	B4-U0-G5
MRL-LED-40L-SIL-FT-50-80CRI-IH	28,858	270	107	B3-U0-G4
MRL-LED-40L-SIL-FT-50-80CRI-IL	23,215	270	86	B1-U0-G4
MRL-LED-40L-SIL-FTA-27-80CRI	35,159	270	130	B4-U0-G4
MRL-LED-40L-SIL-FTA-27-80CRI-IH	27,762	270	103	B3-U0-G2
MRL-LED-40L-SIL-FTA-27-80CRI-IL	22,962	270	85	B3-U0-G2
MRL-LED-40L-SIL-FTA-30-80CRI	38,020	270	141	B4-U0-G4
MRL-LED-40L-SIL-FTA-30-80CRI-IH	30,022	270	111	B3-U0-G2
MRL-LED-40L-SIL-FTA-30-80CRI-IL	24,831	270	92	B3-U0-G2
MRL-LED-40L-SIL-FTA-35-80CRI	40,882	270	151	B4-U0-G4
MRL-LED-40L-SIL-FTA-35-80CRI-IH	32,282	270	120	B3-U0-G2
MRL-LED-40L-SIL-FTA-35-80CRI-IL	26,700	270	99	B3-U0-G2
MRL-LED-40L-SIL-FTA-40-80CRI	40,065	270	148	B4-U0-G4
MRL-LED-40L-SIL-FTA-40-80CRI-IH	31,636	270	117	B3-U0-G2
MRL-LED-40L-SIL-FTA-40-80CRI-IL	26,167	270	97	B3-U0-G2
MRL-LED-40L-SIL-FTA-50-80CRI	39,400	270	146	B4-U0-G4
MRL-LED-40L-SIL-FTA-50-80CRI-IH	31,112	270	115	B3-U0-G2
MRL-LED-40L-SIL-FTA-50-80CRI-IL	25,733	270	95	B3-U0-G2
MRL-LED-50L-SIL-2-27-80CRI	42,422	353	120	B5-U0-G3
MRL-LED-50L-SIL-2-27-80CRI-IH	31,525	353	89	B3-U0-G3
MRL-LED-50L-SIL-2-27-80CRI-IL	22,332	353	63	B1-U0-G2
MRL-LED-50L-SIL-2-30-80CRI	45,875	353	130	B5-U0-G4
MRL-LED-50L-SIL-2-30-80CRI-IH	34,091	353	97	B3-U0-G3
MRL-LED-50L-SIL-2-30-80CRI-IL	24,151	353	68	B1-U0-G3
MRL-LED-50L-SIL-2-35-80CRI	49,328	353	140	B5-U0-G4
MRL-LED-50L-SIL-2-35-80CRI-IH	36,657	353	104	B3-U0-G3
MRL-LED-50L-SIL-2-35-80CRI-IL	25,968	353	74	B1-U0-G3
MRL-LED-50L-SIL-2-40-80CRI	48,341	353	137	B5-U0-G4
MRL-LED-50L-SIL-2-40-80CRI-IH	35,925	353	102	B3-U0-G3
MRL-LED-50L-SIL-2-40-80CRI-IL	25,449	353	72	B1-U0-G3
MRL-LED-50L-SIL-2-50-80CRI	47,539	353	135	B5-U0-G4
MRL-LED-50L-SIL-2-50-80CRI-IH	35,329	353	100	B3-U0-G3
MRL-LED-50L-SIL-2-50-80CRI-IL	25,027	353	71	B1-U0-G3
MRL-LED-50L-SIL-3-27-80CRI	43,466	353	123	B4-U0-G5
MRL-LED-50L-SIL-3-27-80CRI-IH	33,174	353	94	B3-U0-G4
MRL-LED-50L-SIL-3-27-80CRI-IL	27,323	353	77	B1-U0-G4
MRL-LED-50L-SIL-3-30-80CRI	47,003	353	133	B4-U0-G5
MRL-LED-50L-SIL-3-30-80CRI-IH	35,875	353	102	B3-U0-G5
MRL-LED-50L-SIL-3-30-80CRI-IL	29,547	353	84	B1-U0-G4
MRL-LED-50L-SIL-3-35-80CRI	50,541	353	143	B4-U0-G5
MRL-LED-50L-SIL-3-35-80CRI-IH	38,575	353	109	B3-U0-G5
MRL-LED-50L-SIL-3-35-80CRI-IL	31,771	353	90	B1-U0-G4
MRL-LED-50L-SIL-3-40-80CRI	49,530	353	140	B4-U0-G5
MRL-LED-50L-SIL-3-40-80CRI-IH	37,804	353	107	B3-U0-G5
MRL-LED-50L-SIL-3-40-80CRI-IL	31,136	353	88	B1-U0-G4



MRL-80CRI - Mirada Large Area Light

MRL-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
MRL-LED-50L-SIL-3-50-80CRI	48,709	353	138	B4-U0-G5
MRL-LED-50L-SIL-3-50-80CRI-IH	37,176	353	105	B3-U0-G5
MRL-LED-50L-SIL-3-50-80CRI-IL	30,619	353	87	B1-U0-G4
MRL-LED-50L-SIL-5W-27-80CRI	42,917	353	122	B5-U0-G4
MRL-LED-50L-SIL-5W-30-80CRI	46,410	353	131	B5-U0-G4
MRL-LED-50L-SIL-5W-35-80CRI	49,904	353	141	B5-U0-G4
MRL-LED-50L-SIL-5W-40-80CRI	48,906	353	139	B5-U0-G4
MRL-LED-50L-SIL-5W-50-80CRI	48,094	353	136	B5-U0-G4
MRL-LED-50L-SIL-AM-27-80CRI	43,549	375	116	B4-U0-G3
MRL-LED-50L-SIL-AM-27-80CRI-IH	34,242	353	97	B3-U0-G2
MRL-LED-50L-SIL-AM-27-80CRI-IL	27,542	353	78	B2-U0-G2
MRL-LED-50L-SIL-AM-30-80CRI	47,094	375	126	B4-U0-G3
MRL-LED-50L-SIL-AM-30-80CRI-IH	37,030	353	105	B3-U0-G3
MRL-LED-50L-SIL-AM-30-80CRI-IL	29,784	353	84	B2-U0-G2
MRL-LED-50L-SIL-AM-35-80CRI	50,639	375	135	B4-U0-G3
MRL-LED-50L-SIL-AM-35-80CRI-IH	39,817	353	113	B3-U0-G3
MRL-LED-50L-SIL-AM-35-80CRI-IL	32,026	353	91	B2-U0-G2
MRL-LED-50L-SIL-AM-40-80CRI	48,892	375	130	B4-U0-G3
MRL-LED-50L-SIL-AM-40-80CRI-IH	39,020	353	111	B3-U0-G3
MRL-LED-50L-SIL-AM-40-80CRI-IL	31,386	353	89	B2-U0-G2
MRL-LED-50L-SIL-AM-50-80CRI	48,822	375	130	B4-U0-G3
MRL-LED-50L-SIL-AM-50-80CRI-IH	38,373	353	109	B3-U0-G3
MRL-LED-50L-SIL-AM-50-80CRI-IL	30,865	353	87	B2-U0-G2
MRL-LED-50L-SIL-FT-27-80CRI	43,325	353	123	B4-U0-G5
MRL-LED-50L-SIL-FT-27-80CRI-IH	31,916	353	90	B3-U0-G4
MRL-LED-50L-SIL-FT-27-80CRI-IL	25,675	353	73	B2-U0-G4
MRL-LED-50L-SIL-FT-30-80CRI	46,851	353	133	B4-U0-G5
MRL-LED-50L-SIL-FT-30-80CRI-IH	34,513	353	98	B3-U0-G4
MRL-LED-50L-SIL-FT-30-80CRI-IL	27,765	353	79	B2-U0-G4
MRL-LED-50L-SIL-FT-35-80CRI	50,378	353	143	B4-U0-G5
MRL-LED-50L-SIL-FT-35-80CRI-IH	37,111	353	105	B3-U0-G5
MRL-LED-50L-SIL-FT-35-80CRI-IL	29,854	353	85	B2-U0-G4
MRL-LED-50L-SIL-FT-40-80CRI	49,370	353	140	B4-U0-G5
MRL-LED-50L-SIL-FT-40-80CRI-IH	36,369	353	103	B3-U0-G5
MRL-LED-50L-SIL-FT-40-80CRI-IL	29,257	353	83	B2-U0-G4
MRL-LED-50L-SIL-FT-50-80CRI	48,551	353	138	B4-U0-G5
MRL-LED-50L-SIL-FT-50-80CRI-IH	35,766	353	101	B3-U0-G5
MRL-LED-50L-SIL-FT-50-80CRI-IL	28,772	353	82	B2-U0-G4
MRL-LED-50L-SIL-FTA-27-80CRI	43,576	353	123	B4-U0-G4
MRL-LED-50L-SIL-FTA-27-80CRI-IH	34,407	353	97	B3-U0-G2
MRL-LED-50L-SIL-FTA-27-80CRI-IL	28,459	353	81	B3-U0-G2
MRL-LED-50L-SIL-FTA-30-80CRI	47,123	353	133	B5-U0-G4
MRL-LED-50L-SIL-FTA-30-80CRI-IH	37,208	353	105	B3-U0-G2
MRL-LED-50L-SIL-FTA-30-80CRI-IL	30,775	353	87	B3-U0-G2
MRL-LED-50L-SIL-FTA-35-80CRI	50,670	353	144	B5-U0-G4
MRL-LED-50L-SIL-FTA-35-80CRI-IH	40,008	353	113	B4-U0-G2
MRL-LED-50L-SIL-FTA-35-80CRI-IL	33,092	353	94	B3-U0-G2
MRL-LED-50L-SIL-FTA-40-80CRI	49,657	353	141	B5-U0-G4
MRL-LED-50L-SIL-FTA-40-80CRI-IH	39,209	353	111	B4-U0-G2
MRL-LED-50L-SIL-FTA-40-80CRI-IL	32,430	353	92	B3-U0-G2
MRL-LED-50L-SIL-FTA-50-80CRI	48,833	353	138	B5-U0-G4
MRL-LED-50L-SIL-FTA-50-80CRI-IH	38,558	353	109	B4-U0-G2
MRL-LED-50L-SIL-FTA-50-80CRI-IL	31,892	353	90	B3-U0-G2



MRL-80CRI - Mirada Large Area Light

MRL-80CRI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	Efficiency	BUG
MRL-LED-65L-SIL-2-27-80CRI	53,984	474	114	B5-U0-G4
MRL-LED-65L-SIL-2-27-80CRI-IH	40,118	474	85	B3-U0-G3
MRL-LED-65L-SIL-2-27-80CRI-IL	28,420	474	60	B1-U0-G3
MRL-LED-65L-SIL-2-30-80CRI	58,378	474	123	B5-U0-G4
MRL-LED-65L-SIL-2-30-80CRI-IH	43,383	474	92	B4-U0-G4
MRL-LED-65L-SIL-2-30-80CRI-IL	30,733	474	65	B1-U0-G3
MRL-LED-65L-SIL-2-35-80CRI	62,772	474	132	B5-U0-G4
MRL-LED-65L-SIL-2-35-80CRI-IH	46,648	474	98	B4-U0-G4
MRL-LED-65L-SIL-2-35-80CRI-IL	33,046	474	70	B1-U0-G3
MRL-LED-65L-SIL-2-40-80CRI	61,516	474	130	B5-U0-G4
MRL-LED-65L-SIL-2-40-80CRI-IH	45,716	474	96	B4-U0-G4
MRL-LED-65L-SIL-2-40-80CRI-IL	32,385	474	68	B1-U0-G3
MRL-LED-65L-SIL-2-50-80CRI	60,496	474	128	B5-U0-G4
MRL-LED-65L-SIL-2-50-80CRI-IH	44,957	474	95	B4-U0-G4
MRL-LED-65L-SIL-2-50-80CRI-IL	31,848	474	67	B1-U0-G3
MRL-LED-65L-SIL-3-27-80CRI	55,312	474	117	B4-U0-G5
MRL-LED-65L-SIL-3-27-80CRI-IH	41,203	474	87	B3-U0-G5
MRL-LED-65L-SIL-3-27-80CRI-IL	34,771	474	73	B2-U0-G5
MRL-LED-65L-SIL-3-30-80CRI	59,814	474	126	B4-U0-G5
MRL-LED-65L-SIL-3-30-80CRI-IH	44,556	474	94	B3-U0-G5
MRL-LED-65L-SIL-3-30-80CRI-IL	37,601	474	79	B2-U0-G5
MRL-LED-65L-SIL-3-35-80CRI	64,316	474	136	B5-U0-G5
MRL-LED-65L-SIL-3-35-80CRI-IH	47,910	474	101	B3-U0-G5
MRL-LED-65L-SIL-3-35-80CRI-IL	40,431	474	85	B2-U0-G5
MRL-LED-65L-SIL-3-40-80CRI	63,030	474	133	B5-U0-G5
MRL-LED-65L-SIL-3-40-80CRI-IH	46,952	474	99	B3-U0-G5
MRL-LED-65L-SIL-3-40-80CRI-IL	39,623	474	84	B2-U0-G5
MRL-LED-65L-SIL-3-50-80CRI	61,985	474	131	B5-U0-G5
MRL-LED-65L-SIL-3-50-80CRI-IH	46,173	474	97	B3-U0-G5
MRL-LED-65L-SIL-3-50-80CRI-IL	38,965	474	82	B2-U0-G5
MRL-LED-65L-SIL-5W-27-80CRI	54,615	474	115	B5-U0-G5
MRL-LED-65L-SIL-5W-30-80CRI	59,060	474	125	B5-U0-G5
MRL-LED-65L-SIL-5W-35-80CRI	63,505	474	134	B5-U0-G5
MRL-LED-65L-SIL-5W-40-80CRI	62,236	474	131	B5-U0-G5
MRL-LED-65L-SIL-5W-50-80CRI	61,203	474	129	B5-U0-G5
MRL-LED-65L-SIL-AM-27-80CRI	55,859	518	108	B4-U0-G3
MRL-LED-65L-SIL-AM-27-80CRI-IH	43,574	474	92	B3-U0-G3
MRL-LED-65L-SIL-AM-27-80CRI-IL	35,050	474	74	B2-U0-G3
MRL-LED-65L-SIL-AM-30-80CRI	60,406	518	117	B4-U0-G4
MRL-LED-65L-SIL-AM-30-80CRI-IH	47,121	474	99	B3-U0-G3
MRL-LED-65L-SIL-AM-30-80CRI-IL	37,903	474	80	B2-U0-G3
MRL-LED-65L-SIL-AM-35-80CRI	64,952	518	125	B4-U0-G4
MRL-LED-65L-SIL-AM-35-80CRI-IH	50,668	474	107	B3-U0-G3
MRL-LED-65L-SIL-AM-35-80CRI-IL	40,756	474	86	B2-U0-G3
MRL-LED-65L-SIL-AM-40-80CRI	62,711	518	121	B4-U0-G4
MRL-LED-65L-SIL-AM-40-80CRI-IH	49,655	474	105	B3-U0-G3
MRL-LED-65L-SIL-AM-40-80CRI-IL	39,941	474	84	B2-U0-G3
MRL-LED-65L-SIL-AM-50-80CRI	62,622	518	121	B4-U0-G4
MRL-LED-65L-SIL-AM-50-80CRI-IH	48,831	474	103	B3-U0-G3
MRL-LED-65L-SIL-AM-50-80CRI-IL	39,278	474	83	B2-U0-G3
MRL-LED-65L-SIL-FT-27-80CRI	55,134	474	116	B5-U0-G5
MRL-LED-65L-SIL-FT-27-80CRI-IH	40,615	474	86	B3-U0-G5
MRL-LED-65L-SIL-FT-27-80CRI-IL	32,673	474	69	B2-U0-G4
MRL-LED-65L-SIL-FT-30-80CRI	59,622	474	126	B5-U0-G5



MRL-80CRI - Mirada Large Area Light

MRL-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
MRL-LED-65L-SIL-FT-30-80CRI-IH	43,920	474	93	B3-U0-G5
MRL-LED-65L-SIL-FT-30-80CRI-IL	35,332	474	75	B2-U0-G5
MRL-LED-65L-SIL-FT-35-80CRI	64,109	474	135	B5-U0-G5
MRL-LED-65L-SIL-FT-35-80CRI-IH	47,226	474	100	B3-U0-G5
MRL-LED-65L-SIL-FT-35-80CRI-IL	37,992	474	80	B2-U0-G5
MRL-LED-65L-SIL-FT-40-80CRI	62,827	474	133	B5-U0-G5
MRL-LED-65L-SIL-FT-40-80CRI-IH	46,282	474	98	B3-U0-G5
MRL-LED-65L-SIL-FT-40-80CRI-IL	37,232	474	79	B2-U0-G5
MRL-LED-65L-SIL-FT-50-80CRI	61,785	474	130	B5-U0-G5
MRL-LED-65L-SIL-FT-50-80CRI-IH	45,514	474	96	B3-U0-G5
MRL-LED-65L-SIL-FT-50-80CRI-IL	36,614	474	77	B2-U0-G5
MRL-LED-65L-SIL-FTA-27-80CRI	55,453	474	117	B5-U0-G4
MRL-LED-65L-SIL-FTA-27-80CRI-IH	43,785	474	92	B4-U0-G3
MRL-LED-65L-SIL-FTA-27-80CRI-IL	36,216	474	76	B3-U0-G2
MRL-LED-65L-SIL-FTA-30-80CRI	59,967	474	127	B5-U0-G4
MRL-LED-65L-SIL-FTA-30-80CRI-IH	47,349	474	100	B4-U0-G3
MRL-LED-65L-SIL-FTA-30-80CRI-IL	39,164	474	83	B3-U0-G3
MRL-LED-65L-SIL-FTA-35-80CRI	64,481	474	136	B5-U0-G4
MRL-LED-65L-SIL-FTA-35-80CRI-IH	50,913	474	107	B4-U0-G3
MRL-LED-65L-SIL-FTA-35-80CRI-IL	42,111	474	89	B3-U0-G3
MRL-LED-65L-SIL-FTA-40-80CRI	63,191	474	133	B5-U0-G4
MRL-LED-65L-SIL-FTA-40-80CRI-IH	49,895	474	105	B4-U0-G3
MRL-LED-65L-SIL-FTA-40-80CRI-IL	41,270	474	87	B3-U0-G3
MRL-LED-65L-SIL-FTA-50-80CRI	62,143	474	131	B5-U0-G4
MRL-LED-65L-SIL-FTA-50-80CRI-IH	49,067	474	104	B4-U0-G3
MRL-LED-65L-SIL-FTA-50-80CRI-IL	40,585	474	86	B3-U0-G3
MRL-LED-78L-SIL-2-27-80CRI	62,507	579	108	B5-U0-G4
MRL-LED-78L-SIL-2-27-80CRI-IH	46,451	579	80	B4-U0-G4
MRL-LED-78L-SIL-2-27-80CRI-IL	32,907	579	57	B1-U0-G3
MRL-LED-78L-SIL-2-30-80CRI	67,595	579	117	B5-U0-G4
MRL-LED-78L-SIL-2-30-80CRI-IH	50,232	579	87	B4-U0-G4
MRL-LED-78L-SIL-2-30-80CRI-IL	35,585	579	61	B2-U0-G3
MRL-LED-78L-SIL-2-35-80CRI	72,683	579	126	B5-U0-G5
MRL-LED-78L-SIL-2-35-80CRI-IH	54,013	579	93	B4-U0-G4
MRL-LED-78L-SIL-2-35-80CRI-IL	38,264	579	66	B2-U0-G4
MRL-LED-78L-SIL-2-40-80CRI	71,230	579	123	B5-U0-G5
MRL-LED-78L-SIL-2-40-80CRI-IH	52,933	579	91	B4-U0-G4
MRL-LED-78L-SIL-2-40-80CRI-IL	37,499	579	65	B2-U0-G4
MRL-LED-78L-SIL-2-50-80CRI	70,048	579	121	B5-U0-G4
MRL-LED-78L-SIL-2-50-80CRI-IH	52,055	579	90	B4-U0-G4
MRL-LED-78L-SIL-2-50-80CRI-IL	36,876	579	64	B2-U0-G4
MRL-LED-78L-SIL-3-27-80CRI	64,045	579	111	B5-U0-G5
MRL-LED-78L-SIL-3-27-80CRI-IH	48,882	579	84	B3-U0-G5
MRL-LED-78L-SIL-3-27-80CRI-IL	40,260	579	70	B2-U0-G5
MRL-LED-78L-SIL-3-30-80CRI	69,258	579	120	B5-U0-G5
MRL-LED-78L-SIL-3-30-80CRI-IH	52,861	579	91	B3-U0-G5
MRL-LED-78L-SIL-3-30-80CRI-IL	43,537	579	75	B2-U0-G5
MRL-LED-78L-SIL-3-35-80CRI	74,471	579	129	B5-U0-G5
MRL-LED-78L-SIL-3-35-80CRI-IH	56,840	579	98	B3-U0-G5
MRL-LED-78L-SIL-3-35-80CRI-IL	46,814	579	81	B2-U0-G5
MRL-LED-78L-SIL-3-40-80CRI	72,982	579	126	B5-U0-G5
MRL-LED-78L-SIL-3-40-80CRI-IH	55,703	579	96	B3-U0-G5
MRL-LED-78L-SIL-3-40-80CRI-IL	45,878	579	79	B2-U0-G5



MRL-80CRI - Mirada Large Area Light

MRL-80CRI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	Efficiency	BUG
MRL-LED-78L-SIL-3-50-80CRI	71,771	579	124	B5-U0-G5
MRL-LED-78L-SIL-3-50-80CRI-IH	54,779	579	95	B3-U0-G5
MRL-LED-78L-SIL-3-50-80CRI-IL	45,117	579	78	B2-U0-G5
MRL-LED-78L-SIL-5W-27-80CRI	63,238	579	109	B5-U0-G5
MRL-LED-78L-SIL-5W-30-80CRI	68,385	579	118	B5-U0-G5
MRL-LED-78L-SIL-5W-35-80CRI	73,533	579	127	B5-U0-G5
MRL-LED-78L-SIL-5W-40-80CRI	72,062	579	124	B5-U0-G5
MRL-LED-78L-SIL-5W-50-80CRI	70,867	579	122	B5-U0-G5
MRL-LED-78L-SIL-AM-27-80CRI	64,281	648	99	B4-U0-G4
MRL-LED-78L-SIL-AM-27-80CRI-IH	50,455	579	87	B3-U0-G3
MRL-LED-78L-SIL-AM-27-80CRI-IL	40,584	579	70	B2-U0-G3
MRL-LED-78L-SIL-AM-30-80CRI	69,513	648	107	B4-U0-G4
MRL-LED-78L-SIL-AM-30-80CRI-IH	54,562	579	94	B3-U0-G3
MRL-LED-78L-SIL-AM-30-80CRI-IL	43,887	579	76	B2-U0-G3
MRL-LED-78L-SIL-AM-35-80CRI	74,745	648	115	B4-U0-G4
MRL-LED-78L-SIL-AM-35-80CRI-IH	58,669	579	101	B3-U0-G4
MRL-LED-78L-SIL-AM-35-80CRI-IL	47,191	579	82	B3-U0-G3
MRL-LED-78L-SIL-AM-40-80CRI	72,166	648	111	B4-U0-G4
MRL-LED-78L-SIL-AM-40-80CRI-IH	57,496	579	99	B3-U0-G4
MRL-LED-78L-SIL-AM-40-80CRI-IL	46,247	579	80	B3-U0-G3
MRL-LED-78L-SIL-AM-50-80CRI	72,064	648	111	B4-U0-G4
MRL-LED-78L-SIL-AM-50-80CRI-IH	56,542	579	98	B3-U0-G4
MRL-LED-78L-SIL-AM-50-80CRI-IL	45,480	579	79	B3-U0-G3
MRL-LED-78L-SIL-FT-27-80CRI	63,839	579	110	B5-U0-G5
MRL-LED-78L-SIL-FT-27-80CRI-IH	47,027	579	81	B3-U0-G5
MRL-LED-78L-SIL-FT-27-80CRI-IL	37,831	579	65	B2-U0-G5
MRL-LED-78L-SIL-FT-30-80CRI	69,035	579	119	B5-U0-G5
MRL-LED-78L-SIL-FT-30-80CRI-IH	50,855	579	88	B3-U0-G5
MRL-LED-78L-SIL-FT-30-80CRI-IL	40,911	579	71	B2-U0-G5
MRL-LED-78L-SIL-FT-35-80CRI	74,231	579	128	B5-U0-G5
MRL-LED-78L-SIL-FT-35-80CRI-IH	54,682	579	94	B3-U0-G5
MRL-LED-78L-SIL-FT-35-80CRI-IL	43,990	579	76	B2-U0-G5
MRL-LED-78L-SIL-FT-40-80CRI	72,747	579	126	B5-U0-G5
MRL-LED-78L-SIL-FT-40-80CRI-IH	53,589	579	93	B3-U0-G5
MRL-LED-78L-SIL-FT-40-80CRI-IL	43,110	579	74	B2-U0-G5
MRL-LED-78L-SIL-FT-50-80CRI	71,540	579	124	B5-U0-G5
MRL-LED-78L-SIL-FT-50-80CRI-IH	52,700	579	91	B3-U0-G5
MRL-LED-78L-SIL-FT-50-80CRI-IL	42,395	579	73	B2-U0-G5
MRL-LED-78L-SIL-FTA-27-80CRI	64,209	579	111	B5-U0-G4
MRL-LED-78L-SIL-FTA-27-80CRI-IH	50,698	579	88	B4-U0-G3
MRL-LED-78L-SIL-FTA-27-80CRI-IL	41,934	579	72	B3-U0-G3
MRL-LED-78L-SIL-FTA-30-80CRI	69,435	579	120	B5-U0-G5
MRL-LED-78L-SIL-FTA-30-80CRI-IH	54,825	579	95	B4-U0-G3
MRL-LED-78L-SIL-FTA-30-80CRI-IL	45,347	579	78	B3-U0-G3
MRL-LED-78L-SIL-FTA-35-80CRI	74,661	579	129	B5-U0-G5
MRL-LED-78L-SIL-FTA-35-80CRI-IH	58,952	579	102	B4-U0-G3
MRL-LED-78L-SIL-FTA-35-80CRI-IL	48,760	579	84	B4-U0-G3
MRL-LED-78L-SIL-FTA-40-80CRI	73,169	579	126	B5-U0-G5
MRL-LED-78L-SIL-FTA-40-80CRI-IH	57,773	579	100	B4-U0-G3
MRL-LED-78L-SIL-FTA-40-80CRI-IL	47,785	579	83	B3-U0-G3
MRL-LED-78L-SIL-FTA-50-80CRI	71,954	579	124	B5-U0-G5
MRL-LED-78L-SIL-FTA-50-80CRI-IH	56,814	579	98	B4-U0-G3
MRL-LED-78L-SIL-FTA-50-80CRI-IL	46,992	579	81	B3-U0-G3