



MIRADA Medium Outdoor LED Light

MRM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRM-LED-02L-SIL-2-AMT	2511	36	70	B1-U0-G1
MRM-LED-02L-SIL-3-AMT	2600	36	72	B1-U0-G1
MRM-LED-02L-SIL-5W-AMT	2530	36	70	B2-U0-G1
MRM-LED-02L-SIL-AM-AMT	2594	36	72	B1-U0-G1
MRM-LED-02L-SIL-FTA-AMT	2514	36	70	B1-U0-G1
MRM-LED-02L-SIL-FT-AMT	2599	36	72	B1-U0-G1
MRM-LED-04L-SIL-2-AMT	3920	94	42	B1-U0-G1
MRM-LED-04L-SIL-3-AMT	4059	94	43	B1-U0-G1
MRM-LED-04L-SIL-5W-AMT	3950	94	42	B3-U0-G1
MRM-LED-04L-SIL-AM-AMT	4049	94	43	B1-U0-G1
MRM-LED-04L-SIL-FTA-AMT	3925	94	42	B1-U0-G1
MRM-LED-04L-SIL-FT-AMT	4058	94	43	B1-U0-G1
MRM-LED-07L-SIL-2-30-70CRI	7560	48	157	B2-U0-G2
MRM-LED-07L-SIL-2-30-70CRI-IH	5632	48	117	B1-U0-G1
MRM-LED-07L-SIL-2-30-70CRI-IL	4594	48	96	B0-U0-G1
MRM-LED-07L-SIL-2-40-70CRI	7560	48	157	B2-U0-G2
MRM-LED-07L-SIL-2-40-70CRI-IH	5632	48	117	B1-U0-G1
MRM-LED-07L-SIL-2-40-70CRI-IL	4594	48	96	B0-U0-G1
MRM-LED-07L-SIL-2-50-70CRI	7560	48	157	B2-U0-G2
MRM-LED-07L-SIL-2-50-70CRI-IH	5632	48	117	B1-U0-G1
MRM-LED-07L-SIL-2-50-70CRI-IL	4594	48	96	B0-U0-G1
MRM-LED-07L-SIL-3-30-70CRI	7616	48	159	B1-U0-G2
MRM-LED-07L-SIL-3-30-70CRI-IH	6016	48	125	B1-U0-G2
MRM-LED-07L-SIL-3-30-70CRI-IL	5260	48	110	B0-U0-G2
MRM-LED-07L-SIL-3-40-70CRI	7616	48	159	B1-U0-G2
MRM-LED-07L-SIL-3-40-70CRI-IH	6016	48	125	B1-U0-G2
MRM-LED-07L-SIL-3-40-70CRI-IL	5260	48	110	B0-U0-G2
MRM-LED-07L-SIL-3-50-70CRI	7616	48	159	B1-U0-G2
MRM-LED-07L-SIL-3-50-70CRI-IH	6016	48	125	B1-U0-G2
MRM-LED-07L-SIL-3-50-70CRI-IL	5260	48	110	B0-U0-G2
MRM-LED-07L-SIL-5W-30-70CRI	7292	48	152	B3-U0-G1
MRM-LED-07L-SIL-5W-40-70CRI	7292	48	152	B3-U0-G1
MRM-LED-07L-SIL-5W-50-70CRI	7292	48	152	B3-U0-G1
MRM-LED-07L-SIL-AM-30-70CRI	7687	48	160	B1-U0-G1
MRM-LED-07L-SIL-AM-30-70CRI-IH	5942	48	124	B1-U0-G1
MRM-LED-07L-SIL-AM-30-70CRI-IL	4890	48	102	B0-U0-G1
MRM-LED-07L-SIL-AM-40-70CRI	7687	48	160	B1-U0-G1
MRM-LED-07L-SIL-AM-40-70CRI-IH	5942	48	124	B1-U0-G1
MRM-LED-07L-SIL-AM-40-70CRI-IL	4890	48	102	B0-U0-G1
MRM-LED-07L-SIL-AM-50-70CRI	7687	48	160	B1-U0-G1
MRM-LED-07L-SIL-AM-50-70CRI-IH	5942	48	124	B1-U0-G1
MRM-LED-07L-SIL-AM-50-70CRI-IL	4890	48	102	B0-U0-G1
MRM-LED-07L-SIL-FT-30-70CRI	7562	48	158	B2-U0-G2
MRM-LED-07L-SIL-FT-30-70CRI-IH	5431	48	113	B1-U0-G2
MRM-LED-07L-SIL-FT-30-70CRI-IL	4852	48	101	B0-U0-G2
MRM-LED-07L-SIL-FT-40-70CRI	7562	48	158	B2-U0-G2
MRM-LED-07L-SIL-FT-40-70CRI-IH	5431	48	113	B1-U0-G2
MRM-LED-07L-SIL-FT-40-70CRI-IL	4852	48	101	B0-U0-G2
MRM-LED-07L-SIL-FT-50-70CRI	7562	48	158	B2-U0-G2
MRM-LED-07L-SIL-FT-50-70CRI-IH	5431	48	113	B1-U0-G2
MRM-LED-07L-SIL-FT-50-70CRI-IL	4852	48	101	B0-U0-G2
MRM-LED-07L-SIL-FTA-30-70CRI	7595	48	158	B2-U0-G2
MRM-LED-07L-SIL-FTA-30-70CRI-IH	6037	48	126	B1-U0-G1
MRM-LED-07L-SIL-FTA-30-70CRI-IL	5161	48	108	B1-U0-G1
MRM-LED-07L-SIL-FTA-40-70CRI	7595	48	158	B2-U0-G2
MRM-LED-07L-SIL-FTA-40-70CRI-IH	6037	48	126	B1-U0-G1
MRM-LED-07L-SIL-FTA-40-70CRI-IL	5161	48	108	B1-U0-G1
MRM-LED-07L-SIL-FTA-50-70CRI	7595	48	158	B2-U0-G2
MRM-LED-07L-SIL-FTA-50-70CRI-IH	6037	48	126	B1-U0-G1



MIRADA Medium Outdoor LED Light

MRM PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	LER	BUG
MRM-LED-07L-SIL-FTA-50-70CRI-IL	5161	48	108	B1-U0-G1
MRM-LED-09L-SIL-2-30-70CRI	9853	62	159	B2-U0-G2
MRM-LED-09L-SIL-2-30-70CRI-IH	7343	62	118	B1-U0-G1
MRM-LED-09L-SIL-2-30-70CRI-IL	5990	62	97	B0-U0-G1
MRM-LED-09L-SIL-2-40-70CRI	9853	62	159	B2-U0-G2
MRM-LED-09L-SIL-2-40-70CRI-IH	7343	62	118	B1-U0-G1
MRM-LED-09L-SIL-2-40-70CRI-IL	5990	62	97	B0-U0-G1
MRM-LED-09L-SIL-2-50-70CRI	9853	62	159	B2-U0-G2
MRM-LED-09L-SIL-2-50-70CRI-IH	7343	62	118	B1-U0-G1
MRM-LED-09L-SIL-2-50-70CRI-IL	5990	62	97	B0-U0-G1
MRM-LED-09L-SIL-2-AMB	5181	63	82	B2-U0-G1
MRM-LED-09L-SIL-2-AMB-IH	3753	63	60	B1-U0-G1
MRM-LED-09L-SIL-2-AMB-IL	3089	63	49	B0-U0-G1
MRM-LED-09L-SIL-3-30-70CRI	9926	62	160	B2-U0-G2
MRM-LED-09L-SIL-3-30-70CRI-IH	7843	62	127	B1-U0-G2
MRM-LED-09L-SIL-3-30-70CRI-IL	6858	62	111	B0-U0-G2
MRM-LED-09L-SIL-3-40-70CRI	9926	62	160	B2-U0-G2
MRM-LED-09L-SIL-3-40-70CRI-IH	7843	62	127	B1-U0-G2
MRM-LED-09L-SIL-3-40-70CRI-IL	6858	62	111	B0-U0-G2
MRM-LED-09L-SIL-3-50-70CRI	9926	62	160	B2-U0-G2
MRM-LED-09L-SIL-3-50-70CRI-IH	7843	62	127	B1-U0-G2
MRM-LED-09L-SIL-3-50-70CRI-IL	6858	62	111	B0-U0-G2
MRM-LED-09L-SIL-3-AMB	5335	63	85	B1-U0-G2
MRM-LED-09L-SIL-3-AMB-IH	4267	63	68	B0-U0-G1
MRM-LED-09L-SIL-3-AMB-IL	3729	63	59	B0-U0-G1
MRM-LED-09L-SIL-4-30-70CRI	9178	62	148	B2-U0-G3
MRM-LED-09L-SIL-4-30-70CRI-IH	7180	62	116	B1-U0-G2
MRM-LED-09L-SIL-4-30-70CRI-IL	6145	62	99	B0-U0-G2
MRM-LED-09L-SIL-4-40-70CRI	9713	62	157	B2-U0-G3
MRM-LED-09L-SIL-4-40-70CRI-IH	7599	62	123	B1-U0-G2
MRM-LED-09L-SIL-4-40-70CRI-IL	6145	62	99	B0-U0-G2
MRM-LED-09L-SIL-4-50-70CRI	9498	62	153	B2-U0-G3
MRM-LED-09L-SIL-4-50-70CRI-IH	7430	62	120	B1-U0-G2
MRM-LED-09L-SIL-4-50-70CRI-IL	6008	62	97	B0-U0-G2
MRM-LED-09L-SIL-5W-30-70CRI	9504	62	153	B3-U0-G2
MRM-LED-09L-SIL-5W-40-70CRI	9504	62	153	B3-U0-G2
MRM-LED-09L-SIL-5W-50-70CRI	9504	62	153	B3-U0-G2
MRM-LED-09L-SIL-5W-AMB	5114	63	81	B3-U0-G1
MRM-LED-09L-SIL-AM-30-70CRI	9423	62	152	B2-U0-G1
MRM-LED-09L-SIL-AM-30-70CRI-IH	7747	62	125	B1-U0-G1
MRM-LED-09L-SIL-AM-30-70CRI-IL	6376	62	103	B0-U0-G1
MRM-LED-09L-SIL-AM-40-70CRI	10019	62	162	B2-U0-G1
MRM-LED-09L-SIL-AM-40-70CRI-IH	7747	62	125	B1-U0-G1
MRM-LED-09L-SIL-AM-40-70CRI-IL	6376	62	103	B0-U0-G1
MRM-LED-09L-SIL-AM-50-70CRI	9806	62	158	B2-U0-G1
MRM-LED-09L-SIL-AM-50-70CRI-IH	7747	62	125	B1-U0-G1
MRM-LED-09L-SIL-AM-50-70CRI-IL	6376	62	103	B0-U0-G1
MRM-LED-09L-SIL-AM-AMB	5359	63	85	B1-U0-G1
MRM-LED-09L-SIL-AM-AMB-IH	4135	63	66	B1-U0-G1
MRM-LED-09L-SIL-AM-AMB-IL	3386	63	54	B0-U0-G1
MRM-LED-09L-SIL-FT-30-70CRI	9856	62	159	B2-U0-G3
MRM-LED-09L-SIL-FT-30-70CRI-IH	7080	62	114	B1-U0-G2
MRM-LED-09L-SIL-FT-30-70CRI-IL	6326	62	102	B0-U0-G2
MRM-LED-09L-SIL-FT-40-70CRI	9856	62	159	B2-U0-G3
MRM-LED-09L-SIL-FT-40-70CRI-IH	7080	62	114	B1-U0-G2
MRM-LED-09L-SIL-FT-40-70CRI-IL	6326	62	102	B0-U0-G2
MRM-LED-09L-SIL-FT-50-70CRI	9856	62	159	B2-U0-G3
MRM-LED-09L-SIL-FT-50-70CRI-IH	7080	62	114	B1-U0-G2



MIRADA Medium Outdoor LED Light

MRM PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	LER	BUG
MRM-LED-09L-SIL-FT-50-70CRI-IL	6326	62	102	B0-U0-G2
MRM-LED-09L-SIL-FTA-30-70CRI	9900	62	160	B2-U0-G2
MRM-LED-09L-SIL-FTA-30-70CRI-IH	7871	62	127	B1-U0-G1
MRM-LED-09L-SIL-FTA-30-70CRI-IL	6728	62	109	B1-U0-G1
MRM-LED-09L-SIL-FTA-40-70CRI	9900	62	160	B2-U0-G2
MRM-LED-09L-SIL-FTA-40-70CRI-IH	7871	62	127	B1-U0-G1
MRM-LED-09L-SIL-FTA-40-70CRI-IL	6728	62	109	B1-U0-G1
MRM-LED-09L-SIL-FTA-50-70CRI	9900	62	160	B2-U0-G2
MRM-LED-09L-SIL-FTA-50-70CRI-IH	7871	62	127	B1-U0-G1
MRM-LED-09L-SIL-FTA-50-70CRI-IL	6728	62	109	B1-U0-G1
MRM-LED-09L-SIL-FTA-AMB	5238	63	83	B2-U0-G1
MRM-LED-09L-SIL-FTA-AMB-IH	4116	63	65	B1-U0-G1
MRM-LED-09L-SIL-FTA-AMB-IL	3244	63	51	B0-U0-G1
MRM-LED-09L-SIL-FT-AMB	5339	63	85	B1-U0-G2
MRM-LED-09L-SIL-FT-AMB-IH	3839	63	61	B1-U0-G1
MRM-LED-09L-SIL-FT-AMB-IL	3341	63	53	B0-U0-G1
MRM-LED-09L-SIL-LC-30-70CRI	9008	62	145	B1-U0-G3
MRM-LED-09L-SIL-LC-40-70CRI	9533	62	154	B2-U0-G3
MRM-LED-09L-SIL-LC-50-70CRI	9322	62	150	B1-U0-G3
MRM-LED-09L-SIL-RC-30-70CRI	9008	62	145	B2-U0-G3
MRM-LED-09L-SIL-RC-40-70CRI	9533	62	154	B2-U0-G3
MRM-LED-09L-SIL-RC-50-70CRI	9321	62	150	B2-U0-G3
MRM-LED-12L-SIL-2-30-70CRI	13135	85	155	B3-U0-G2
MRM-LED-12L-SIL-2-30-70CRI-IH	9788	85	115	B2-U0-G2
MRM-LED-12L-SIL-2-30-70CRI-IL	7984	85	94	B1-U0-G2
MRM-LED-12L-SIL-2-40-70CRI	13135	85	155	B3-U0-G2
MRM-LED-12L-SIL-2-40-70CRI-IH	9788	85	115	B2-U0-G2
MRM-LED-12L-SIL-2-40-70CRI-IL	7984	85	94	B1-U0-G2
MRM-LED-12L-SIL-2-50-70CRI	13135	85	155	B3-U0-G2
MRM-LED-12L-SIL-2-50-70CRI-IH	9788	85	115	B2-U0-G2
MRM-LED-12L-SIL-2-50-70CRI-IL	7984	85	94	B1-U0-G2
MRM-LED-12L-SIL-2-AMB	7498	99	76	B2-U0-G2
MRM-LED-12L-SIL-2-AMB-IH	5432	99	55	B1-U0-G1
MRM-LED-12L-SIL-2-AMB-IL	4471	99	45	B0-U0-G1
MRM-LED-12L-SIL-3-30-70CRI	13232	85	156	B2-U0-G2
MRM-LED-12L-SIL-3-30-70CRI-IH	10455	85	123	B1-U0-G2
MRM-LED-12L-SIL-3-30-70CRI-IL	9141	85	108	B0-U0-G2
MRM-LED-12L-SIL-3-40-70CRI	13232	85	156	B2-U0-G2
MRM-LED-12L-SIL-3-40-70CRI-IH	10455	85	123	B1-U0-G2
MRM-LED-12L-SIL-3-40-70CRI-IL	9141	85	108	B0-U0-G2
MRM-LED-12L-SIL-3-50-70CRI	13232	85	156	B2-U0-G2
MRM-LED-12L-SIL-3-50-70CRI-IH	10455	85	123	B1-U0-G2
MRM-LED-12L-SIL-3-50-70CRI-IL	9141	85	108	B0-U0-G2
MRM-LED-12L-SIL-3-AMB	7721	99	78	B1-U0-G2
MRM-LED-12L-SIL-3-AMB-IH	6175	99	62	B1-U0-G2
MRM-LED-12L-SIL-3-AMB-IL	5397	99	55	B0-U0-G2
MRM-LED-12L-SIL-4-30-70CRI	12223	85	144	B2-U0-G3
MRM-LED-12L-SIL-4-30-70CRI-IH	10119	85	119	B1-U0-G2
MRM-LED-12L-SIL-4-30-70CRI-IL	8183	85	96	B0-U0-G2
MRM-LED-12L-SIL-4-40-70CRI	12935	85	152	B2-U0-G4
MRM-LED-12L-SIL-4-40-70CRI-IH	10119	85	119	B1-U0-G2
MRM-LED-12L-SIL-4-40-70CRI-IL	8183	85	96	B0-U0-G2
MRM-LED-12L-SIL-4-50-70CRI	12648	85	149	B2-U0-G4
MRM-LED-12L-SIL-4-50-70CRI-IH	9895	85	116	B1-U0-G2
MRM-LED-12L-SIL-4-50-70CRI-IL	8001	85	94	B0-U0-G2
MRM-LED-12L-SIL-5W-30-70CRI	12669	85	149	B4-U0-G2
MRM-LED-12L-SIL-5W-40-70CRI	12669	85	149	B4-U0-G2
MRM-LED-12L-SIL-5W-50-70CRI	12669	85	149	B4-U0-G2



MIRADA Medium Outdoor LED Light

MRM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRM-LED-12L-SIL-5W-AMB	7401	99	75	B3-U0-G2
MRM-LED-12L-SIL-AM-30-70CRI	12560	85	148	B2-U0-G2
MRM-LED-12L-SIL-AM-30-70CRI-IH	10327	85	121	B1-U0-G2
MRM-LED-12L-SIL-AM-30-70CRI-IL	8499	85	100	B0-U0-G2
MRM-LED-12L-SIL-AM-40-70CRI	13355	85	157	B2-U0-G2
MRM-LED-12L-SIL-AM-40-70CRI-IH	10327	85	121	B1-U0-G2
MRM-LED-12L-SIL-AM-40-70CRI-IL	8499	85	100	B0-U0-G2
MRM-LED-12L-SIL-AM-50-70CRI	13071	85	154	B2-U0-G2
MRM-LED-12L-SIL-AM-50-70CRI-IH	10327	85	121	B1-U0-G2
MRM-LED-12L-SIL-AM-50-70CRI-IL	8499	85	100	B0-U0-G2
MRM-LED-12L-SIL-AM-AMB	7756	99	78	B2-U0-G1
MRM-LED-12L-SIL-AM-AMB-IH	5984	99	60	B1-U0-G1
MRM-LED-12L-SIL-AM-AMB-IL	4900	99	49	B0-U0-G1
MRM-LED-12L-SIL-FT-30-70CRI	13138	85	155	B2-U0-G3
MRM-LED-12L-SIL-FT-30-70CRI-IH	9438	85	111	B1-U0-G2
MRM-LED-12L-SIL-FT-30-70CRI-IL	8432	85	99	B1-U0-G2
MRM-LED-12L-SIL-FT-40-70CRI	13138	85	155	B2-U0-G3
MRM-LED-12L-SIL-FT-40-70CRI-IH	9438	85	111	B1-U0-G2
MRM-LED-12L-SIL-FT-40-70CRI-IL	8432	85	99	B1-U0-G2
MRM-LED-12L-SIL-FT-50-70CRI	13138	85	155	B2-U0-G3
MRM-LED-12L-SIL-FT-50-70CRI-IH	9438	85	111	B1-U0-G2
MRM-LED-12L-SIL-FT-50-70CRI-IL	8432	85	99	B1-U0-G2
MRM-LED-12L-SIL-FTA-30-70CRI	13196	85	155	B2-U0-G2
MRM-LED-12L-SIL-FTA-30-70CRI-IH	10492	85	123	B2-U0-G1
MRM-LED-12L-SIL-FTA-30-70CRI-IL	8968	85	106	B1-U0-G1
MRM-LED-12L-SIL-FTA-40-70CRI	13196	85	155	B2-U0-G2
MRM-LED-12L-SIL-FTA-40-70CRI-IH	10492	85	123	B2-U0-G1
MRM-LED-12L-SIL-FTA-40-70CRI-IL	8968	85	106	B1-U0-G1
MRM-LED-12L-SIL-FTA-50-70CRI	13196	85	155	B2-U0-G2
MRM-LED-12L-SIL-FTA-50-70CRI-IH	10492	85	123	B2-U0-G1
MRM-LED-12L-SIL-FTA-50-70CRI-IL	8968	85	106	B1-U0-G1
MRM-LED-12L-SIL-FTA-AMB	7580	99	77	B2-U0-G2
MRM-LED-12L-SIL-FTA-AMB-IH	5957	99	60	B1-U0-G1
MRM-LED-12L-SIL-FTA-AMB-IL	4695	99	47	B1-U0-G1
MRM-LED-12L-SIL-FT-AMB	7727	99	78	B2-U0-G2
MRM-LED-12L-SIL-FT-AMB-IH	5555	99	56	B1-U0-G2
MRM-LED-12L-SIL-FT-AMB-IL	4835	99	49	B0-U0-G2
MRM-LED-12L-SIL-LC-30-70CRI	11997	85	141	B2-U0-G3
MRM-LED-12L-SIL-LC-40-70CRI	12696	85	149	B2-U0-G3
MRM-LED-12L-SIL-LC-50-70CRI	12414	85	146	B2-U0-G3
MRM-LED-12L-SIL-RC-30-70CRI	11996	85	141	B2-U0-G3
MRM-LED-12L-SIL-RC-40-70CRI	12695	85	149	B2-U0-G3
MRM-LED-12L-SIL-RC-50-70CRI	12414	85	146	B2-U0-G3
MRM-LED-18L-SIL-2-30-70CRI	19318	135	143	B3-U0-G3
MRM-LED-18L-SIL-2-30-70CRI-IH	14400	135	107	B2-U0-G2
MRM-LED-18L-SIL-2-30-70CRI-IL	11746	135	87	B1-U0-G2
MRM-LED-18L-SIL-2-40-70CRI	19318	135	143	B3-U0-G3
MRM-LED-18L-SIL-2-40-70CRI-IH	14400	135	107	B2-U0-G2
MRM-LED-18L-SIL-2-40-70CRI-IL	11746	135	87	B1-U0-G2
MRM-LED-18L-SIL-2-50-70CRI	19318	135	143	B3-U0-G3
MRM-LED-18L-SIL-2-50-70CRI-IH	14400	135	107	B2-U0-G2
MRM-LED-18L-SIL-2-50-70CRI-IL	11746	135	87	B1-U0-G2
MRM-LED-18L-SIL-2-AMB	9330	133	70	B2-U0-G2
MRM-LED-18L-SIL-2-AMB-IH	6760	133	51	B1-U0-G1
MRM-LED-18L-SIL-2-AMB-IL	5564	133	42	B0-U0-G1
MRM-LED-18L-SIL-3-30-70CRI	19461	135	144	B3-U0-G3
MRM-LED-18L-SIL-3-30-70CRI-IH	15381	135	114	B1-U0-G3
MRM-LED-18L-SIL-3-30-70CRI-IL	13448	135	100	B0-U0-G3



MIRADA Medium Outdoor LED Light

MRM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRM-LED-18L-SIL-3-40-70CRI	19461	135	144	B3-U0-G3
MRM-LED-18L-SIL-3-40-70CRI-IH	15381	135	114	B1-U0-G3
MRM-LED-18L-SIL-3-40-70CRI-IL	13448	135	100	B0-U0-G3
MRM-LED-18L-SIL-3-50-70CRI	19461	135	144	B3-U0-G3
MRM-LED-18L-SIL-3-50-70CRI-IH	15381	135	114	B1-U0-G3
MRM-LED-18L-SIL-3-50-70CRI-IL	13448	135	100	B0-U0-G3
MRM-LED-18L-SIL-3-AMB	9608	133	72	B2-U0-G2
MRM-LED-18L-SIL-3-AMB-IH	7684	133	58	B1-U0-G2
MRM-LED-18L-SIL-3-AMB-IL	6716	133	50	B0-U0-G2
MRM-LED-18L-SIL-4-30-70CRI	18013	135	133	B2-U0-G4
MRM-LED-18L-SIL-4-30-70CRI-IH	14913	135	110	B1-U0-G3
MRM-LED-18L-SIL-4-30-70CRI-IL	12059	135	89	B0-U0-G3
MRM-LED-18L-SIL-4-40-70CRI	19063	135	141	B3-U0-G5
MRM-LED-18L-SIL-4-40-70CRI-IH	14913	135	110	B1-U0-G3
MRM-LED-18L-SIL-4-40-70CRI-IL	12059	135	89	B0-U0-G3
MRM-LED-18L-SIL-4-50-70CRI	18640	135	138	B3-U0-G5
MRM-LED-18L-SIL-4-50-70CRI-IH	14582	135	108	B1-U0-G3
MRM-LED-18L-SIL-4-50-70CRI-IL	11792	135	87	B0-U0-G3
MRM-LED-18L-SIL-5W-30-70CRI	18633	135	138	B4-U0-G2
MRM-LED-18L-SIL-5W-40-70CRI	18633	135	138	B4-U0-G2
MRM-LED-18L-SIL-5W-50-70CRI	18633	135	138	B4-U0-G2
MRM-LED-18L-SIL-5W-AMB	9210	133	69	B4-U0-G2
MRM-LED-18L-SIL-AM-30-70CRI	17750	135	131	B2-U0-G2
MRM-LED-18L-SIL-AM-30-70CRI-IH	15192	135	113	B2-U0-G2
MRM-LED-18L-SIL-AM-30-70CRI-IL	12502	135	93	B1-U0-G2
MRM-LED-18L-SIL-AM-40-70CRI	18873	135	140	B3-U0-G2
MRM-LED-18L-SIL-AM-40-70CRI-IH	15192	135	113	B2-U0-G2
MRM-LED-18L-SIL-AM-40-70CRI-IL	12502	135	93	B1-U0-G2
MRM-LED-18L-SIL-AM-50-70CRI	18472	135	137	B3-U0-G2
MRM-LED-18L-SIL-AM-50-70CRI-IH	15192	135	113	B2-U0-G2
MRM-LED-18L-SIL-AM-50-70CRI-IL	12502	135	93	B1-U0-G2
MRM-LED-18L-SIL-AM-AMB	9652	133	73	B2-U0-G1
MRM-LED-18L-SIL-AM-AMB-IH	7447	133	56	B1-U0-G1
MRM-LED-18L-SIL-AM-AMB-IL	6098	133	46	B0-U0-G1
MRM-LED-18L-SIL-FT-30-70CRI	19324	135	143	B3-U0-G3
MRM-LED-18L-SIL-FT-30-70CRI-IH	13884	135	103	B1-U0-G3
MRM-LED-18L-SIL-FT-30-70CRI-IL	12405	135	92	B1-U0-G3
MRM-LED-18L-SIL-FT-40-70CRI	19324	135	143	B3-U0-G3
MRM-LED-18L-SIL-FT-40-70CRI-IH	13884	135	103	B1-U0-G3
MRM-LED-18L-SIL-FT-40-70CRI-IL	12405	135	92	B1-U0-G3
MRM-LED-18L-SIL-FT-50-70CRI	19324	135	143	B3-U0-G3
MRM-LED-18L-SIL-FT-50-70CRI-IH	13884	135	103	B1-U0-G3
MRM-LED-18L-SIL-FT-50-70CRI-IL	12405	135	92	B1-U0-G3
MRM-LED-18L-SIL-FTA-30-70CRI	19408	135	144	B3-U0-G3
MRM-LED-18L-SIL-FTA-30-70CRI-IH	15435	135	114	B2-U0-G2
MRM-LED-18L-SIL-FTA-30-70CRI-IL	13194	135	98	B1-U0-G2
MRM-LED-18L-SIL-FTA-40-70CRI	19408	135	144	B3-U0-G3
MRM-LED-18L-SIL-FTA-40-70CRI-IH	15435	135	114	B2-U0-G2
MRM-LED-18L-SIL-FTA-40-70CRI-IL	13194	135	98	B1-U0-G2
MRM-LED-18L-SIL-FTA-50-70CRI	19408	135	144	B3-U0-G3
MRM-LED-18L-SIL-FTA-50-70CRI-IH	15435	135	114	B2-U0-G2
MRM-LED-18L-SIL-FTA-50-70CRI-IL	13194	135	98	B1-U0-G2
MRM-LED-18L-SIL-FTA-AMB	9433	133	71	B2-U0-G2
MRM-LED-18L-SIL-FTA-AMB-IH	7414	133	56	B1-U0-G1
MRM-LED-18L-SIL-FTA-AMB-IL	5843	133	44	B1-U0-G1
MRM-LED-18L-SIL-FT-AMB	9615	133	72	B2-U0-G2
MRM-LED-18L-SIL-FT-AMB-IH	6913	133	52	B1-U0-G2
MRM-LED-18L-SIL-FT-AMB-IL	6017	133	45	B0-U0-G2
MRM-LED-18L-SIL-LC-30-70CRI	18710	135	139	B2-U0-G3



MIRADA Medium Outdoor LED Light

MRM PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	LER	BUG
MRM-LED-18L-SIL-LC-40-70CRI	18710	135	139	B2-U0-G3
MRM-LED-18L-SIL-LC-50-70CRI	18295	135	136	B2-U0-G3
MRM-LED-18L-SIL-RC-30-70CRI	17679	135	131	B2-U0-G3
MRM-LED-18L-SIL-RC-40-70CRI	18710	135	139	B3-U0-G3
MRM-LED-18L-SIL-RC-50-70CRI	18295	135	136	B3-U0-G3
MRM-LED-24L-SIL-2-30-70CRI	24142	160	151	B4-U0-G3
MRM-LED-24L-SIL-2-30-70CRI-IH	17633	160	110	B3-U0-G2
MRM-LED-24L-SIL-2-30-70CRI-IL	14404	160	90	B1-U0-G2
MRM-LED-24L-SIL-2-40-70CRI	25064	160	157	B4-U0-G3
MRM-LED-24L-SIL-2-40-70CRI-IH	18306	160	114	B3-U0-G2
MRM-LED-24L-SIL-2-40-70CRI-IL	14954	160	93	B1-U0-G2
MRM-LED-24L-SIL-2-50-70CRI	25028	160	156	B4-U0-G3
MRM-LED-24L-SIL-2-50-70CRI-IH	18280	160	114	B3-U0-G2
MRM-LED-24L-SIL-2-50-70CRI-IL	14932	160	93	B1-U0-G2
MRM-LED-24L-SIL-2-AMB	10601	175	61	B2-U0-G2
MRM-LED-24L-SIL-2-AMB-IH	7680	175	44	B1-U0-G2
MRM-LED-24L-SIL-2-AMB-IL	6321	175	36	B1-U0-G1
MRM-LED-24L-SIL-3-30-70CRI	25001	160	156	B3-U0-G3
MRM-LED-24L-SIL-3-30-70CRI-IH	19720	160	123	B2-U0-G3
MRM-LED-24L-SIL-3-30-70CRI-IL	16194	160	101	B1-U0-G3
MRM-LED-24L-SIL-3-40-70CRI	25955	160	162	B3-U0-G3
MRM-LED-24L-SIL-3-40-70CRI-IH	20473	160	128	B2-U0-G3
MRM-LED-24L-SIL-3-40-70CRI-IL	16812	160	105	B1-U0-G3
MRM-LED-24L-SIL-3-50-70CRI	25919	160	162	B3-U0-G3
MRM-LED-24L-SIL-3-50-70CRI-IH	20444	160	128	B2-U0-G3
MRM-LED-24L-SIL-3-50-70CRI-IL	16788	160	105	B1-U0-G3
MRM-LED-24L-SIL-3-AMB	10916	175	62	B2-U0-G2
MRM-LED-24L-SIL-3-AMB-IH	8731	175	50	B1-U0-G2
MRM-LED-24L-SIL-3-AMB-IL	7631	175	44	B0-U0-G2
MRM-LED-24L-SIL-4-30-70CRI	24396	160	152	B3-U0-G5
MRM-LED-24L-SIL-4-30-70CRI-IH	18898	160	118	B2-U0-G3
MRM-LED-24L-SIL-4-30-70CRI-IL	15165	160	95	B1-U0-G3
MRM-LED-24L-SIL-4-40-70CRI	25600	160	160	B3-U0-G5
MRM-LED-24L-SIL-4-40-70CRI-IH	19830	160	124	B2-U0-G3
MRM-LED-24L-SIL-4-40-70CRI-IL	15913	160	99	B1-U0-G3
MRM-LED-24L-SIL-4-50-70CRI	25457	160	159	B3-U0-G5
MRM-LED-24L-SIL-4-50-70CRI-IH	19719	160	123	B2-U0-G3
MRM-LED-24L-SIL-4-50-70CRI-IL	15824	160	99	B1-U0-G3
MRM-LED-24L-SIL-5W-30-70CRI	24327	160	152	B5-U0-G3
MRM-LED-24L-SIL-5W-40-70CRI	25256	160	158	B5-U0-G3
MRM-LED-24L-SIL-5W-50-70CRI	25220	160	158	B5-U0-G3
MRM-LED-24L-SIL-5W-AMB	10464	175	60	B4-U0-G2
MRM-LED-24L-SIL-AM-30-70CRI	24073	161	150	B3-U0-G2
MRM-LED-24L-SIL-AM-30-70CRI-IH	19387	160	121	B2-U0-G2
MRM-LED-24L-SIL-AM-30-70CRI-IL	15699	160	98	B0-U0-G2
MRM-LED-24L-SIL-AM-40-70CRI	25229	161	157	B3-U0-G3
MRM-LED-24L-SIL-AM-40-70CRI-IH	20127	160	126	B2-U0-G2
MRM-LED-24L-SIL-AM-40-70CRI-IL	16298	160	102	B0-U0-G2
MRM-LED-24L-SIL-AM-50-70CRI	25220	161	157	B3-U0-G3
MRM-LED-24L-SIL-AM-50-70CRI-IH	20099	160	126	B2-U0-G2
MRM-LED-24L-SIL-AM-50-70CRI-IL	16275	160	102	B0-U0-G2
MRM-LED-24L-SIL-AM-AMB-IH	8461	175	48	B1-U0-G1
MRM-LED-24L-SIL-AM-AMB-IL	6929	175	40	B0-U0-G1
MRM-LED-24L-SIL-FT-30-70CRI	24994	160	156	B3-U0-G3
MRM-LED-24L-SIL-FT-30-70CRI-IH	17832	160	111	B2-U0-G3
MRM-LED-24L-SIL-FT-30-70CRI-IL	14772	160	92	B1-U0-G3
MRM-LED-24L-SIL-FT-40-70CRI	25948	160	162	B3-U0-G3
MRM-LED-24L-SIL-FT-40-70CRI-IH	18513	160	116	B2-U0-G3



MIRADA Medium Outdoor LED Light

MRM PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	LER	BUG
MRM-LED-24L-SIL-FT-40-70CRI-IL	15336	160	96	B1-U0-G3
MRM-LED-24L-SIL-FT-50-70CRI	25911	160	162	B3-U0-G3
MRM-LED-24L-SIL-FT-50-70CRI-IH	18486	160	116	B2-U0-G3
MRM-LED-24L-SIL-FT-50-70CRI-IL	15314	160	96	B1-U0-G3
MRM-LED-24L-SIL-FTA-30-70CRI	24,171	160	151	B3-U0-G3
MRM-LED-24L-SIL-FTA-30-70CRI-IH	18,290	160	114	B3-U0-G2
MRM-LED-24L-SIL-FTA-30-70CRI-IL	13,123	160	82	B1-U0-G2
MRM-LED-24L-SIL-FTA-40-70CRI	25,094	160	157	B4-U0-G3
MRM-LED-24L-SIL-FTA-40-70CRI-IH	18,988	160	119	B3-U0-G2
MRM-LED-24L-SIL-FTA-40-70CRI-IL	13,624	160	85	B2-U0-G2
MRM-LED-24L-SIL-FTA-50-70CRI	25,058	160	157	B4-U0-G3
MRM-LED-24L-SIL-FTA-50-70CRI-IH	18,961	160	119	B3-U0-G2
MRM-LED-24L-SIL-FTA-50-70CRI-IL	13,605	160	85	B2-U0-G2
MRM-LED-24L-SIL-FTA-AMB	10,717	175	61	B2-U0-G2
MRM-LED-24L-SIL-FTA-AMB-IH	8,423	175	48	B2-U0-G1
MRM-LED-24L-SIL-FTA-AMB-IL	6,638	175	38	B1-U0-G1
MRM-LED-24L-SIL-FT-AMB	10,924	175	62	B2-U0-G2
MRM-LED-24L-SIL-FT-AMB-IH	7,854	175	45	B1-U0-G2
MRM-LED-24L-SIL-FT-AMB-IL	6,836	175	39	B0-U0-G2
MRM-LED-24L-SIL-LC-30-70CRI	25,885	160	162	B3-U0-G4
MRM-LED-24L-SIL-LC-40-70CRI	25,885	160	162	B3-U0-G4
MRM-LED-24L-SIL-LC-50-70CRI	25,310	160	158	B3-U0-G4
MRM-LED-24L-SIL-RC-30-70CRI	25,884	160	162	B3-U0-G4
MRM-LED-24L-SIL-RC-40-70CRI	25,884	160	162	B3-U0-G4
MRM-LED-24L-SIL-RC-50-70CRI	25,310	160	158	B3-U0-G4
MRM-LED-30L-SIL-2-30-70CRI	30,171	213	142	B4-U0-G3
MRM-LED-30L-SIL-2-30-70CRI-IH	22,036	213	103	B3-U0-G2
MRM-LED-30L-SIL-2-30-70CRI-IL	18,000	213	85	B1-U0-G2
MRM-LED-30L-SIL-2-40-70CRI	31,323	213	147	B4-U0-G3
MRM-LED-30L-SIL-2-40-70CRI-IH	22,877	213	107	B3-U0-G2
MRM-LED-30L-SIL-2-40-70CRI-IL	18,687	213	88	B1-U0-G2
MRM-LED-30L-SIL-2-50-70CRI	31,278	213	147	B4-U0-G3
MRM-LED-30L-SIL-2-50-70CRI-IH	22,844	213	107	B3-U0-G2
MRM-LED-30L-SIL-2-50-70CRI-IL	18,661	213	88	B1-U0-G2
MRM-LED-30L-SIL-3-30-70CRI	31,243	213	147	B3-U0-G4
MRM-LED-30L-SIL-3-30-70CRI-IH	24,644	213	116	B2-U0-G4
MRM-LED-30L-SIL-3-30-70CRI-IL	20,237	213	95	B1-U0-G3
MRM-LED-30L-SIL-3-40-70CRI	32,436	213	152	B3-U0-G4
MRM-LED-30L-SIL-3-40-70CRI-IH	25,585	213	120	B3-U0-G4
MRM-LED-30L-SIL-3-40-70CRI-IL	21,009	213	99	B1-U0-G4
MRM-LED-30L-SIL-3-50-70CRI	32,390	213	152	B3-U0-G4
MRM-LED-30L-SIL-3-50-70CRI-IH	25,549	213	120	B3-U0-G4
MRM-LED-30L-SIL-3-50-70CRI-IL	20,980	213	98	B1-U0-G4
MRM-LED-30L-SIL-4-30-70CRI	30,631	213	144	B3-U0-G5
MRM-LED-30L-SIL-4-30-70CRI-IH	23,727	213	111	B2-U0-G4
MRM-LED-30L-SIL-4-30-70CRI-IL	19,040	213	89	B1-U0-G4
MRM-LED-30L-SIL-4-40-70CRI	32,141	213	151	B3-U0-G5
MRM-LED-30L-SIL-4-40-70CRI-IH	24,897	213	117	B2-U0-G4
MRM-LED-30L-SIL-4-40-70CRI-IL	19,978	213	94	B1-U0-G4
MRM-LED-30L-SIL-4-50-70CRI	31,961	213	150	B3-U0-G5
MRM-LED-30L-SIL-4-50-70CRI-IH	24,758	213	116	B2-U0-G4
MRM-LED-30L-SIL-4-50-70CRI-IL	19,867	213	93	B1-U0-G4
MRM-LED-30L-SIL-5W-30-70CRI	30,402	213	143	B5-U0-G3
MRM-LED-30L-SIL-5W-40-70CRI	31,562	213	148	B5-U0-G3
MRM-LED-30L-SIL-5W-50-70CRI	31,517	213	148	B5-U0-G3
MRM-LED-30L-SIL-AM-30-70CRI	30,362	213	143	B3-U0-G3
MRM-LED-30L-SIL-AM-30-70CRI-IH	24,228	213	114	B2-U0-G2
MRM-LED-30L-SIL-AM-30-70CRI-IL	19,619	213	92	B1-U0-G2



MIRADA Medium Outdoor LED Light

MRM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRM-LED-30L-SIL-AM-40-70CRI	31,820	213	149	B3-U0-G3
MRM-LED-30L-SIL-AM-40-70CRI-IH	25,152	213	118	B2-U0-G3
MRM-LED-30L-SIL-AM-40-70CRI-IL	20,367	213	96	B1-U0-G2
MRM-LED-30L-SIL-AM-50-70CRI	31,808	213	149	B3-U0-G3
MRM-LED-30L-SIL-AM-50-70CRI-IH	25,117	213	118	B2-U0-G3
MRM-LED-30L-SIL-AM-50-70CRI-IL	20,339	213	95	B1-U0-G2
MRM-LED-30L-SIL-FT-30-70CRI	31,233	213	147	B4-U0-G4
MRM-LED-30L-SIL-FT-30-70CRI-IH	22,284	213	105	B3-U0-G3
MRM-LED-30L-SIL-FT-30-70CRI-IL	18,461	213	87	B1-U0-G3
MRM-LED-30L-SIL-FT-40-70CRI	32,426	213	152	B4-U0-G4
MRM-LED-30L-SIL-FT-40-70CRI-IH	23,135	213	109	B3-U0-G3
MRM-LED-30L-SIL-FT-40-70CRI-IL	19,165	213	90	B1-U0-G3
MRM-LED-30L-SIL-FT-50-70CRI	32,380	213	152	B4-U0-G4
MRM-LED-30L-SIL-FT-50-70CRI-IH	23,102	213	108	B3-U0-G3
MRM-LED-30L-SIL-FT-50-70CRI-IL	19,138	213	90	B1-U0-G3
MRM-LED-30L-SIL-FTA-30-70CRI	30,207	213	142	B4-U0-G4
MRM-LED-30L-SIL-FTA-30-70CRI-IH	22,856	213	107	B3-U0-G2
MRM-LED-30L-SIL-FTA-30-70CRI-IL	16,400	213	77	B2-U0-G2
MRM-LED-30L-SIL-FTA-40-70CRI	31,360	213	147	B4-U0-G4
MRM-LED-30L-SIL-FTA-40-70CRI-IH	23,728	213	111	B3-U0-G2
MRM-LED-30L-SIL-FTA-40-70CRI-IL	17,026	213	80	B2-U0-G2
MRM-LED-30L-SIL-FTA-50-70CRI	31,315	213	147	B4-U0-G4
MRM-LED-30L-SIL-FTA-50-70CRI-IH	23,695	213	111	B3-U0-G2
MRM-LED-30L-SIL-FTA-50-70CRI-IL	17,002	213	80	B2-U0-G2
MRM-LED-30L-SIL-LC-30-70CRI	32,498	213	153	B3-U0-G5
MRM-LED-30L-SIL-LC-40-70CRI	32,498	213	153	B3-U0-G5
MRM-LED-30L-SIL-LC-50-70CRI	31,777	213	149	B3-U0-G5
MRM-LED-30L-SIL-RC-30-70CRI	32,498	213	153	B3-U0-G5
MRM-LED-30L-SIL-RC-40-70CRI	32,498	213	153	B3-U0-G5
MRM-LED-30L-SIL-RC-50-70CRI	31,777	213	149	B3-U0-G5
MRM-LED-36L-SIL-2-30-70CRI	35,357	254	139	B4-U0-G3
MRM-LED-36L-SIL-2-30-70CRI-IH	25,823	254	102	B3-U0-G3
MRM-LED-36L-SIL-2-30-70CRI-IL	21,094	254	83	B1-U0-G3
MRM-LED-36L-SIL-2-40-70CRI	36,707	254	145	B4-U0-G3
MRM-LED-36L-SIL-2-40-70CRI-IH	26,809	254	106	B3-U0-G3
MRM-LED-36L-SIL-2-40-70CRI-IL	21,899	254	86	B1-U0-G3
MRM-LED-36L-SIL-2-50-70CRI	36,655	254	144	B4-U0-G3
MRM-LED-36L-SIL-2-50-70CRI-IH	26,771	254	105	B3-U0-G3
MRM-LED-36L-SIL-2-50-70CRI-IL	21,868	254	86	B1-U0-G3
MRM-LED-36L-SIL-3-30-70CRI	36,614	254	144	B4-U0-G4
MRM-LED-36L-SIL-3-30-70CRI-IH	28,880	254	114	B3-U0-G4
MRM-LED-36L-SIL-3-30-70CRI-IL	23,715	254	93	B1-U0-G4
MRM-LED-36L-SIL-3-40-70CRI	38,011	254	150	B4-U0-G4
MRM-LED-36L-SIL-3-40-70CRI-IH	29,983	254	118	B3-U0-G4
MRM-LED-36L-SIL-3-40-70CRI-IL	24,620	254	97	B1-U0-G4
MRM-LED-36L-SIL-3-50-70CRI	37,957	254	149	B4-U0-G4
MRM-LED-36L-SIL-3-50-70CRI-IH	29,940	254	118	B3-U0-G4
MRM-LED-36L-SIL-3-50-70CRI-IL	24,586	254	97	B1-U0-G4
MRM-LED-36L-SIL-4-30-70CRI	35,403	255	139	B3-U0-G5
MRM-LED-36L-SIL-4-30-70CRI-IH	27,424	255	108	B2-U0-G4
MRM-LED-36L-SIL-4-30-70CRI-IL	22,006	255	86	B1-U0-G4
MRM-LED-36L-SIL-4-40-70CRI	37,148	255	146	B4-U0-G5
MRM-LED-36L-SIL-4-40-70CRI-IH	28,776	255	113	B2-U0-G4
MRM-LED-36L-SIL-4-40-70CRI-IL	23,091	255	91	B1-U0-G4
MRM-LED-36L-SIL-4-50-70CRI	36,941	255	145	B3-U0-G5
MRM-LED-36L-SIL-4-50-70CRI-IH	28,615	255	112	B2-U0-G4
MRM-LED-36L-SIL-4-50-70CRI-IL	22,962	255	90	B1-U0-G4
MRM-LED-36L-SIL-5W-30-70CRI	35,627	254	140	B5-U0-G4



MIRADA Medium Outdoor LED Light

MRM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRM-LED-36L-SIL-5W-40-70CRI	36,987	254	146	B5-U0-G4
MRM-LED-36L-SIL-5W-50-70CRI	36,934	254	145	B5-U0-G4
MRM-LED-36L-SIL-AM-30-70CRI	35,163	255	138	B3-U0-G3
MRM-LED-36L-SIL-AM-30-70CRI-IH	28,392	254	112	B3-U0-G3
MRM-LED-36L-SIL-AM-30-70CRI-IL	22,991	254	91	B1-U0-G3
MRM-LED-36L-SIL-AM-40-70CRI	36,851	255	145	B3-U0-G3
MRM-LED-36L-SIL-AM-40-70CRI-IH	29,476	254	116	B3-U0-G3
MRM-LED-36L-SIL-AM-40-70CRI-IL	23,868	254	94	B1-U0-G3
MRM-LED-36L-SIL-AM-50-70CRI	36,837	255	144	B3-U0-G3
MRM-LED-36L-SIL-AM-50-70CRI-IH	29,434	254	116	B3-U0-G3
MRM-LED-36L-SIL-AM-50-70CRI-IL	23,834	254	94	B1-U0-G3
MRM-LED-36L-SIL-FT-30-70CRI	36,602	254	144	B4-U0-G4
MRM-LED-36L-SIL-FT-30-70CRI-IH	26,115	254	103	B3-U0-G4
MRM-LED-36L-SIL-FT-30-70CRI-IL	21,634	254	85	B1-U0-G4
MRM-LED-36L-SIL-FT-40-70CRI	38,000	254	150	B4-U0-G4
MRM-LED-36L-SIL-FT-40-70CRI-IH	27,111	254	107	B3-U0-G4
MRM-LED-36L-SIL-FT-40-70CRI-IL	22,460	254	88	B1-U0-G4
MRM-LED-36L-SIL-FT-50-70CRI	37,946	254	149	B4-U0-G4
MRM-LED-36L-SIL-FT-50-70CRI-IH	27,073	254	107	B3-U0-G4
MRM-LED-36L-SIL-FT-50-70CRI-IL	22,428	254	88	B1-U0-G4
MRM-LED-36L-SIL-FTA-30-70CRI	35,399	254	139	B4-U0-G4
MRM-LED-36L-SIL-FTA-30-70CRI-IH	26,784	254	105	B3-U0-G2
MRM-LED-36L-SIL-FTA-30-70CRI-IL	19,219	254	76	B2-U0-G2
MRM-LED-36L-SIL-FTA-40-70CRI	36,750	254	145	B4-U0-G4
MRM-LED-36L-SIL-FTA-40-70CRI-IH	27,807	254	109	B3-U0-G2
MRM-LED-36L-SIL-FTA-40-70CRI-IL	19,952	254	79	B2-U0-G2
MRM-LED-36L-SIL-FTA-50-70CRI	36,698	254	144	B4-U0-G4
MRM-LED-36L-SIL-FTA-50-70CRI-IH	27,768	254	109	B3-U0-G2
MRM-LED-36L-SIL-FTA-50-70CRI-IL	19,924	254	78	B2-U0-G2
MRM-LED-36L-SIL-LC-30-70CRI	37,561	255	147	B3-U0-G5
MRM-LED-36L-SIL-LC-40-70CRI	37,561	255	147	B3-U0-G5
MRM-LED-36L-SIL-LC-50-70CRI	36,728	255	144	B3-U0-G5
MRM-LED-36L-SIL-RC-30-70CRI	37,561	255	147	B3-U0-G5
MRM-LED-36L-SIL-RC-40-70CRI	37,561	255	147	B3-U0-G5
MRM-LED-36L-SIL-RC-50-70CRI	36,727	255	144	B3-U0-G5
MRM-LED-42L-SIL-2-30-70CRI	41,035	314	131	B5-U0-G4
MRM-LED-42L-SIL-2-30-70CRI-IH	29,970	314	95	B3-U0-G3
MRM-LED-42L-SIL-2-30-70CRI-IL	24,482	314	78	B1-U0-G3
MRM-LED-42L-SIL-2-40-70CRI	42,602	314	136	B5-U0-G4
MRM-LED-42L-SIL-2-40-70CRI-IH	31,114	314	99	B3-U0-G3
MRM-LED-42L-SIL-2-40-70CRI-IL	25,416	314	81	B2-U0-G3
MRM-LED-42L-SIL-2-50-70CRI	42,542	314	135	B5-U0-G4
MRM-LED-42L-SIL-2-50-70CRI-IH	31,070	314	99	B3-U0-G3
MRM-LED-42L-SIL-2-50-70CRI-IL	25,380	314	81	B2-U0-G3
MRM-LED-42L-SIL-3-30-70CRI	42,493	314	135	B4-U0-G5
MRM-LED-42L-SIL-3-30-70CRI-IH	33,518	314	107	B3-U0-G4
MRM-LED-42L-SIL-3-30-70CRI-IL	27,524	314	88	B1-U0-G4
MRM-LED-42L-SIL-3-40-70CRI	44,115	314	140	B4-U0-G5
MRM-LED-42L-SIL-3-40-70CRI-IH	34,798	314	111	B3-U0-G4
MRM-LED-42L-SIL-3-40-70CRI-IL	28,574	314	91	B1-U0-G4
MRM-LED-42L-SIL-3-50-70CRI	44,053	314	140	B4-U0-G5
MRM-LED-42L-SIL-3-50-70CRI-IH	34,748	314	111	B3-U0-G4
MRM-LED-42L-SIL-3-50-70CRI-IL	28,534	314	91	B1-U0-G4
MRM-LED-42L-SIL-4-30-70CRI	41,453	314	132	B4-U0-G5
MRM-LED-42L-SIL-4-30-70CRI-IH	32,110	314	102	B2-U0-G4
MRM-LED-42L-SIL-4-30-70CRI-IL	25,767	314	82	B1-U0-G4
MRM-LED-42L-SIL-4-40-70CRI	43,497	314	139	B4-U0-G5
MRM-LED-42L-SIL-4-40-70CRI-IH	33,694	314	107	B3-U0-G4



MIRADA Medium Outdoor LED Light

MRM PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	LER	BUG
MRM-LED-42L-SIL-4-40-70CRI-IL	27,037	314	86	B1-U0-G4
MRM-LED-42L-SIL-4-50-70CRI	43,254	314	138	B4-U0-G5
MRM-LED-42L-SIL-4-50-70CRI-IH	33,505	314	107	B3-U0-G4
MRM-LED-42L-SIL-4-50-70CRI-IL	26,886	314	86	B1-U0-G4
MRM-LED-42L-SIL-5W-30-70CRI	41,349	314	132	B5-U0-G4
MRM-LED-42L-SIL-5W-40-70CRI	42,927	314	137	B5-U0-G4
MRM-LED-42L-SIL-5W-50-70CRI	42,866	314	137	B5-U0-G4
MRM-LED-42L-SIL-AM-30-70CRI	41,185	314	131	B3-U0-G3
MRM-LED-42L-SIL-AM-30-70CRI-IH	32,952	314	105	B3-U0-G3
MRM-LED-42L-SIL-AM-30-70CRI-IL	26,683	314	85	B1-U0-G3
MRM-LED-42L-SIL-AM-40-70CRI	43,162	314	137	B3-U0-G3
MRM-LED-42L-SIL-AM-40-70CRI-IH	34,209	314	109	B3-U0-G3
MRM-LED-42L-SIL-AM-40-70CRI-IL	27,701	314	88	B1-U0-G3
MRM-LED-42L-SIL-AM-50-70CRI	43,145	314	137	B3-U0-G3
MRM-LED-42L-SIL-AM-50-70CRI-IH	34,161	314	109	B3-U0-G3
MRM-LED-42L-SIL-AM-50-70CRI-IL	27,662	314	88	B1-U0-G3
MRM-LED-42L-SIL-FT-30-70CRI	42,481	314	135	B4-U0-G4
MRM-LED-42L-SIL-FT-30-70CRI-IH	30,308	314	97	B3-U0-G4
MRM-LED-42L-SIL-FT-30-70CRI-IL	25,108	314	80	B1-U0-G4
MRM-LED-42L-SIL-FT-40-70CRI	44,103	314	140	B4-U0-G4
MRM-LED-42L-SIL-FT-40-70CRI-IH	31,465	314	100	B3-U0-G4
MRM-LED-42L-SIL-FT-40-70CRI-IL	26,067	314	83	B1-U0-G4
MRM-LED-42L-SIL-FT-50-70CRI	44,040	314	140	B4-U0-G4
MRM-LED-42L-SIL-FT-50-70CRI-IH	31,421	314	100	B3-U0-G4
MRM-LED-42L-SIL-FT-50-70CRI-IL	26,030	314	83	B1-U0-G4
MRM-LED-42L-SIL-FTA-30-70CRI	41,083	314	131	B4-U0-G4
MRM-LED-42L-SIL-FTA-30-70CRI-IH	31,086	314	99	B3-U0-G2
MRM-LED-42L-SIL-FTA-30-70CRI-IL	22,305	314	71	B2-U0-G2
MRM-LED-42L-SIL-FTA-40-70CRI	42,652	314	136	B5-U0-G4
MRM-LED-42L-SIL-FTA-40-70CRI-IH	32,273	314	103	B3-U0-G3
MRM-LED-42L-SIL-FTA-40-70CRI-IL	23,157	314	74	B2-U0-G2
MRM-LED-42L-SIL-FTA-50-70CRI	42,591	314	136	B5-U0-G4
MRM-LED-42L-SIL-FTA-50-70CRI-IH	32,227	314	103	B3-U0-G3
MRM-LED-42L-SIL-FTA-50-70CRI-IL	23,124	314	74	B2-U0-G2
MRM-LED-42L-SIL-LC-30-70CRI	43,981	314	140	B4-U0-G5
MRM-LED-42L-SIL-LC-40-70CRI	43,981	314	140	B4-U0-G5
MRM-LED-42L-SIL-LC-50-70CRI	43,005	314	137	B4-U0-G5
MRM-LED-42L-SIL-RC-30-70CRI	43,980	314	140	B3-U0-G5
MRM-LED-42L-SIL-RC-40-70CRI	43,980	314	140	B3-U0-G5
MRM-LED-42L-SIL-RC-50-70CRI	43,004	314	137	B3-U0-G5
MRM-LED-48L-SIL-2-30-70CRI	45,133	366	123	B5-U0-G4
MRM-LED-48L-SIL-2-30-70CRI-IH	32,964	366	90	B3-U0-G3
MRM-LED-48L-SIL-2-30-70CRI-IL	26,927	366	74	B2-U0-G3
MRM-LED-48L-SIL-2-40-70CRI	46,856	366	128	B5-U0-G4
MRM-LED-48L-SIL-2-40-70CRI-IH	34,222	366	94	B3-U0-G3
MRM-LED-48L-SIL-2-40-70CRI-IL	27,954	366	76	B2-U0-G3
MRM-LED-48L-SIL-2-50-70CRI	46,789	366	128	B5-U0-G4
MRM-LED-48L-SIL-2-50-70CRI-IH	34,173	366	93	B3-U0-G3
MRM-LED-48L-SIL-2-50-70CRI-IL	27,915	366	76	B2-U0-G3
MRM-LED-48L-SIL-3-30-70CRI	46,737	366	128	B4-U0-G5
MRM-LED-48L-SIL-3-30-70CRI-IH	36,866	366	101	B3-U0-G4
MRM-LED-48L-SIL-3-30-70CRI-IL	30,272	366	83	B1-U0-G4
MRM-LED-48L-SIL-3-40-70CRI	48,521	366	133	B4-U0-G5
MRM-LED-48L-SIL-3-40-70CRI-IH	38,273	366	105	B3-U0-G4
MRM-LED-48L-SIL-3-40-70CRI-IL	31,428	366	86	B1-U0-G4
MRM-LED-48L-SIL-3-50-70CRI	48,452	366	132	B4-U0-G5
MRM-LED-48L-SIL-3-50-70CRI-IH	38,219	366	104	B3-U0-G4
MRM-LED-48L-SIL-3-50-70CRI-IL	31,383	366	86	B1-U0-G4
MRM-LED-48L-SIL-4-30-70CRI	46,006	366	126	B4-U0-G5



MIRADA Medium Outdoor LED Light

MRM PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	LER	BUG
MRM-LED-48L-SIL-4-30-70CRI-IH	35,637	366	97	B3-U0-G5
MRM-LED-48L-SIL-4-30-70CRI-IL	28,597	366	78	B1-U0-G4
MRM-LED-48L-SIL-4-40-70CRI	48,275	366	132	B4-U0-G5
MRM-LED-48L-SIL-4-40-70CRI-IH	37,395	366	102	B3-U0-G5
MRM-LED-48L-SIL-4-40-70CRI-IL	30,007	366	82	B1-U0-G4
MRM-LED-48L-SIL-4-50-70CRI	48,005	366	131	B4-U0-G5
MRM-LED-48L-SIL-4-50-70CRI-IH	37,186	366	102	B3-U0-G5
MRM-LED-48L-SIL-4-50-70CRI-IL	29,840	366	82	B1-U0-G4
MRM-LED-48L-SIL-5W-30-70CRI	45,478	366	124	B5-U0-G4
MRM-LED-48L-SIL-5W-40-70CRI	47,214	366	129	B5-U0-G4
MRM-LED-48L-SIL-5W-50-70CRI	47,147	366	129	B5-U0-G4
MRM-LED-48L-SIL-AM-30-70CRI	46,184	367	126	B4-U0-G3
MRM-LED-48L-SIL-AM-30-70CRI-IH	36,242	366	99	B3-U0-G3
MRM-LED-48L-SIL-AM-30-70CRI-IL	29,348	366	80	B1-U0-G3
MRM-LED-48L-SIL-AM-40-70CRI	48,402	367	132	B4-U0-G3
MRM-LED-48L-SIL-AM-40-70CRI-IH	37,626	366	103	B3-U0-G3
MRM-LED-48L-SIL-AM-40-70CRI-IL	30,468	366	83	B1-U0-G3
MRM-LED-48L-SIL-AM-50-70CRI	48,383	367	132	B4-U0-G3
MRM-LED-48L-SIL-AM-50-70CRI-IH	37,573	366	103	B3-U0-G3
MRM-LED-48L-SIL-AM-50-70CRI-IL	30,425	366	83	B1-U0-G3
MRM-LED-48L-SIL-FT-30-70CRI	46,723	366	128	B4-U0-G5
MRM-LED-48L-SIL-FT-30-70CRI-IH	33,335	366	91	B3-U0-G4
MRM-LED-48L-SIL-FT-30-70CRI-IL	27,616	366	75	B1-U0-G4
MRM-LED-48L-SIL-FT-40-70CRI	48,507	366	133	B4-U0-G5
MRM-LED-48L-SIL-FT-40-70CRI-IH	34,608	366	95	B3-U0-G4
MRM-LED-48L-SIL-FT-40-70CRI-IL	28,670	366	78	B1-U0-G4
MRM-LED-48L-SIL-FT-50-70CRI	48,438	366	132	B4-U0-G5
MRM-LED-48L-SIL-FT-50-70CRI-IH	34,558	366	94	B3-U0-G4
MRM-LED-48L-SIL-FT-50-70CRI-IL	28,629	366	78	B1-U0-G4
MRM-LED-48L-SIL-FTA-30-70CRI	45,187	366	123	B5-U0-G4
MRM-LED-48L-SIL-FTA-30-70CRI-IH	34,191	366	93	B3-U0-G3
MRM-LED-48L-SIL-FTA-30-70CRI-IL	24,533	366	67	B2-U0-G3
MRM-LED-48L-SIL-FTA-40-70CRI	46,912	366	128	B5-U0-G4
MRM-LED-48L-SIL-FTA-40-70CRI-IH	35,496	366	97	B3-U0-G3
MRM-LED-48L-SIL-FTA-40-70CRI-IL	25,469	366	70	B2-U0-G3
MRM-LED-48L-SIL-FTA-50-70CRI	46,845	366	128	B5-U0-G4
MRM-LED-48L-SIL-FTA-50-70CRI-IH	35,445	366	97	B3-U0-G3
MRM-LED-48L-SIL-FTA-50-70CRI-IL	25,433	366	69	B2-U0-G3
MRM-LED-48L-SIL-LC-30-70CRI	48,812	366	133	B4-U0-G5
MRM-LED-48L-SIL-LC-40-70CRI	48,812	366	133	B4-U0-G5
MRM-LED-48L-SIL-LC-50-70CRI	47,729	366	130	B4-U0-G5
MRM-LED-48L-SIL-RC-30-70CRI	48,811	366	133	B4-U0-G5
MRM-LED-48L-SIL-RC-40-70CRI	48,811	366	133	B4-U0-G5
MRM-LED-48L-SIL-RC-50-70CRI	47,728	366	130	B4-U0-G5
MRM-LED-55L-SIL-2-30-70CRI	50,179	438	115	B5-U0-G4
MRM-LED-55L-SIL-2-30-70CRI-IH	36,649	438	84	B3-U0-G4
MRM-LED-55L-SIL-2-30-70CRI-IL	29,937	438	68	B2-U0-G3
MRM-LED-55L-SIL-2-40-70CRI	52,095	438	119	B5-U0-G4
MRM-LED-55L-SIL-2-40-70CRI-IH	38,048	438	87	B3-U0-G4
MRM-LED-55L-SIL-2-40-70CRI-IL	31,080	438	71	B2-U0-G4
MRM-LED-55L-SIL-2-50-70CRI	52,021	438	119	B5-U0-G4
MRM-LED-55L-SIL-2-50-70CRI-IH	37,994	438	87	B3-U0-G4
MRM-LED-55L-SIL-2-50-70CRI-IL	31,036	438	71	B2-U0-G4
MRM-LED-55L-SIL-3-30-70CRI	51,963	438	119	B4-U0-G5
MRM-LED-55L-SIL-3-30-70CRI-IH	40,987	438	94	B3-U0-G5
MRM-LED-55L-SIL-3-30-70CRI-IL	33,657	438	77	B1-U0-G5
MRM-LED-55L-SIL-3-40-70CRI	53,947	438	123	B4-U0-G5
MRM-LED-55L-SIL-3-40-70CRI-IH	42,552	438	97	B3-U0-G5
MRM-LED-55L-SIL-3-40-70CRI-IL	34,942	438	80	B2-U0-G5
MRM-LED-55L-SIL-3-50-70CRI	53,870	438	123	B4-U0-G5
MRM-LED-55L-SIL-3-50-70CRI-IH	42,492	438	97	B3-U0-G5
MRM-LED-55L-SIL-3-50-70CRI-IL	34,892	438	80	B2-U0-G5
MRM-LED-55L-SIL-4-30-70CRI	51,635	435	119	B4-U0-G5
MRM-LED-55L-SIL-4-30-70CRI-IH	39,998	435	92	B3-U0-G5
MRM-LED-55L-SIL-4-30-70CRI-IL	32,096	435	74	B1-U0-G5
MRM-LED-55L-SIL-4-40-70CRI	54,181	435	125	B4-U0-G5



MIRADA Medium Outdoor LED Light

MRM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRM-LED-55L-SIL-4-40-70CRI-IH	41,971	435	96	B3-U0-G5
MRM-LED-55L-SIL-4-40-70CRI-IL	33,678	435	77	B1-U0-G5
MRM-LED-55L-SIL-4-50-70CRI	53,878	435	124	B4-U0-G5
MRM-LED-55L-SIL-4-50-70CRI-IH	41,736	435	96	B3-U0-G5
MRM-LED-55L-SIL-4-50-70CRI-IL	33,490	435	77	B1-U0-G5
MRM-LED-55L-SIL-5W-30-70CRI	50,563	438	115	B5-U0-G4
MRM-LED-55L-SIL-5W-40-70CRI	52,493	438	120	B5-U0-G4
MRM-LED-55L-SIL-5W-50-70CRI	52,418	438	120	B5-U0-G4
MRM-LED-55L-SIL-AM-30-70CRI	51,093	436	117	B4-U0-G3
MRM-LED-55L-SIL-AM-30-70CRI-IH	40,596	438	93	B3-U0-G3
MRM-LED-55L-SIL-AM-30-70CRI-IL	32,873	438	75	B1-U0-G3
MRM-LED-55L-SIL-AM-40-70CRI	53,546	436	123	B4-U0-G3
MRM-LED-55L-SIL-AM-40-70CRI-IH	42,146	438	96	B3-U0-G3
MRM-LED-55L-SIL-AM-40-70CRI-IL	34,128	438	78	B1-U0-G3
MRM-LED-55L-SIL-AM-50-70CRI	53,525	436	123	B4-U0-G3
MRM-LED-55L-SIL-AM-50-70CRI-IH	42,086	438	96	B3-U0-G3
MRM-LED-55L-SIL-AM-50-70CRI-IL	34,080	438	78	B1-U0-G3
MRM-LED-55L-SIL-FT-30-70CRI	50,539	438	115	B4-U0-G5
MRM-LED-55L-SIL-FT-30-70CRI-IH	36,057	438	82	B3-U0-G4
MRM-LED-55L-SIL-FT-30-70CRI-IL	29,870	438	68	B1-U0-G4
MRM-LED-55L-SIL-FT-40-70CRI	52,468	438	120	B4-U0-G5
MRM-LED-55L-SIL-FT-40-70CRI-IH	37,434	438	85	B3-U0-G4
MRM-LED-55L-SIL-FT-40-70CRI-IL	31,010	438	71	B1-U0-G4
MRM-LED-55L-SIL-FT-50-70CRI	52,394	438	120	B4-U0-G5
MRM-LED-55L-SIL-FT-50-70CRI-IH	37,380	438	85	B3-U0-G4
MRM-LED-55L-SIL-FT-50-70CRI-IL	30,967	438	71	B1-U0-G4
MRM-LED-55L-SIL-FTA-30-70CRI	50,239	438	115	B5-U0-G4
MRM-LED-55L-SIL-FTA-30-70CRI-IH	38,014	438	87	B4-U0-G3
MRM-LED-55L-SIL-FTA-30-70CRI-IL	27,276	438	62	B3-U0-G3
MRM-LED-55L-SIL-FTA-40-70CRI	52,157	438	119	B5-U0-G4
MRM-LED-55L-SIL-FTA-40-70CRI-IH	39,465	438	90	B4-U0-G3
MRM-LED-55L-SIL-FTA-40-70CRI-IL	28,317	438	65	B3-U0-G3
MRM-LED-55L-SIL-FTA-50-70CRI	52,082	438	119	B5-U0-G4
MRM-LED-55L-SIL-FTA-50-70CRI-IH	39,409	438	90	B4-U0-G3
MRM-LED-55L-SIL-FTA-50-70CRI-IL	28,277	438	65	B3-U0-G3
MRM-LED-55L-SIL-LC-30-70CRI	54,113	438	124	B4-U0-G5
MRM-LED-55L-SIL-LC-40-70CRI	54,113	438	124	B4-U0-G5
MRM-LED-55L-SIL-LC-50-70CRI	52,913	438	121	B4-U0-G5
MRM-LED-55L-SIL-RC-30-70CRI	54,113	438	124	B4-U0-G5
MRM-LED-55L-SIL-RC-40-70CRI	54,113	438	124	B4-U0-G5
MRM-LED-55L-SIL-RC-50-70CRI	52,912	438	121	B4-U0-G5