



MRS-70CRI - Mirada Small Area Light

MRS-70CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-06L-SIL-2-30-70CRI	5,918	39	152	B2-U0-G1
MRS-LED-06L-SIL-2-30-70CRI-IH	4,597	39	118	B1-U0-G1
MRS-LED-06L-SIL-2-30-70CRI-IL	3,727	39	96	B1-U0-G0
MRS-LED-06L-SIL-2-40-70CRI	6,136	39	157	B2-U0-G1
MRS-LED-06L-SIL-2-40-70CRI-IH	4,766	39	122	B1-U0-G1
MRS-LED-06L-SIL-2-40-70CRI-IL	3,864	39	99	B1-U0-G0
MRS-LED-06L-SIL-2-50-70CRI	6,121	39	157	B2-U0-G1
MRS-LED-06L-SIL-2-50-70CRI-IH	4,754	39	122	B1-U0-G1
MRS-LED-06L-SIL-2-50-70CRI-IL	3,855	39	99	B1-U0-G0
MRS-LED-06L-SIL-3-30-70CRI	6,016	39	154	B1-U0-G2
MRS-LED-06L-SIL-3-30-70CRI-IH	4,746	39	122	B1-U0-G1
MRS-LED-06L-SIL-3-30-70CRI-IL	4,030	39	103	B0-U0-G1
MRS-LED-06L-SIL-3-40-70CRI	6,239	39	160	B1-U0-G2
MRS-LED-06L-SIL-3-40-70CRI-IH	4,922	39	126	B1-U0-G1
MRS-LED-06L-SIL-3-40-70CRI-IL	4,180	39	107	B0-U0-G1
MRS-LED-06L-SIL-3-50-70CRI	6,224	39	160	B1-U0-G2
MRS-LED-06L-SIL-3-50-70CRI-IH	4,910	39	126	B1-U0-G1
MRS-LED-06L-SIL-3-50-70CRI-IL	4,170	39	107	B0-U0-G1
MRS-LED-06L-SIL-4-30-70CRI	5,967	39	153	B1-U0-G2
MRS-LED-06L-SIL-4-30-70CRI-IH	4,728	39	121	B1-U0-G1
MRS-LED-06L-SIL-4-30-70CRI-IL	3,581	39	92	B0-U0-G1
MRS-LED-06L-SIL-4-40-70CRI	6,333	39	162	B1-U0-G3
MRS-LED-06L-SIL-4-40-70CRI-IH	5,017	39	129	B1-U0-G2
MRS-LED-06L-SIL-4-40-70CRI-IL	3,800	39	97	B0-U0-G1
MRS-LED-06L-SIL-4-50-70CRI	6,136	39	157	B1-U0-G2
MRS-LED-06L-SIL-4-50-70CRI-IH	4,861	39	125	B1-U0-G1
MRS-LED-06L-SIL-4-50-70CRI-IL	3,682	39	94	B0-U0-G1
MRS-LED-06L-SIL-5W-30-70CRI	5,690	39	146	B3-U0-G1
MRS-LED-06L-SIL-5W-40-70CRI	5,900	39	151	B3-U0-G1
MRS-LED-06L-SIL-5W-50-70CRI	5,886	39	151	B3-U0-G1
MRS-LED-06L-SIL-FT-30-70CRI	5,823	39	149	B1-U0-G1
MRS-LED-06L-SIL-FT-30-70CRI-IH	4,364	39	112	B1-U0-G1
MRS-LED-06L-SIL-FT-30-70CRI-IL	3,768	39	97	B0-U0-G1
MRS-LED-06L-SIL-FT-40-70CRI	6,037	39	155	B1-U0-G1
MRS-LED-06L-SIL-FT-40-70CRI-IH	4,525	39	116	B1-U0-G1
MRS-LED-06L-SIL-FT-40-70CRI-IL	3,907	39	100	B0-U0-G1
MRS-LED-06L-SIL-FT-50-70CRI	6,023	39	154	B1-U0-G1
MRS-LED-06L-SIL-FT-50-70CRI-IH	4,515	39	116	B1-U0-G1
MRS-LED-06L-SIL-FT-50-70CRI-IL	3,898	39	100	B0-U0-G1
MRS-LED-06L-SIL-LC-30-70CRI	6,003	39	154	B1-U0-G2
MRS-LED-06L-SIL-LC-40-70CRI	6,371	39	163	B1-U0-G2
MRS-LED-06L-SIL-LC-50-70CRI	6,173	39	158	B1-U0-G2
MRS-LED-06L-SIL-RC-30-70CRI	5,964	39	153	B1-U0-G2
MRS-LED-06L-SIL-RC-40-70CRI	6,329	39	162	B1-U0-G2
MRS-LED-06L-SIL-RC-50-70CRI	6,132	39	157	B1-U0-G2
MRS-LED-09L-SIL-2-30-70CRI	9,091	63	144	B2-U0-G2
MRS-LED-09L-SIL-2-30-70CRI-IH	7,061	63	112	B2-U0-G1
MRS-LED-09L-SIL-2-30-70CRI-IL	5,725	63	91	B1-U0-G1
MRS-LED-09L-SIL-2-40-70CRI	9,484	63	151	B2-U0-G2
MRS-LED-09L-SIL-2-40-70CRI-IH	7,366	63	117	B2-U0-G1
MRS-LED-09L-SIL-2-40-70CRI-IL	5,972	63	95	B1-U0-G1
MRS-LED-09L-SIL-2-50-70CRI	9,462	63	150	B2-U0-G2
MRS-LED-09L-SIL-2-50-70CRI-IH	7,349	63	117	B2-U0-G1



MRS-70CRI - Mirada Small Area Light

MRS-70CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-09L-SIL-2-50-70CRI-IL	5,958	63	95	B1-U0-G1
MRS-LED-09L-SIL-3-30-70CRI	9,241	63	147	B2-U0-G2
MRS-LED-09L-SIL-3-30-70CRI-IH	7,290	63	116	B1-U0-G2
MRS-LED-09L-SIL-3-30-70CRI-IL	6,191	63	98	B0-U0-G2
MRS-LED-09L-SIL-3-40-70CRI	9,641	63	153	B2-U0-G2
MRS-LED-09L-SIL-3-40-70CRI-IH	7,606	63	121	B1-U0-G2
MRS-LED-09L-SIL-3-40-70CRI-IL	6,459	63	103	B0-U0-G2
MRS-LED-09L-SIL-3-50-70CRI	9,619	63	153	B2-U0-G2
MRS-LED-09L-SIL-3-50-70CRI-IH	7,588	63	120	B1-U0-G2
MRS-LED-09L-SIL-3-50-70CRI-IL	6,444	63	102	B0-U0-G2
MRS-LED-09L-SIL-4-30-70CRI	9,214	63	146	B2-U0-G3
MRS-LED-09L-SIL-4-30-70CRI-IH	7,307	63	116	B1-U0-G2
MRS-LED-09L-SIL-4-30-70CRI-IL	5,534	63	88	B0-U0-G2
MRS-LED-09L-SIL-4-40-70CRI	9,778	63	155	B2-U0-G3
MRS-LED-09L-SIL-4-40-70CRI-IH	7,755	63	123	B1-U0-G2
MRS-LED-09L-SIL-4-40-70CRI-IL	5,873	63	93	B0-U0-G2
MRS-LED-09L-SIL-4-50-70CRI	9,474	63	150	B2-U0-G3
MRS-LED-09L-SIL-4-50-70CRI-IH	7,514	63	119	B1-U0-G2
MRS-LED-09L-SIL-4-50-70CRI-IL	5,690	63	90	B0-U0-G2
MRS-LED-09L-SIL-5W-30-70CRI	8,740	63	139	B3-U0-G2
MRS-LED-09L-SIL-5W-40-70CRI	9,118	63	145	B3-U0-G2
MRS-LED-09L-SIL-5W-50-70CRI	9,097	63	144	B3-U0-G2
MRS-LED-09L-SIL-FT-30-70CRI	8,943	63	142	B2-U0-G2
MRS-LED-09L-SIL-FT-30-70CRI-IH	6,704	63	106	B1-U0-G2
MRS-LED-09L-SIL-FT-30-70CRI-IL	5,788	63	92	B1-U0-G1
MRS-LED-09L-SIL-FT-40-70CRI	9,330	63	148	B2-U0-G2
MRS-LED-09L-SIL-FT-40-70CRI-IH	6,994	63	111	B1-U0-G2
MRS-LED-09L-SIL-FT-40-70CRI-IL	6,038	63	96	B1-U0-G1
MRS-LED-09L-SIL-FT-50-70CRI	9,308	63	148	B2-U0-G2
MRS-LED-09L-SIL-FT-50-70CRI-IH	6,977	63	111	B1-U0-G2
MRS-LED-09L-SIL-FT-50-70CRI-IL	6,024	63	96	B1-U0-G1
MRS-LED-09L-SIL-LC-30-70CRI	9,269	63	147	B2-U0-G3
MRS-LED-09L-SIL-LC-40-70CRI	9,837	63	156	B2-U0-G3
MRS-LED-09L-SIL-LC-50-70CRI	9,531	63	151	B2-U0-G3
MRS-LED-09L-SIL-RC-30-70CRI	9,208	63	146	B2-U0-G2
MRS-LED-09L-SIL-RC-40-70CRI	9,772	63	155	B2-U0-G3
MRS-LED-09L-SIL-RC-50-70CRI	9,468	63	150	B2-U0-G2
MRS-LED-12L-SIL-2-30-70CRI	12,132	86	141	B3-U0-G2
MRS-LED-12L-SIL-2-30-70CRI-IH	9,422	86	110	B2-U0-G1
MRS-LED-12L-SIL-2-30-70CRI-IL	7,641	86	89	B1-U0-G1
MRS-LED-12L-SIL-2-40-70CRI	12,685	86	147	B3-U0-G2
MRS-LED-12L-SIL-2-40-70CRI-IH	9,852	86	115	B2-U0-G1
MRS-LED-12L-SIL-2-40-70CRI-IL	7,989	86	93	B1-U0-G1
MRS-LED-12L-SIL-2-50-70CRI	12,514	86	146	B3-U0-G2
MRS-LED-12L-SIL-2-50-70CRI-IH	9,719	86	113	B2-U0-G1
MRS-LED-12L-SIL-2-50-70CRI-IL	7,881	86	92	B1-U0-G1
MRS-LED-12L-SIL-3-30-70CRI	12,333	86	143	B2-U0-G2
MRS-LED-12L-SIL-3-30-70CRI-IH	9,729	86	113	B1-U0-G2
MRS-LED-12L-SIL-3-30-70CRI-IL	8,263	86	96	B1-U0-G2
MRS-LED-12L-SIL-3-40-70CRI	12,894	86	150	B2-U0-G2
MRS-LED-12L-SIL-3-40-70CRI-IH	10,172	86	118	B1-U0-G2
MRS-LED-12L-SIL-3-40-70CRI-IL	8,638	86	100	B1-U0-G2
MRS-LED-12L-SIL-3-50-70CRI	12,721	86	148	B2-U0-G2



MRS-70CRI - Mirada Small Area Light

MRS-70CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-12L-SIL-3-50-70CRI-IH	10,035	86	117	B1-U0-G2
MRS-LED-12L-SIL-3-50-70CRI-IL	8,522	86	99	B1-U0-G2
MRS-LED-12L-SIL-4-30-70CRI	12,277	86	143	B2-U0-G3
MRS-LED-12L-SIL-4-30-70CRI-IH	9,773	86	114	B1-U0-G2
MRS-LED-12L-SIL-4-30-70CRI-IL	7,403	86	86	B1-U0-G2
MRS-LED-12L-SIL-4-40-70CRI	13,029	86	152	B2-U0-G3
MRS-LED-12L-SIL-4-40-70CRI-IH	10,372	86	121	B1-U0-G2
MRS-LED-12L-SIL-4-40-70CRI-IL	7,856	86	91	B1-U0-G2
MRS-LED-12L-SIL-4-50-70CRI	12,623	86	147	B2-U0-G3
MRS-LED-12L-SIL-4-50-70CRI-IH	10,049	86	117	B1-U0-G2
MRS-LED-12L-SIL-4-50-70CRI-IL	7,612	86	89	B1-U0-G2
MRS-LED-12L-SIL-5W-30-70CRI	11,664	86	136	B4-U0-G2
MRS-LED-12L-SIL-5W-40-70CRI	12,195	86	142	B4-U0-G2
MRS-LED-12L-SIL-5W-50-70CRI	12,031	86	140	B4-U0-G2
MRS-LED-12L-SIL-FT-30-70CRI	11,935	86	139	B2-U0-G2
MRS-LED-12L-SIL-FT-30-70CRI-IH	8,947	86	104	B1-U0-G2
MRS-LED-12L-SIL-FT-30-70CRI-IL	7,724	86	90	B1-U0-G2
MRS-LED-12L-SIL-FT-40-70CRI	12,479	86	145	B2-U0-G2
MRS-LED-12L-SIL-FT-40-70CRI-IH	9,354	86	109	B1-U0-G2
MRS-LED-12L-SIL-FT-40-70CRI-IL	8,077	86	94	B1-U0-G2
MRS-LED-12L-SIL-FT-50-70CRI	12,311	86	143	B2-U0-G2
MRS-LED-12L-SIL-FT-50-70CRI-IH	9,229	86	107	B1-U0-G2
MRS-LED-12L-SIL-FT-50-70CRI-IL	7,968	86	93	B1-U0-G2
MRS-LED-12L-SIL-LC-30-70CRI	12,351	86	144	B2-U0-G3
MRS-LED-12L-SIL-LC-40-70CRI	13,108	86	152	B2-U0-G3
MRS-LED-12L-SIL-LC-50-70CRI	12,700	86	148	B2-U0-G3
MRS-LED-12L-SIL-RC-30-70CRI	12,271	86	143	B2-U0-G3
MRS-LED-12L-SIL-RC-40-70CRI	13,022	86	151	B2-U0-G3
MRS-LED-12L-SIL-RC-50-70CRI	12,617	86	147	B2-U0-G3
MRS-LED-15L-SIL-2-30-70CRI	14,220	111	128	B3-U0-G2
MRS-LED-15L-SIL-2-30-70CRI-IH	11,044	111	99	B2-U0-G1
MRS-LED-15L-SIL-2-30-70CRI-IL	8,955	111	81	B1-U0-G1
MRS-LED-15L-SIL-2-40-70CRI	15,167	111	137	B3-U0-G2
MRS-LED-15L-SIL-2-40-70CRI-IH	11,780	111	106	B2-U0-G2
MRS-LED-15L-SIL-2-40-70CRI-IL	9,551	111	86	B1-U0-G1
MRS-LED-15L-SIL-2-50-70CRI	14,488	111	131	B3-U0-G2
MRS-LED-15L-SIL-2-50-70CRI-IH	11,252	111	101	B2-U0-G1
MRS-LED-15L-SIL-2-50-70CRI-IL	9,123	111	82	B1-U0-G1
MRS-LED-15L-SIL-3-30-70CRI	14,938	111	135	B2-U0-G2
MRS-LED-15L-SIL-3-30-70CRI-IH	11,784	111	106	B1-U0-G2
MRS-LED-15L-SIL-3-30-70CRI-IL	10,007	111	90	B1-U0-G2
MRS-LED-15L-SIL-3-40-70CRI	15,933	111	144	B2-U0-G2
MRS-LED-15L-SIL-3-40-70CRI-IH	12,569	111	113	B2-U0-G2
MRS-LED-15L-SIL-3-40-70CRI-IL	10,674	111	96	B1-U0-G2
MRS-LED-15L-SIL-3-50-70CRI	15,219	111	137	B2-U0-G2
MRS-LED-15L-SIL-3-50-70CRI-IH	12,006	111	108	B1-U0-G2
MRS-LED-15L-SIL-3-50-70CRI-IL	10,196	111	92	B1-U0-G2
MRS-LED-15L-SIL-4-30-70CRI	14,792	111	133	B2-U0-G4
MRS-LED-15L-SIL-4-30-70CRI-IH	11,981	111	108	B1-U0-G2
MRS-LED-15L-SIL-4-30-70CRI-IL	9,073	111	82	B1-U0-G2
MRS-LED-15L-SIL-4-40-70CRI	15,698	111	141	B2-U0-G4
MRS-LED-15L-SIL-4-40-70CRI-IH	12,715	111	115	B1-U0-G3
MRS-LED-15L-SIL-4-40-70CRI-IL	9,629	111	87	B1-U0-G2



MRS-70CRI - Mirada Small Area Light

MRS-70CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-15L-SIL-4-50-70CRI	15,209	111	137	B2-U0-G4
MRS-LED-15L-SIL-4-50-70CRI-IH	12,319	111	111	B1-U0-G2
MRS-LED-15L-SIL-4-50-70CRI-IL	9,329	111	84	B1-U0-G2
MRS-LED-15L-SIL-5W-30-70CRI	14,304	111	129	B4-U0-G2
MRS-LED-15L-SIL-5W-40-70CRI	15,257	111	137	B4-U0-G2
MRS-LED-15L-SIL-5W-50-70CRI	14,574	111	131	B4-U0-G2
MRS-LED-15L-SIL-FT-30-70CRI	14,342	111	129	B2-U0-G2
MRS-LED-15L-SIL-FT-30-70CRI-IH	10,751	111	97	B1-U0-G2
MRS-LED-15L-SIL-FT-30-70CRI-IL	9,282	111	84	B1-U0-G2
MRS-LED-15L-SIL-FT-40-70CRI	15,297	111	138	B2-U0-G2
MRS-LED-15L-SIL-FT-40-70CRI-IH	11,467	111	103	B1-U0-G2
MRS-LED-15L-SIL-FT-40-70CRI-IL	9,900	111	89	B1-U0-G2
MRS-LED-15L-SIL-FT-50-70CRI	14,612	111	132	B2-U0-G2
MRS-LED-15L-SIL-FT-50-70CRI-IH	10,953	111	99	B1-U0-G2
MRS-LED-15L-SIL-FT-50-70CRI-IL	9,457	111	85	B1-U0-G2
MRS-LED-15L-SIL-LC-30-70CRI	14,881	111	134	B2-U0-G3
MRS-LED-15L-SIL-LC-40-70CRI	15,793	111	142	B3-U0-G3
MRS-LED-15L-SIL-LC-50-70CRI	15,301	111	138	B2-U0-G3
MRS-LED-15L-SIL-RC-30-70CRI	14,784	111	133	B2-U0-G3
MRS-LED-15L-SIL-RC-40-70CRI	15,689	111	141	B2-U0-G3
MRS-LED-15L-SIL-RC-50-70CRI	15,201	111	137	B2-U0-G3
MRS-LED-18L-SIL-2-30-70CRI	16,438	135	122	B3-U0-G2
MRS-LED-18L-SIL-2-30-70CRI-IH	12,767	135	95	B2-U0-G2
MRS-LED-18L-SIL-2-30-70CRI-IL	10,351	135	77	B1-U0-G1
MRS-LED-18L-SIL-2-40-70CRI	17,532	135	130	B3-U0-G3
MRS-LED-18L-SIL-2-40-70CRI-IH	13,616	135	101	B2-U0-G2
MRS-LED-18L-SIL-2-40-70CRI-IL	11,040	135	82	B1-U0-G2
MRS-LED-18L-SIL-2-50-70CRI	16,747	135	124	B3-U0-G2
MRS-LED-18L-SIL-2-50-70CRI-IH	13,007	135	96	B2-U0-G2
MRS-LED-18L-SIL-2-50-70CRI-IL	10,546	135	78	B1-U0-G1
MRS-LED-18L-SIL-3-30-70CRI	17,267	135	128	B3-U0-G3
MRS-LED-18L-SIL-3-30-70CRI-IH	13,622	135	101	B2-U0-G2
MRS-LED-18L-SIL-3-30-70CRI-IL	11,568	135	86	B1-U0-G2
MRS-LED-18L-SIL-3-40-70CRI	18,417	135	136	B3-U0-G3
MRS-LED-18L-SIL-3-40-70CRI-IH	14,529	135	108	B2-U0-G2
MRS-LED-18L-SIL-3-40-70CRI-IL	12,338	135	91	B1-U0-G2
MRS-LED-18L-SIL-3-50-70CRI	17,592	135	130	B3-U0-G3
MRS-LED-18L-SIL-3-50-70CRI-IH	13,878	135	103	B2-U0-G2
MRS-LED-18L-SIL-3-50-70CRI-IL	11,785	136	87	B1-U0-G2
MRS-LED-18L-SIL-4-30-70CRI	17,101	135	127	B3-U0-G4
MRS-LED-18L-SIL-4-30-70CRI-IH	13,818	135	102	B1-U0-G3
MRS-LED-18L-SIL-4-30-70CRI-IL	10,487	135	78	B1-U0-G2
MRS-LED-18L-SIL-4-40-70CRI	18,149	135	134	B3-U0-G4
MRS-LED-18L-SIL-4-40-70CRI-IH	14,664	135	109	B1-U0-G3
MRS-LED-18L-SIL-4-40-70CRI-IL	11,130	135	82	B1-U0-G2
MRS-LED-18L-SIL-4-50-70CRI	17,584	135	130	B3-U0-G4
MRS-LED-18L-SIL-4-50-70CRI-IH	14,208	135	105	B1-U0-G3
MRS-LED-18L-SIL-4-50-70CRI-IL	10,784	135	80	B1-U0-G2
MRS-LED-18L-SIL-5W-30-70CRI	16,535	135	122	B4-U0-G2
MRS-LED-18L-SIL-5W-40-70CRI	17,636	135	131	B4-U0-G2
MRS-LED-18L-SIL-5W-50-70CRI	16,846	135	125	B4-U0-G2
MRS-LED-18L-SIL-FT-30-70CRI	16,578	135	123	B2-U0-G2
MRS-LED-18L-SIL-FT-30-70CRI-IH	12,427	135	92	B2-U0-G2



MRS-70CRI - Mirada Small Area Light

MRS-70CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-18L-SIL-FT-30-70CRI-IL	10,729	135	79	B1-U0-G2
MRS-LED-18L-SIL-FT-40-70CRI	17,682	135	131	B3-U0-G2
MRS-LED-18L-SIL-FT-40-70CRI-IH	13,225	135	98	B2-U0-G2
MRS-LED-18L-SIL-FT-40-70CRI-IL	11,443	135	85	B1-U0-G2
MRS-LED-18L-SIL-FT-50-70CRI	16,890	135	125	B2-U0-G2
MRS-LED-18L-SIL-FT-50-70CRI-IH	12,661	135	94	B2-U0-G2
MRS-LED-18L-SIL-FT-50-70CRI-IL	10,931	135	81	B1-U0-G2
MRS-LED-18L-SIL-LC-30-70CRI	17,204	135	127	B3-U0-G3
MRS-LED-18L-SIL-LC-40-70CRI	18,258	135	135	B3-U0-G3
MRS-LED-18L-SIL-LC-50-70CRI	17,689	135	131	B3-U0-G3
MRS-LED-18L-SIL-RC-30-70CRI	17,091	135	127	B2-U0-G3
MRS-LED-18L-SIL-RC-40-70CRI	18,138	135	134	B3-U0-G3
MRS-LED-18L-SIL-RC-50-70CRI	17,574	135	130	B2-U0-G3
MRS-LED-21L-SIL-2-30-70CRI	19,488	165	118	B3-U0-G3
MRS-LED-21L-SIL-2-30-70CRI-IH	15,135	165	92	B3-U0-G2
MRS-LED-21L-SIL-2-30-70CRI-IL	12,272	165	74	B1-U0-G2
MRS-LED-21L-SIL-2-40-70CRI	20,786	165	126	B3-U0-G3
MRS-LED-21L-SIL-2-40-70CRI-IH	16,144	165	98	B3-U0-G2
MRS-LED-21L-SIL-2-40-70CRI-IL	13,090	165	79	B1-U0-G2
MRS-LED-21L-SIL-2-50-70CRI	19,885	165	121	B3-U0-G3
MRS-LED-21L-SIL-2-50-70CRI-IH	15,444	165	94	B3-U0-G2
MRS-LED-21L-SIL-2-50-70CRI-IL	12,523	165	76	B1-U0-G2
MRS-LED-21L-SIL-3-30-70CRI	20,472	165	124	B3-U0-G3
MRS-LED-21L-SIL-3-30-70CRI-IH	16,150	165	98	B2-U0-G2
MRS-LED-21L-SIL-3-30-70CRI-IL	13,715	165	83	B1-U0-G2
MRS-LED-21L-SIL-3-40-70CRI	21,835	165	132	B3-U0-G3
MRS-LED-21L-SIL-3-40-70CRI-IH	17,225	165	104	B2-U0-G2
MRS-LED-21L-SIL-3-40-70CRI-IL	14,628	165	89	B1-U0-G2
MRS-LED-21L-SIL-3-50-70CRI	20,857	165	126	B3-U0-G3
MRS-LED-21L-SIL-3-50-70CRI-IH	16,454	165	100	B2-U0-G2
MRS-LED-21L-SIL-3-50-70CRI-IL	13,973	165	85	B1-U0-G2
MRS-LED-21L-SIL-4-30-70CRI	20,279	165	123	B3-U0-G4
MRS-LED-21L-SIL-4-30-70CRI-IH	16,419	165	100	B2-U0-G3
MRS-LED-21L-SIL-4-30-70CRI-IL	12,434	165	75	B1-U0-G2
MRS-LED-21L-SIL-4-40-70CRI	21,521	165	130	B3-U0-G5
MRS-LED-21L-SIL-4-40-70CRI-IH	17,425	165	106	B2-U0-G3
MRS-LED-21L-SIL-4-40-70CRI-IL	13,196	165	80	B1-U0-G2
MRS-LED-21L-SIL-4-50-70CRI	20,851	165	126	B3-U0-G5
MRS-LED-21L-SIL-4-50-70CRI-IH	16,883	165	102	B2-U0-G3
MRS-LED-21L-SIL-4-50-70CRI-IL	12,785	165	77	B1-U0-G2
MRS-LED-21L-SIL-5W-30-70CRI	19,604	165	119	B4-U0-G2
MRS-LED-21L-SIL-5W-40-70CRI	20,909	165	127	B5-U0-G3
MRS-LED-21L-SIL-5W-50-70CRI	19,973	165	121	B4-U0-G2
MRS-LED-21L-SIL-FT-30-70CRI	19,655	165	119	B3-U0-G3
MRS-LED-21L-SIL-FT-30-70CRI-IH	14,734	165	89	B2-U0-G2
MRS-LED-21L-SIL-FT-30-70CRI-IL	12,720	165	77	B1-U0-G2
MRS-LED-21L-SIL-FT-40-70CRI	20,964	165	127	B3-U0-G3
MRS-LED-21L-SIL-FT-40-70CRI-IH	15,715	165	95	B2-U0-G2
MRS-LED-21L-SIL-FT-40-70CRI-IL	13,568	165	82	B1-U0-G2
MRS-LED-21L-SIL-FT-50-70CRI	20,025	165	121	B3-U0-G3
MRS-LED-21L-SIL-FT-50-70CRI-IH	15,011	165	91	B2-U0-G2
MRS-LED-21L-SIL-FT-50-70CRI-IL	12,960	165	79	B1-U0-G2
MRS-LED-21L-SIL-LC-30-70CRI	20,401	165	124	B3-U0-G4



MRS-70CRI - Mirada Small Area Light

MRS-70CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-21L-SIL-LC-40-70CRI	21,651	165	131	B3-U0-G4
MRS-LED-21L-SIL-LC-50-70CRI	20,977	165	127	B3-U0-G4
MRS-LED-21L-SIL-RC-30-70CRI	20,268	165	123	B3-U0-G3
MRS-LED-21L-SIL-RC-40-70CRI	21,509	165	130	B3-U0-G4
MRS-LED-21L-SIL-RC-50-70CRI	20,840	165	126	B3-U0-G3
MRS-LED-24L-SIL-2-30-70CRI	21,976	196	112	B3-U0-G3
MRS-LED-24L-SIL-2-30-70CRI-IH	17,069	196	87	B3-U0-G2
MRS-LED-24L-SIL-2-30-70CRI-IL	13,840	196	71	B1-U0-G2
MRS-LED-24L-SIL-2-40-70CRI	23,439	196	120	B3-U0-G3
MRS-LED-24L-SIL-2-40-70CRI-IH	18,204	196	93	B3-U0-G2
MRS-LED-24L-SIL-2-40-70CRI-IL	14,760	196	75	B1-U0-G2
MRS-LED-24L-SIL-2-50-70CRI	22,390	196	114	B3-U0-G3
MRS-LED-24L-SIL-2-50-70CRI-IH	17,389	196	89	B3-U0-G2
MRS-LED-24L-SIL-2-50-70CRI-IL	14,100	196	72	B1-U0-G2
MRS-LED-24L-SIL-3-30-70CRI	23,085	196	118	B3-U0-G3
MRS-LED-24L-SIL-3-30-70CRI-IH	18,211	196	93	B2-U0-G3
MRS-LED-24L-SIL-3-30-70CRI-IL	15,466	196	79	B1-U0-G2
MRS-LED-24L-SIL-3-40-70CRI	24,622	196	126	B3-U0-G3
MRS-LED-24L-SIL-3-40-70CRI-IH	19,424	196	99	B2-U0-G3
MRS-LED-24L-SIL-3-40-70CRI-IL	16,495	196	84	B1-U0-G2
MRS-LED-24L-SIL-3-50-70CRI	23,519	196	120	B3-U0-G3
MRS-LED-24L-SIL-3-50-70CRI-IH	18,554	196	95	B2-U0-G3
MRS-LED-24L-SIL-3-50-70CRI-IL	15,757	196	80	B1-U0-G2
MRS-LED-24L-SIL-4-30-70CRI	23,190	196	118	B3-U0-G5
MRS-LED-24L-SIL-4-30-70CRI-IH	18,515	196	94	B2-U0-G3
MRS-LED-24L-SIL-4-30-70CRI-IL	14,022	196	72	B1-U0-G3
MRS-LED-24L-SIL-4-40-70CRI	24,758	196	126	B3-U0-G5
MRS-LED-24L-SIL-4-40-70CRI-IH	19,649	196	100	B2-U0-G3
MRS-LED-24L-SIL-4-40-70CRI-IL	14,881	196	76	B1-U0-G3
MRS-LED-24L-SIL-4-50-70CRI	23,888	196	122	B3-U0-G5
MRS-LED-24L-SIL-4-50-70CRI-IH	19,038	196	97	B2-U0-G3
MRS-LED-24L-SIL-4-50-70CRI-IL	14,418	196	74	B1-U0-G3
MRS-LED-24L-SIL-5W-30-70CRI	22,105	196	113	B5-U0-G3
MRS-LED-24L-SIL-5W-40-70CRI	23,578	196	120	B5-U0-G3
MRS-LED-24L-SIL-5W-50-70CRI	22,522	196	115	B5-U0-G3
MRS-LED-24L-SIL-FT-30-70CRI	22,164	196	113	B3-U0-G3
MRS-LED-24L-SIL-FT-30-70CRI-IH	16,615	192	87	B2-U0-G2
MRS-LED-24L-SIL-FT-30-70CRI-IL	14,345	196	73	B1-U0-G2
MRS-LED-24L-SIL-FT-40-70CRI	23,640	196	121	B3-U0-G3
MRS-LED-24L-SIL-FT-40-70CRI-IH	17,721	192	92	B2-U0-G2
MRS-LED-24L-SIL-FT-40-70CRI-IL	15,300	196	78	B1-U0-G2
MRS-LED-24L-SIL-FT-50-70CRI	22,581	196	115	B3-U0-G3
MRS-LED-24L-SIL-FT-50-70CRI-IH	16,927	192	88	B2-U0-G2
MRS-LED-24L-SIL-FT-50-70CRI-IL	14,615	196	75	B1-U0-G2
MRS-LED-24L-SIL-LC-30-70CRI	23,469	196	120	B3-U0-G4
MRS-LED-24L-SIL-LC-40-70CRI	24,907	196	127	B3-U0-G4
MRS-LED-24L-SIL-LC-50-70CRI	24,131	196	123	B3-U0-G4
MRS-LED-24L-SIL-RC-30-70CRI	23,316	196	119	B3-U0-G4
MRS-LED-24L-SIL-RC-40-70CRI	24,744	196	126	B3-U0-G4
MRS-LED-24L-SIL-RC-50-70CRI	23,974	196	122	B3-U0-G4
MRS-LED-30L-SIL-2-30-70CRI	30,078	209	144	B4-U0-G3
MRS-LED-30L-SIL-2-30-70CRI-IH	24,885	209	119	B3-U0-G2



MRS-70CRI - Mirada Small Area Light

MRS-70CRI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	LER	BUG
MRS-LED-30L-SIL-2-30-70CRI-IL	17,382	209	83	B2-U0-G2
MRS-LED-30L-SIL-2-40-70CRI	29,485	209	141	B4-U0-G4
MRS-LED-30L-SIL-2-40-70CRI-IH	24,394	209	117	B3-U0-G2
MRS-LED-30L-SIL-2-40-70CRI-IL	17,039	209	82	B2-U0-G2
MRS-LED-30L-SIL-2-50-70CRI	30,697	209	147	B4-U0-G3
MRS-LED-30L-SIL-2-50-70CRI-IH	25,397	209	122	B3-U0-G2
MRS-LED-30L-SIL-2-50-70CRI-IL	17,740	209	85	B2-U0-G2
MRS-LED-30L-SIL-3-30-70CRI	31,711	209	152	B3-U0-G3
MRS-LED-30L-SIL-3-30-70CRI-IH	26,451	209	127	B2-U0-G4
MRS-LED-30L-SIL-3-30-70CRI-IL	21,014	209	101	B1-U0-G3
MRS-LED-30L-SIL-3-40-70CRI	31,086	209	149	B3-U0-G3
MRS-LED-30L-SIL-3-40-70CRI-IH	25,930	209	124	B2-U0-G4
MRS-LED-30L-SIL-3-40-70CRI-IL	20,600	209	99	B1-U0-G3
MRS-LED-30L-SIL-3-50-70CRI	32,364	209	155	B3-U0-G3
MRS-LED-30L-SIL-3-50-70CRI-IH	26,995	209	129	B3-U0-G4
MRS-LED-30L-SIL-3-50-70CRI-IL	21,446	209	103	B1-U0-G3
MRS-LED-30L-SIL-4-30-70CRI	30,459	209	146	B3-U0-G5
MRS-LED-30L-SIL-4-30-70CRI-IH	25,062	209	120	B3-U0-G4
MRS-LED-30L-SIL-4-30-70CRI-IL	19,442	209	93	B1-U0-G3
MRS-LED-30L-SIL-4-40-70CRI	29,858	209	143	B3-U0-G5
MRS-LED-30L-SIL-4-40-70CRI-IH	24,567	209	118	B3-U0-G4
MRS-LED-30L-SIL-4-40-70CRI-IL	19,059	209	91	B1-U0-G3
MRS-LED-30L-SIL-4-50-70CRI	31,086	209	149	B3-U0-G5
MRS-LED-30L-SIL-4-50-70CRI-IH	25,578	209	122	B3-U0-G4
MRS-LED-30L-SIL-4-50-70CRI-IL	19,842	209	95	B1-U0-G3
MRS-LED-30L-SIL-5W-30-70CRI	30,588	209	146	B5-U0-G3
MRS-LED-30L-SIL-5W-40-70CRI	29,985	209	143	B5-U0-G3
MRS-LED-30L-SIL-5W-50-70CRI	31,218	209	149	B5-U0-G3
MRS-LED-30L-SIL-FT-30-70CRI	31,585	209	151	B3-U0-G4
MRS-LED-30L-SIL-FT-30-70CRI-IH	24,950	209	119	B3-U0-G4
MRS-LED-30L-SIL-FT-30-70CRI-IL	19,667	209	94	B1-U0-G3
MRS-LED-30L-SIL-FT-40-70CRI	30,962	209	148	B3-U0-G4
MRS-LED-30L-SIL-FT-40-70CRI-IH	24,458	209	117	B3-U0-G4
MRS-LED-30L-SIL-FT-40-70CRI-IL	19,280	209	92	B1-U0-G3
MRS-LED-30L-SIL-FT-50-70CRI	32,235	209	154	B4-U0-G4
MRS-LED-30L-SIL-FT-50-70CRI-IH	25,464	209	122	B3-U0-G4
MRS-LED-30L-SIL-FT-50-70CRI-IL	20,072	209	96	B1-U0-G3
MRS-LED-30L-SIL-LC-30-70CRI	32,303	209	155	B3-U0-G5
MRS-LED-30L-SIL-LC-30-70CRI-IH	24,704	209	118	B3-U0-G4
MRS-LED-30L-SIL-LC-30-70CRI-IL	18,916	209	91	B1-U0-G3
MRS-LED-30L-SIL-LC-40-70CRI	31,666	209	152	B3-U0-G5
MRS-LED-30L-SIL-LC-40-70CRI-IH	24,217	209	116	B3-U0-G4
MRS-LED-30L-SIL-LC-40-70CRI-IL	18,543	209	89	B1-U0-G3
MRS-LED-30L-SIL-LC-50-70CRI	32,968	209	158	B3-U0-G5
MRS-LED-30L-SIL-LC-50-70CRI-IH	25,213	209	121	B3-U0-G4
MRS-LED-30L-SIL-LC-50-70CRI-IL	19,306	209	92	B1-U0-G3
MRS-LED-30L-SIL-RC-30-70CRI	31,942	209	153	B3-U0-G4
MRS-LED-30L-SIL-RC-30-70CRI-IH	24,432	209	117	B3-U0-G4
MRS-LED-30L-SIL-RC-30-70CRI-IL	19,078	209	91	B1-U0-G3
MRS-LED-30L-SIL-RC-40-70CRI	31,313	209	150	B3-U0-G4
MRS-LED-30L-SIL-RC-40-70CRI-IH	23,950	209	115	B3-U0-G4
MRS-LED-30L-SIL-RC-40-70CRI-IL	18,702	209	89	B1-U0-G3
MRS-LED-30L-SIL-RC-50-70CRI	32,600	209	156	B3-U0-G5
MRS-LED-30L-SIL-RC-50-70CRI-IH	24,935	209	119	B3-U0-G4



MRS-70CRI - Mirada Small Area Light

MRS-70CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-30L-SIL-RC-50-70CRI-IL	19,471	209	93	B1-U0-G3