



MRS-80CRI - Mirada Small Area Light

MRS-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-06L-SIL-2-27-80CRI	5,089	39	130	B2-U0-G1
MRS-LED-06L-SIL-2-27-80CRI-IH	3,953	39	101	B1-U0-G1
MRS-LED-06L-SIL-2-27-80CRI-IL	3,206	39	82	B0-U0-G0
MRS-LED-06L-SIL-2-30-80CRI	5,504	39	141	B2-U0-G1
MRS-LED-06L-SIL-2-30-80CRI-IH	4,275	39	110	B1-U0-G1
MRS-LED-06L-SIL-2-30-80CRI-IL	3,467	39	89	B1-U0-G0
MRS-LED-06L-SIL-2-35-80CRI	5,918	39	152	B2-U0-G1
MRS-LED-06L-SIL-2-35-80CRI-IH	4,597	39	118	B1-U0-G1
MRS-LED-06L-SIL-2-35-80CRI-IL	3,727	39	96	B1-U0-G0
MRS-LED-06L-SIL-2-40-80CRI	5,706	39	146	B2-U0-G1
MRS-LED-06L-SIL-2-40-80CRI-IH	4,432	39	114	B1-U0-G1
MRS-LED-06L-SIL-2-40-80CRI-IL	3,594	39	92	B1-U0-G0
MRS-LED-06L-SIL-2-50-80CRI	5,693	39	146	B2-U0-G1
MRS-LED-06L-SIL-2-50-80CRI-IH	4,422	39	113	B1-U0-G1
MRS-LED-06L-SIL-2-50-80CRI-IL	3,586	39	92	B1-U0-G0
MRS-LED-06L-SIL-3-27-80CRI	5,174	39	133	B1-U0-G1
MRS-LED-06L-SIL-3-27-80CRI-IH	4,082	39	105	B1-U0-G1
MRS-LED-06L-SIL-3-27-80CRI-IL	3,466	39	89	B0-U0-G1
MRS-LED-06L-SIL-3-30-80CRI	5,595	39	143	B1-U0-G1
MRS-LED-06L-SIL-3-30-80CRI-IH	4,414	39	113	B1-U0-G1
MRS-LED-06L-SIL-3-30-80CRI-IL	3,748	39	96	B0-U0-G1
MRS-LED-06L-SIL-3-35-80CRI	6,016	39	154	B1-U0-G2
MRS-LED-06L-SIL-3-35-80CRI-IH	4,746	39	122	B1-U0-G1
MRS-LED-06L-SIL-3-35-80CRI-IL	4,030	39	103	B0-U0-G1
MRS-LED-06L-SIL-3-40-80CRI	5,802	39	149	B1-U0-G1
MRS-LED-06L-SIL-3-40-80CRI-IH	4,577	39	117	B1-U0-G1
MRS-LED-06L-SIL-3-40-80CRI-IL	3,887	39	100	B0-U0-G1
MRS-LED-06L-SIL-3-50-80CRI	5,788	39	148	B1-U0-G1
MRS-LED-06L-SIL-3-50-80CRI-IH	4,566	39	117	B1-U0-G1
MRS-LED-06L-SIL-3-50-80CRI-IL	3,878	39	99	B0-U0-G1
MRS-LED-06L-SIL-4-27-80CRI	5,132	39	132	B1-U0-G2
MRS-LED-06L-SIL-4-27-80CRI-IH	4,066	39	104	B1-U0-G1
MRS-LED-06L-SIL-4-27-80CRI-IL	3,080	39	79	B0-U0-G1
MRS-LED-06L-SIL-4-30-80CRI	5,549	39	142	B1-U0-G2
MRS-LED-06L-SIL-4-30-80CRI-IH	4,397	39	113	B1-U0-G1
MRS-LED-06L-SIL-4-30-80CRI-IL	3,330	39	85	B0-U0-G1
MRS-LED-06L-SIL-4-35-80CRI	5,967	39	153	B1-U0-G2
MRS-LED-06L-SIL-4-35-80CRI-IH	4,728	39	121	B1-U0-G1
MRS-LED-06L-SIL-4-35-80CRI-IL	3,581	39	92	B0-U0-G1
MRS-LED-06L-SIL-4-40-80CRI	5,890	39	151	B1-U0-G2
MRS-LED-06L-SIL-4-40-80CRI-IH	4,666	39	120	B1-U0-G1
MRS-LED-06L-SIL-4-40-80CRI-IL	3,534	39	91	B0-U0-G1
MRS-LED-06L-SIL-4-50-80CRI	5,706	39	146	B1-U0-G2
MRS-LED-06L-SIL-4-50-80CRI-IH	4,521	39	116	B1-U0-G1
MRS-LED-06L-SIL-4-50-80CRI-IL	3,424	39	88	B0-U0-G1
MRS-LED-06L-SIL-5W-27-80CRI	4,894	39	125	B3-U0-G1
MRS-LED-06L-SIL-5W-30-80CRI	5,292	39	136	B3-U0-G1
MRS-LED-06L-SIL-5W-35-80CRI	5,690	39	146	B3-U0-G1
MRS-LED-06L-SIL-5W-40-80CRI	5,487	39	141	B3-U0-G1
MRS-LED-06L-SIL-5W-50-80CRI	5,474	39	140	B3-U0-G1
MRS-LED-06L-SIL-FT-27-80CRI	5,007	39	128	B1-U0-G1
MRS-LED-06L-SIL-FT-27-80CRI-IH	3,754	39	96	B1-U0-G1
MRS-LED-06L-SIL-FT-27-80CRI-IL	3,241	39	83	B0-U0-G1
MRS-LED-06L-SIL-FT-30-80CRI	5,415	39	139	B1-U0-G1



MRS-80CRI - Mirada Small Area Light

MRS-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-06L-SIL-FT-30-80CRI-IH	4,059	39	104	B1-U0-G1
MRS-LED-06L-SIL-FT-30-80CRI-IL	3,505	39	90	B0-U0-G1
MRS-LED-06L-SIL-FT-35-80CRI	5,823	39	149	B1-U0-G1
MRS-LED-06L-SIL-FT-35-80CRI-IH	4,364	39	112	B1-U0-G1
MRS-LED-06L-SIL-FT-35-80CRI-IL	3,768	39	97	B0-U0-G1
MRS-LED-06L-SIL-FT-40-80CRI	5,614	39	144	B1-U0-G1
MRS-LED-06L-SIL-FT-40-80CRI-IH	4,208	39	108	B1-U0-G1
MRS-LED-06L-SIL-FT-40-80CRI-IL	3,634	39	93	B0-U0-G1
MRS-LED-06L-SIL-FT-50-80CRI	5,601	39	144	B1-U0-G1
MRS-LED-06L-SIL-FT-50-80CRI-IH	4,199	39	108	B1-U0-G1
MRS-LED-06L-SIL-FT-50-80CRI-IL	3,626	39	93	B0-U0-G1
MRS-LED-06L-SIL-LC-27-80CRI	5,163	39	132	B1-U0-G2
MRS-LED-06L-SIL-LC-30-80CRI	5,583	39	143	B1-U0-G2
MRS-LED-06L-SIL-LC-35-80CRI	6,003	39	154	B1-U0-G2
MRS-LED-06L-SIL-LC-40-80CRI	5,925	39	152	B1-U0-G2
MRS-LED-06L-SIL-LC-50-80CRI	5,741	39	147	B1-U0-G2
MRS-LED-06L-SIL-RC-27-80CRI	5,129	39	132	B1-U0-G2
MRS-LED-06L-SIL-RC-30-80CRI	5,546	39	142	B1-U0-G2
MRS-LED-06L-SIL-RC-35-80CRI	5,964	39	153	B1-U0-G2
MRS-LED-06L-SIL-RC-40-80CRI	5,886	39	151	B1-U0-G2
MRS-LED-06L-SIL-RC-50-80CRI	5,703	39	146	B1-U0-G2
MRS-LED-09L-SIL-2-27-80CRI	7,818	63	124	B2-U0-G2
MRS-LED-09L-SIL-2-27-80CRI-IH	6,073	63	96	B1-U0-G1
MRS-LED-09L-SIL-2-27-80CRI-IL	4,924	63	78	B1-U0-G1
MRS-LED-09L-SIL-2-30-80CRI	8,454	63	134	B2-U0-G2
MRS-LED-09L-SIL-2-30-80CRI-IH	6,567	63	104	B1-U0-G1
MRS-LED-09L-SIL-2-30-80CRI-IL	5,324	63	85	B1-U0-G1
MRS-LED-09L-SIL-2-35-80CRI	9,091	63	144	B2-U0-G2
MRS-LED-09L-SIL-2-35-80CRI-IH	7,061	63	112	B2-U0-G1
MRS-LED-09L-SIL-2-35-80CRI-IL	5,725	63	91	B1-U0-G1
MRS-LED-09L-SIL-2-40-80CRI	8,820	63	140	B2-U0-G2
MRS-LED-09L-SIL-2-40-80CRI-IH	6,851	63	109	B1-U0-G1
MRS-LED-09L-SIL-2-40-80CRI-IL	5,554	63	88	B1-U0-G1
MRS-LED-09L-SIL-2-50-80CRI	8,799	63	140	B2-U0-G2
MRS-LED-09L-SIL-2-50-80CRI-IH	6,835	63	108	B1-U0-G1
MRS-LED-09L-SIL-2-50-80CRI-IL	5,541	63	88	B1-U0-G1
MRS-LED-09L-SIL-3-27-80CRI	7,948	63	126	B1-U0-G2
MRS-LED-09L-SIL-3-27-80CRI-IH	6,269	63	100	B1-U0-G1
MRS-LED-09L-SIL-3-27-80CRI-IL	5,325	63	85	B0-U0-G1
MRS-LED-09L-SIL-3-30-80CRI	8,595	63	136	B2-U0-G2
MRS-LED-09L-SIL-3-30-80CRI-IH	6,780	63	108	B1-U0-G2
MRS-LED-09L-SIL-3-30-80CRI-IL	5,758	63	91	B0-U0-G1
MRS-LED-09L-SIL-3-35-80CRI	9,241	63	147	B2-U0-G2
MRS-LED-09L-SIL-3-35-80CRI-IH	7,290	63	116	B1-U0-G2
MRS-LED-09L-SIL-3-35-80CRI-IL	6,191	63	98	B0-U0-G2
MRS-LED-09L-SIL-3-40-80CRI	8,967	63	142	B2-U0-G2
MRS-LED-09L-SIL-3-40-80CRI-IH	7,074	63	112	B1-U0-G2
MRS-LED-09L-SIL-3-40-80CRI-IL	6,007	63	95	B0-U0-G2
MRS-LED-09L-SIL-3-50-80CRI	8,946	63	142	B2-U0-G2
MRS-LED-09L-SIL-3-50-80CRI-IH	7,057	63	112	B1-U0-G2
MRS-LED-09L-SIL-3-50-80CRI-IL	5,993	63	95	B0-U0-G2
MRS-LED-09L-SIL-4-27-80CRI	7,924	63	126	B1-U0-G3
MRS-LED-09L-SIL-4-27-80CRI-IH	6,285	63	100	B1-U0-G2



MRS-80CRI - Mirada Small Area Light

MRS-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-09L-SIL-4-27-80CRI-IL	4,759	63	76	B0-U0-G1
MRS-LED-09L-SIL-4-30-80CRI	8,569	63	136	B2-U0-G3
MRS-LED-09L-SIL-4-30-80CRI-IH	6,796	63	108	B1-U0-G2
MRS-LED-09L-SIL-4-30-80CRI-IL	5,147	63	82	B0-U0-G2
MRS-LED-09L-SIL-4-35-80CRI	9,214	63	146	B2-U0-G3
MRS-LED-09L-SIL-4-35-80CRI-IH	7,307	63	116	B1-U0-G2
MRS-LED-09L-SIL-4-35-80CRI-IL	5,534	63	88	B0-U0-G2
MRS-LED-09L-SIL-4-40-80CRI	9,094	63	144	B2-U0-G3
MRS-LED-09L-SIL-4-40-80CRI-IH	7,212	63	114	B1-U0-G2
MRS-LED-09L-SIL-4-40-80CRI-IL	5,462	63	87	B0-U0-G2
MRS-LED-09L-SIL-4-50-80CRI	8,811	63	140	B2-U0-G3
MRS-LED-09L-SIL-4-50-80CRI-IH	6,988	63	111	B1-U0-G2
MRS-LED-09L-SIL-4-50-80CRI-IL	5,292	63	84	B0-U0-G2
MRS-LED-09L-SIL-5W-27-80CRI	7,517	63	119	B3-U0-G1
MRS-LED-09L-SIL-5W-30-80CRI	8,128	63	129	B3-U0-G2
MRS-LED-09L-SIL-5W-35-80CRI	8,740	63	139	B3-U0-G2
MRS-LED-09L-SIL-5W-40-80CRI	8,480	63	135	B3-U0-G2
MRS-LED-09L-SIL-5W-50-80CRI	8,460	63	134	B3-U0-G2
MRS-LED-09L-SIL-FT-27-80CRI	7,691	63	122	B2-U0-G2
MRS-LED-09L-SIL-FT-27-80CRI-IH	5,765	63	92	B1-U0-G1
MRS-LED-09L-SIL-FT-27-80CRI-IL	4,978	63	79	B0-U0-G1
MRS-LED-09L-SIL-FT-30-80CRI	8,317	63	132	B2-U0-G2
MRS-LED-09L-SIL-FT-30-80CRI-IH	6,235	63	99	B1-U0-G1
MRS-LED-09L-SIL-FT-30-80CRI-IL	5,383	63	85	B0-U0-G1
MRS-LED-09L-SIL-FT-35-80CRI	8,943	63	142	B2-U0-G2
MRS-LED-09L-SIL-FT-35-80CRI-IH	6,704	63	106	B1-U0-G2
MRS-LED-09L-SIL-FT-35-80CRI-IL	5,788	63	92	B1-U0-G1
MRS-LED-09L-SIL-FT-40-80CRI	8,677	63	138	B2-U0-G2
MRS-LED-09L-SIL-FT-40-80CRI-IH	6,504	63	103	B1-U0-G2
MRS-LED-09L-SIL-FT-40-80CRI-IL	5,615	63	89	B0-U0-G1
MRS-LED-09L-SIL-FT-50-80CRI	8,657	63	137	B2-U0-G2
MRS-LED-09L-SIL-FT-50-80CRI-IH	6,489	63	103	B1-U0-G2
MRS-LED-09L-SIL-FT-50-80CRI-IL	5,602	63	89	B0-U0-G1
MRS-LED-09L-SIL-LC-27-80CRI	7,971	63	127	B2-U0-G2
MRS-LED-09L-SIL-LC-30-80CRI	8,620	63	137	B2-U0-G3
MRS-LED-09L-SIL-LC-35-80CRI	9,269	63	147	B2-U0-G3
MRS-LED-09L-SIL-LC-40-80CRI	9,148	63	145	B2-U0-G3
MRS-LED-09L-SIL-LC-50-80CRI	8,864	63	141	B2-U0-G3
MRS-LED-09L-SIL-RC-27-80CRI	7,919	63	126	B1-U0-G2
MRS-LED-09L-SIL-RC-30-80CRI	8,564	63	136	B1-U0-G2
MRS-LED-09L-SIL-RC-35-80CRI	9,208	63	146	B2-U0-G2
MRS-LED-09L-SIL-RC-40-80CRI	9,088	63	144	B2-U0-G2
MRS-LED-09L-SIL-RC-50-80CRI	8,805	63	140	B1-U0-G2
MRS-LED-12L-SIL-2-27-80CRI	10,433	86	121	B2-U0-G2
MRS-LED-12L-SIL-2-27-80CRI-IH	8,103	86	94	B2-U0-G1
MRS-LED-12L-SIL-2-27-80CRI-IL	6,571	86	76	B1-U0-G1
MRS-LED-12L-SIL-2-30-80CRI	11,282	86	131	B3-U0-G2
MRS-LED-12L-SIL-2-30-80CRI-IH	8,763	86	102	B2-U0-G1
MRS-LED-12L-SIL-2-30-80CRI-IL	7,106	86	83	B1-U0-G1
MRS-LED-12L-SIL-2-35-80CRI	12,132	86	141	B3-U0-G2
MRS-LED-12L-SIL-2-35-80CRI-IH	9,422	86	110	B2-U0-G1
MRS-LED-12L-SIL-2-35-80CRI-IL	7,641	86	89	B1-U0-G1
MRS-LED-12L-SIL-2-40-80CRI	11,797	86	137	B3-U0-G2



MRS-80CRI - Mirada Small Area Light

MRS-80CRI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	LER	BUG
MRS-LED-12L-SIL-2-40-80CRI-IH	9,163	86	107	B2-U0-G1
MRS-LED-12L-SIL-2-40-80CRI-IL	7,430	86	86	B1-U0-G1
MRS-LED-12L-SIL-2-50-80CRI	11,638	86	135	B3-U0-G2
MRS-LED-12L-SIL-2-50-80CRI-IH	9,039	86	105	B2-U0-G1
MRS-LED-12L-SIL-2-50-80CRI-IL	7,329	86	85	B1-U0-G1
MRS-LED-12L-SIL-3-27-80CRI	10,606	86	123	B2-U0-G2
MRS-LED-12L-SIL-3-27-80CRI-IH	8,367	86	97	B1-U0-G2
MRS-LED-12L-SIL-3-27-80CRI-IL	7,106	86	83	B0-U0-G2
MRS-LED-12L-SIL-3-30-80CRI	11,469	86	133	B2-U0-G2
MRS-LED-12L-SIL-3-30-80CRI-IH	9,048	86	105	B1-U0-G2
MRS-LED-12L-SIL-3-30-80CRI-IL	7,684	86	89	B0-U0-G2
MRS-LED-12L-SIL-3-35-80CRI	12,333	86	143	B2-U0-G2
MRS-LED-12L-SIL-3-35-80CRI-IH	9,729	86	113	B1-U0-G2
MRS-LED-12L-SIL-3-35-80CRI-IL	8,263	86	96	B1-U0-G2
MRS-LED-12L-SIL-3-40-80CRI	11,992	86	139	B2-U0-G2
MRS-LED-12L-SIL-3-40-80CRI-IH	9,460	86	110	B1-U0-G2
MRS-LED-12L-SIL-3-40-80CRI-IL	8,034	86	93	B1-U0-G2
MRS-LED-12L-SIL-3-50-80CRI	11,830	86	138	B2-U0-G2
MRS-LED-12L-SIL-3-50-80CRI-IH	9,333	86	109	B1-U0-G2
MRS-LED-12L-SIL-3-50-80CRI-IL	7,926	86	92	B1-U0-G2
MRS-LED-12L-SIL-4-27-80CRI	10,558	86	123	B2-U0-G3
MRS-LED-12L-SIL-4-27-80CRI-IH	8,405	86	98	B1-U0-G2
MRS-LED-12L-SIL-4-27-80CRI-IL	6,366	86	74	B0-U0-G2
MRS-LED-12L-SIL-4-30-80CRI	11,418	86	133	B2-U0-G3
MRS-LED-12L-SIL-4-30-80CRI-IH	9,089	86	106	B1-U0-G2
MRS-LED-12L-SIL-4-30-80CRI-IL	6,885	86	80	B1-U0-G2
MRS-LED-12L-SIL-4-35-80CRI	12,277	86	143	B2-U0-G3
MRS-LED-12L-SIL-4-35-80CRI-IH	9,773	86	114	B1-U0-G2
MRS-LED-12L-SIL-4-35-80CRI-IL	7,403	86	86	B1-U0-G2
MRS-LED-12L-SIL-4-40-80CRI	12,117	86	141	B2-U0-G3
MRS-LED-12L-SIL-4-40-80CRI-IH	9,646	86	112	B1-U0-G2
MRS-LED-12L-SIL-4-40-80CRI-IL	7,306	86	85	B1-U0-G2
MRS-LED-12L-SIL-4-50-80CRI	11,740	86	137	B2-U0-G3
MRS-LED-12L-SIL-4-50-80CRI-IH	9,346	86	109	B1-U0-G2
MRS-LED-12L-SIL-4-50-80CRI-IL	7,079	86	82	B1-U0-G2
MRS-LED-12L-SIL-5W-27-80CRI	10,031	86	117	B3-U0-G2
MRS-LED-12L-SIL-5W-30-80CRI	10,848	86	126	B4-U0-G2
MRS-LED-12L-SIL-5W-35-80CRI	11,664	86	136	B4-U0-G2
MRS-LED-12L-SIL-5W-40-80CRI	11,342	86	132	B4-U0-G2
MRS-LED-12L-SIL-5W-50-80CRI	11,189	86	130	B4-U0-G2
MRS-LED-12L-SIL-FT-27-80CRI	10,264	86	119	B2-U0-G2
MRS-LED-12L-SIL-FT-27-80CRI-IH	7,694	86	89	B1-U0-G2
MRS-LED-12L-SIL-FT-27-80CRI-IL	6,643	86	77	B1-U0-G1
MRS-LED-12L-SIL-FT-30-80CRI	11,099	86	129	B2-U0-G2
MRS-LED-12L-SIL-FT-30-80CRI-IH	8,321	86	97	B1-U0-G2
MRS-LED-12L-SIL-FT-30-80CRI-IL	7,184	86	84	B1-U0-G2
MRS-LED-12L-SIL-FT-35-80CRI	11,935	86	139	B2-U0-G2
MRS-LED-12L-SIL-FT-35-80CRI-IH	8,947	86	104	B1-U0-G2
MRS-LED-12L-SIL-FT-35-80CRI-IL	7,724	86	90	B1-U0-G2
MRS-LED-12L-SIL-FT-40-80CRI	11,606	86	135	B2-U0-G2
MRS-LED-12L-SIL-FT-40-80CRI-IH	8,699	86	101	B1-U0-G2
MRS-LED-12L-SIL-FT-40-80CRI-IL	7,512	86	87	B1-U0-G2
MRS-LED-12L-SIL-FT-50-80CRI	11,449	86	133	B2-U0-G2
MRS-LED-12L-SIL-FT-50-80CRI-IH	8,583	86	100	B1-U0-G2



MRS-80CRI - Mirada Small Area Light

MRS-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-12L-SIL-FT-50-80CRI-IL	7,410	86	86	B1-U0-G2
MRS-LED-12L-SIL-LC-27-80CRI	10,622	86	124	B2-U0-G3
MRS-LED-12L-SIL-LC-30-80CRI	11,487	86	134	B2-U0-G3
MRS-LED-12L-SIL-LC-35-80CRI	12,351	86	144	B2-U0-G3
MRS-LED-12L-SIL-LC-40-80CRI	12,190	86	142	B2-U0-G3
MRS-LED-12L-SIL-LC-50-80CRI	11,811	86	137	B2-U0-G3
MRS-LED-12L-SIL-RC-27-80CRI	10,553	86	123	B2-U0-G3
MRS-LED-12L-SIL-RC-30-80CRI	11,412	86	133	B2-U0-G3
MRS-LED-12L-SIL-RC-35-80CRI	12,271	86	143	B2-U0-G3
MRS-LED-12L-SIL-RC-40-80CRI	12,111	86	141	B2-U0-G3
MRS-LED-12L-SIL-RC-50-80CRI	11,734	86	136	B2-U0-G3
MRS-LED-15L-SIL-2-27-80CRI	12,229	111	110	B3-U0-G2
MRS-LED-15L-SIL-2-27-80CRI-IH	9,498	111	86	B2-U0-G1
MRS-LED-15L-SIL-2-27-80CRI-IL	7,702	111	69	B1-U0-G1
MRS-LED-15L-SIL-2-30-80CRI	13,225	111	119	B3-U0-G2
MRS-LED-15L-SIL-2-30-80CRI-IH	10,271	111	93	B2-U0-G1
MRS-LED-15L-SIL-2-30-80CRI-IL	8,329	111	75	B1-U0-G1
MRS-LED-15L-SIL-2-35-80CRI	14,220	111	128	B3-U0-G2
MRS-LED-15L-SIL-2-35-80CRI-IH	11,044	111	99	B2-U0-G1
MRS-LED-15L-SIL-2-35-80CRI-IL	8,955	111	81	B1-U0-G1
MRS-LED-15L-SIL-2-40-80CRI	14,105	111	127	B3-U0-G2
MRS-LED-15L-SIL-2-40-80CRI-IH	10,956	111	99	B2-U0-G1
MRS-LED-15L-SIL-2-40-80CRI-IL	8,883	111	80	B1-U0-G1
MRS-LED-15L-SIL-2-50-80CRI	13,474	111	121	B3-U0-G2
MRS-LED-15L-SIL-2-50-80CRI-IH	10,465	111	94	B2-U0-G1
MRS-LED-15L-SIL-2-50-80CRI-IL	8,485	111	76	B1-U0-G1
MRS-LED-15L-SIL-3-27-80CRI	12,847	111	116	B2-U0-G2
MRS-LED-15L-SIL-3-27-80CRI-IH	10,135	111	91	B1-U0-G2
MRS-LED-15L-SIL-3-27-80CRI-IL	8,606	111	78	B1-U0-G2
MRS-LED-15L-SIL-3-30-80CRI	13,892	111	125	B2-U0-G2
MRS-LED-15L-SIL-3-30-80CRI-IH	10,959	111	99	B1-U0-G2
MRS-LED-15L-SIL-3-30-80CRI-IL	9,307	111	84	B1-U0-G2
MRS-LED-15L-SIL-3-35-80CRI	14,938	111	135	B2-U0-G2
MRS-LED-15L-SIL-3-35-80CRI-IH	11,784	111	106	B1-U0-G2
MRS-LED-15L-SIL-3-35-80CRI-IL	10,007	111	90	B1-U0-G2
MRS-LED-15L-SIL-3-40-80CRI	14,818	111	133	B2-U0-G2
MRS-LED-15L-SIL-3-40-80CRI-IH	11,689	111	105	B1-U0-G2
MRS-LED-15L-SIL-3-40-80CRI-IL	9,927	111	89	B1-U0-G2
MRS-LED-15L-SIL-3-50-80CRI	14,154	111	128	B2-U0-G2
MRS-LED-15L-SIL-3-50-80CRI-IH	11,166	111	101	B1-U0-G2
MRS-LED-15L-SIL-3-50-80CRI-IL	9,483	111	85	B1-U0-G2
MRS-LED-15L-SIL-4-27-80CRI	12,721	111	115	B2-U0-G3
MRS-LED-15L-SIL-4-27-80CRI-IH	10,304	111	93	B1-U0-G2
MRS-LED-15L-SIL-4-27-80CRI-IL	7,803	111	70	B1-U0-G2
MRS-LED-15L-SIL-4-30-80CRI	13,756	111	124	B2-U0-G4
MRS-LED-15L-SIL-4-30-80CRI-IH	11,143	111	100	B1-U0-G2
MRS-LED-15L-SIL-4-30-80CRI-IL	8,438	111	76	B1-U0-G2
MRS-LED-15L-SIL-4-35-80CRI	14,792	111	133	B2-U0-G4
MRS-LED-15L-SIL-4-35-80CRI-IH	11,981	111	108	B1-U0-G2
MRS-LED-15L-SIL-4-35-80CRI-IL	9,073	111	82	B1-U0-G2
MRS-LED-15L-SIL-4-40-80CRI	14,599	111	132	B2-U0-G4
MRS-LED-15L-SIL-4-40-80CRI-IH	11,825	111	107	B1-U0-G2
MRS-LED-15L-SIL-4-40-80CRI-IL	8,955	111	81	B1-U0-G2



MRS-80CRI - Mirada Small Area Light

MRS-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-15L-SIL-4-50-80CRI	14,145	111	127	B2-U0-G4
MRS-LED-15L-SIL-4-50-80CRI-IH	11,457	111	103	B1-U0-G2
MRS-LED-15L-SIL-4-50-80CRI-IL	8,676	111	78	B1-U0-G2
MRS-LED-15L-SIL-5W-27-80CRI	12,302	111	111	B4-U0-G2
MRS-LED-15L-SIL-5W-30-80CRI	13,303	111	120	B4-U0-G2
MRS-LED-15L-SIL-5W-35-80CRI	14,304	111	129	B4-U0-G2
MRS-LED-15L-SIL-5W-40-80CRI	14,189	111	128	B4-U0-G2
MRS-LED-15L-SIL-5W-50-80CRI	13,554	111	122	B4-U0-G2
MRS-LED-15L-SIL-FT-27-80CRI	12,334	111	111	B2-U0-G2
MRS-LED-15L-SIL-FT-27-80CRI-IH	9,246	111	83	B1-U0-G2
MRS-LED-15L-SIL-FT-27-80CRI-IL	7,982	111	72	B1-U0-G2
MRS-LED-15L-SIL-FT-30-80CRI	13,338	111	120	B2-U0-G2
MRS-LED-15L-SIL-FT-30-80CRI-IH	9,998	111	90	B1-U0-G2
MRS-LED-15L-SIL-FT-30-80CRI-IL	8,632	111	78	B1-U0-G2
MRS-LED-15L-SIL-FT-35-80CRI	14,342	111	129	B2-U0-G2
MRS-LED-15L-SIL-FT-35-80CRI-IH	10,751	111	97	B1-U0-G2
MRS-LED-15L-SIL-FT-35-80CRI-IL	9,282	111	84	B1-U0-G2
MRS-LED-15L-SIL-FT-40-80CRI	14,226	111	128	B2-U0-G2
MRS-LED-15L-SIL-FT-40-80CRI-IH	10,664	111	96	B1-U0-G2
MRS-LED-15L-SIL-FT-40-80CRI-IL	9,207	111	83	B1-U0-G2
MRS-LED-15L-SIL-FT-50-80CRI	13,589	111	122	B2-U0-G2
MRS-LED-15L-SIL-FT-50-80CRI-IH	10,186	111	92	B1-U0-G2
MRS-LED-15L-SIL-FT-50-80CRI-IL	8,795	111	79	B1-U0-G2
MRS-LED-15L-SIL-LC-27-80CRI	12,798	111	115	B2-U0-G3
MRS-LED-15L-SIL-LC-30-80CRI	13,840	111	125	B2-U0-G3
MRS-LED-15L-SIL-LC-35-80CRI	14,881	111	134	B2-U0-G3
MRS-LED-15L-SIL-LC-40-80CRI	14,687	111	132	B2-U0-G3
MRS-LED-15L-SIL-LC-50-80CRI	14,230	111	128	B2-U0-G3
MRS-LED-15L-SIL-RC-27-80CRI	12,714	111	115	B2-U0-G3
MRS-LED-15L-SIL-RC-30-80CRI	13,749	111	124	B2-U0-G3
MRS-LED-15L-SIL-RC-35-80CRI	14,784	111	133	B2-U0-G3
MRS-LED-15L-SIL-RC-40-80CRI	14,591	111	131	B2-U0-G3
MRS-LED-15L-SIL-RC-50-80CRI	14,137	111	127	B2-U0-G3
MRS-LED-18L-SIL-2-27-80CRI	14,137	135	105	B3-U0-G2
MRS-LED-18L-SIL-2-27-80CRI-IH	10,980	135	81	B2-U0-G1
MRS-LED-18L-SIL-2-27-80CRI-IL	8,902	135	66	B1-U0-G1
MRS-LED-18L-SIL-2-30-80CRI	15,287	135	113	B3-U0-G2
MRS-LED-18L-SIL-2-30-80CRI-IH	11,874	135	88	B2-U0-G2
MRS-LED-18L-SIL-2-30-80CRI-IL	9,627	135	71	B1-U0-G1
MRS-LED-18L-SIL-2-35-80CRI	16,438	135	122	B3-U0-G2
MRS-LED-18L-SIL-2-35-80CRI-IH	12,767	135	95	B2-U0-G2
MRS-LED-18L-SIL-2-35-80CRI-IL	10,351	135	77	B1-U0-G1
MRS-LED-18L-SIL-2-40-80CRI	16,305	135	121	B3-U0-G2
MRS-LED-18L-SIL-2-40-80CRI-IH	12,663	135	94	B2-U0-G2
MRS-LED-18L-SIL-2-40-80CRI-IL	10,267	135	76	B1-U0-G1
MRS-LED-18L-SIL-2-50-80CRI	15,575	135	115	B3-U0-G2
MRS-LED-18L-SIL-2-50-80CRI-IH	12,097	135	90	B2-U0-G2
MRS-LED-18L-SIL-2-50-80CRI-IL	9,808	135	73	B1-U0-G1
MRS-LED-18L-SIL-3-27-80CRI	14,850	135	110	B2-U0-G2
MRS-LED-18L-SIL-3-27-80CRI-IH	11,715	135	87	B1-U0-G2
MRS-LED-18L-SIL-3-27-80CRI-IL	9,949	135	74	B1-U0-G2
MRS-LED-18L-SIL-3-30-80CRI	16,058	135	119	B2-U0-G2
MRS-LED-18L-SIL-3-30-80CRI-IH	12,669	135	94	B2-U0-G2



MRS-80CRI - Mirada Small Area Light

MRS-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-18L-SIL-3-30-80CRI-IL	10,759	135	80	B1-U0-G2
MRS-LED-18L-SIL-3-35-80CRI	17,267	135	128	B3-U0-G3
MRS-LED-18L-SIL-3-35-80CRI-IH	13,622	135	101	B2-U0-G2
MRS-LED-18L-SIL-3-35-80CRI-IL	11,568	135	86	B1-U0-G2
MRS-LED-18L-SIL-3-40-80CRI	17,128	135	127	B3-U0-G3
MRS-LED-18L-SIL-3-40-80CRI-IH	13,512	135	100	B2-U0-G2
MRS-LED-18L-SIL-3-40-80CRI-IL	11,475	135	85	B1-U0-G2
MRS-LED-18L-SIL-3-50-80CRI	16,360	135	121	B2-U0-G2
MRS-LED-18L-SIL-3-50-80CRI-IH	12,907	135	96	B2-U0-G2
MRS-LED-18L-SIL-3-50-80CRI-IL	10,961	136	81	B1-U0-G2
MRS-LED-18L-SIL-4-27-80CRI	14,707	135	109	B2-U0-G4
MRS-LED-18L-SIL-4-27-80CRI-IH	11,883	135	88	B1-U0-G2
MRS-LED-18L-SIL-4-27-80CRI-IL	9,019	135	67	B1-U0-G2
MRS-LED-18L-SIL-4-30-80CRI	15,904	135	118	B2-U0-G4
MRS-LED-18L-SIL-4-30-80CRI-IH	12,851	135	95	B1-U0-G3
MRS-LED-18L-SIL-4-30-80CRI-IL	9,753	135	72	B1-U0-G2
MRS-LED-18L-SIL-4-35-80CRI	17,101	135	127	B3-U0-G4
MRS-LED-18L-SIL-4-35-80CRI-IH	13,818	135	102	B1-U0-G3
MRS-LED-18L-SIL-4-35-80CRI-IL	10,487	135	78	B1-U0-G2
MRS-LED-18L-SIL-4-40-80CRI	16,879	135	125	B3-U0-G4
MRS-LED-18L-SIL-4-40-80CRI-IH	13,638	135	101	B1-U0-G3
MRS-LED-18L-SIL-4-40-80CRI-IL	10,351	135	77	B1-U0-G2
MRS-LED-18L-SIL-4-50-80CRI	16,353	135	121	B2-U0-G4
MRS-LED-18L-SIL-4-50-80CRI-IH	13,213	135	98	B1-U0-G3
MRS-LED-18L-SIL-4-50-80CRI-IL	10,029	135	74	B1-U0-G2
MRS-LED-18L-SIL-5W-27-80CRI	14,220	135	105	B4-U0-G2
MRS-LED-18L-SIL-5W-30-80CRI	15,377	135	114	B4-U0-G2
MRS-LED-18L-SIL-5W-35-80CRI	16,535	135	122	B4-U0-G2
MRS-LED-18L-SIL-5W-40-80CRI	16,402	135	121	B4-U0-G2
MRS-LED-18L-SIL-5W-50-80CRI	15,667	135	116	B4-U0-G2
MRS-LED-18L-SIL-FT-27-80CRI	14,257	135	106	B2-U0-G2
MRS-LED-18L-SIL-FT-27-80CRI-IH	10,687	135	79	B1-U0-G2
MRS-LED-18L-SIL-FT-27-80CRI-IL	9,227	135	68	B1-U0-G2
MRS-LED-18L-SIL-FT-30-80CRI	15,418	135	114	B2-U0-G2
MRS-LED-18L-SIL-FT-30-80CRI-IH	11,557	135	86	B1-U0-G2
MRS-LED-18L-SIL-FT-30-80CRI-IL	9,978	135	74	B1-U0-G2
MRS-LED-18L-SIL-FT-35-80CRI	16,578	135	123	B2-U0-G2
MRS-LED-18L-SIL-FT-35-80CRI-IH	12,427	135	92	B2-U0-G2
MRS-LED-18L-SIL-FT-35-80CRI-IL	10,729	135	79	B1-U0-G2
MRS-LED-18L-SIL-FT-40-80CRI	16,444	135	122	B2-U0-G2
MRS-LED-18L-SIL-FT-40-80CRI-IH	12,299	135	91	B2-U0-G2
MRS-LED-18L-SIL-FT-40-80CRI-IL	10,643	135	79	B1-U0-G2
MRS-LED-18L-SIL-FT-50-80CRI	15,708	135	116	B2-U0-G2
MRS-LED-18L-SIL-FT-50-80CRI-IH	11,775	135	87	B2-U0-G2
MRS-LED-18L-SIL-FT-50-80CRI-IL	10,166	135	75	B1-U0-G2
MRS-LED-18L-SIL-LC-27-80CRI	14,795	135	110	B2-U0-G3
MRS-LED-18L-SIL-LC-30-80CRI	16,000	135	119	B3-U0-G3
MRS-LED-18L-SIL-LC-35-80CRI	17,204	135	127	B3-U0-G3
MRS-LED-18L-SIL-LC-40-80CRI	16,980	135	126	B3-U0-G3
MRS-LED-18L-SIL-LC-50-80CRI	16,451	135	122	B3-U0-G3
MRS-LED-18L-SIL-RC-27-80CRI	14,699	135	109	B2-U0-G3
MRS-LED-18L-SIL-RC-30-80CRI	15,895	135	118	B2-U0-G3
MRS-LED-18L-SIL-RC-35-80CRI	17,091	135	127	B2-U0-G3
MRS-LED-18L-SIL-RC-40-80CRI	16,868	135	125	B2-U0-G3



MRS-80CRI - Mirada Small Area Light

MRS-80CRI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	LER	BUG
MRS-LED-18L-SIL-RC-50-80CRI	16,343	135	121	B2-U0-G3
MRS-LED-21L-SIL-2-27-80CRI	16,760	165	102	B3-U0-G2
MRS-LED-21L-SIL-2-27-80CRI-IH	13,016	165	79	B2-U0-G2
MRS-LED-21L-SIL-2-27-80CRI-IL	10,554	165	64	B1-U0-G1
MRS-LED-21L-SIL-2-30-80CRI	18,124	165	110	B3-U0-G3
MRS-LED-21L-SIL-2-30-80CRI-IH	14,076	165	85	B3-U0-G2
MRS-LED-21L-SIL-2-30-80CRI-IL	11,413	165	69	B1-U0-G2
MRS-LED-21L-SIL-2-35-80CRI	19,488	165	118	B3-U0-G3
MRS-LED-21L-SIL-2-35-80CRI-IH	15,135	165	92	B3-U0-G2
MRS-LED-21L-SIL-2-35-80CRI-IL	12,272	165	74	B1-U0-G2
MRS-LED-21L-SIL-2-40-80CRI	19,331	165	117	B3-U0-G3
MRS-LED-21L-SIL-2-40-80CRI-IH	15,015	165	91	B3-U0-G2
MRS-LED-21L-SIL-2-40-80CRI-IL	12,174	165	74	B1-U0-G2
MRS-LED-21L-SIL-2-50-80CRI	18,493	165	112	B3-U0-G3
MRS-LED-21L-SIL-2-50-80CRI-IH	14,363	165	87	B3-U0-G2
MRS-LED-21L-SIL-2-50-80CRI-IL	11,646	165	71	B1-U0-G2
MRS-LED-21L-SIL-3-27-80CRI	17,606	165	107	B3-U0-G3
MRS-LED-21L-SIL-3-27-80CRI-IH	13,890	165	84	B2-U0-G2
MRS-LED-21L-SIL-3-27-80CRI-IL	11,795	165	71	B1-U0-G2
MRS-LED-21L-SIL-3-30-80CRI	19,039	165	115	B3-U0-G3
MRS-LED-21L-SIL-3-30-80CRI-IH	15,020	165	91	B2-U0-G2
MRS-LED-21L-SIL-3-30-80CRI-IL	12,755	165	77	B1-U0-G2
MRS-LED-21L-SIL-3-35-80CRI	20,472	165	124	B3-U0-G3
MRS-LED-21L-SIL-3-35-80CRI-IH	16,150	165	98	B2-U0-G2
MRS-LED-21L-SIL-3-35-80CRI-IL	13,715	165	83	B1-U0-G2
MRS-LED-21L-SIL-3-40-80CRI	20,307	165	123	B3-U0-G3
MRS-LED-21L-SIL-3-40-80CRI-IH	16,020	165	97	B2-U0-G2
MRS-LED-21L-SIL-3-40-80CRI-IL	13,605	165	82	B1-U0-G2
MRS-LED-21L-SIL-3-50-80CRI	19,397	165	118	B3-U0-G3
MRS-LED-21L-SIL-3-50-80CRI-IH	15,303	165	93	B2-U0-G2
MRS-LED-21L-SIL-3-50-80CRI-IL	12,995	165	79	B1-U0-G2
MRS-LED-21L-SIL-4-27-80CRI	17,440	165	106	B3-U0-G4
MRS-LED-21L-SIL-4-27-80CRI-IH	14,121	165	86	B1-U0-G3
MRS-LED-21L-SIL-4-27-80CRI-IL	10,694	165	65	B1-U0-G2
MRS-LED-21L-SIL-4-30-80CRI	18,859	165	114	B3-U0-G4
MRS-LED-21L-SIL-4-30-80CRI-IH	15,270	165	93	B2-U0-G3
MRS-LED-21L-SIL-4-30-80CRI-IL	11,564	165	70	B1-U0-G2
MRS-LED-21L-SIL-4-35-80CRI	20,279	165	123	B3-U0-G4
MRS-LED-21L-SIL-4-35-80CRI-IH	16,419	165	100	B2-U0-G3
MRS-LED-21L-SIL-4-35-80CRI-IL	12,434	165	75	B1-U0-G2
MRS-LED-21L-SIL-4-40-80CRI	20,015	165	121	B3-U0-G4
MRS-LED-21L-SIL-4-40-80CRI-IH	16,205	165	98	B2-U0-G3
MRS-LED-21L-SIL-4-40-80CRI-IL	12,272	165	74	B1-U0-G2
MRS-LED-21L-SIL-4-50-80CRI	19,391	165	118	B3-U0-G4
MRS-LED-21L-SIL-4-50-80CRI-IH	15,701	165	95	B2-U0-G3
MRS-LED-21L-SIL-4-50-80CRI-IL	11,891	165	72	B1-U0-G2
MRS-LED-21L-SIL-5W-27-80CRI	16,860	165	102	B4-U0-G2
MRS-LED-21L-SIL-5W-30-80CRI	18,232	165	110	B4-U0-G2
MRS-LED-21L-SIL-5W-35-80CRI	19,604	165	119	B4-U0-G2
MRS-LED-21L-SIL-5W-40-80CRI	19,445	165	118	B4-U0-G2
MRS-LED-21L-SIL-5W-50-80CRI	18,575	165	113	B4-U0-G2
MRS-LED-21L-SIL-FT-27-80CRI	16,904	165	102	B2-U0-G2
MRS-LED-21L-SIL-FT-27-80CRI-IH	12,671	165	77	B2-U0-G2



MRS-80CRI - Mirada Small Area Light

MRS-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-21L-SIL-FT-27-80CRI-IL	10,940	165	66	B1-U0-G2
MRS-LED-21L-SIL-FT-30-80CRI	18,279	165	111	B3-U0-G2
MRS-LED-21L-SIL-FT-30-80CRI-IH	13,703	165	83	B2-U0-G2
MRS-LED-21L-SIL-FT-30-80CRI-IL	11,830	165	72	B1-U0-G2
MRS-LED-21L-SIL-FT-35-80CRI	19,655	165	119	B3-U0-G3
MRS-LED-21L-SIL-FT-35-80CRI-IH	14,734	165	89	B2-U0-G2
MRS-LED-21L-SIL-FT-35-80CRI-IL	12,720	165	77	B1-U0-G2
MRS-LED-21L-SIL-FT-40-80CRI	19,497	165	118	B3-U0-G3
MRS-LED-21L-SIL-FT-40-80CRI-IH	14,615	165	89	B2-U0-G2
MRS-LED-21L-SIL-FT-40-80CRI-IL	12,618	165	76	B1-U0-G2
MRS-LED-21L-SIL-FT-50-80CRI	18,623	165	113	B3-U0-G3
MRS-LED-21L-SIL-FT-50-80CRI-IH	13,960	165	85	B2-U0-G2
MRS-LED-21L-SIL-FT-50-80CRI-IL	12,053	165	73	B1-U0-G2
MRS-LED-21L-SIL-LC-27-80CRI	17,545	165	106	B3-U0-G3
MRS-LED-21L-SIL-LC-30-80CRI	18,973	165	115	B3-U0-G4
MRS-LED-21L-SIL-LC-35-80CRI	20,401	165	124	B3-U0-G4
MRS-LED-21L-SIL-LC-40-80CRI	20,135	165	122	B3-U0-G4
MRS-LED-21L-SIL-LC-50-80CRI	19,508	165	118	B3-U0-G4
MRS-LED-21L-SIL-RC-27-80CRI	17,431	165	106	B2-U0-G3
MRS-LED-21L-SIL-RC-30-80CRI	18,849	165	114	B3-U0-G3
MRS-LED-21L-SIL-RC-35-80CRI	20,268	165	123	B3-U0-G3
MRS-LED-21L-SIL-RC-40-80CRI	20,004	165	121	B3-U0-G3
MRS-LED-21L-SIL-RC-50-80CRI	19,381	165	117	B3-U0-G3
MRS-LED-24L-SIL-2-27-80CRI	18,900	196	96	B3-U0-G3
MRS-LED-24L-SIL-2-27-80CRI-IH	14,679	196	75	B3-U0-G2
MRS-LED-24L-SIL-2-27-80CRI-IL	11,902	196	61	B1-U0-G2
MRS-LED-24L-SIL-2-30-80CRI	20,438	196	104	B3-U0-G3
MRS-LED-24L-SIL-2-30-80CRI-IH	15,874	196	81	B3-U0-G2
MRS-LED-24L-SIL-2-30-80CRI-IL	12,871	196	66	B1-U0-G2
MRS-LED-24L-SIL-2-35-80CRI	21,976	196	112	B3-U0-G3
MRS-LED-24L-SIL-2-35-80CRI-IH	17,069	196	87	B3-U0-G2
MRS-LED-24L-SIL-2-35-80CRI-IL	13,840	196	71	B1-U0-G2
MRS-LED-24L-SIL-2-40-80CRI	21,799	196	111	B3-U0-G3
MRS-LED-24L-SIL-2-40-80CRI-IH	16,930	196	86	B3-U0-G2
MRS-LED-24L-SIL-2-40-80CRI-IL	13,728	196	70	B1-U0-G2
MRS-LED-24L-SIL-2-50-80CRI	20,823	196	106	B3-U0-G3
MRS-LED-24L-SIL-2-50-80CRI-IH	16,172	196	83	B3-U0-G2
MRS-LED-24L-SIL-2-50-80CRI-IL	13,113	196	67	B1-U0-G2
MRS-LED-24L-SIL-3-27-80CRI	19,853	196	101	B3-U0-G3
MRS-LED-24L-SIL-3-27-80CRI-IH	15,662	196	80	B2-U0-G2
MRS-LED-24L-SIL-3-27-80CRI-IL	13,300	196	68	B1-U0-G2
MRS-LED-24L-SIL-3-30-80CRI	21,469	196	110	B3-U0-G3
MRS-LED-24L-SIL-3-30-80CRI-IH	16,937	196	86	B2-U0-G2
MRS-LED-24L-SIL-3-30-80CRI-IL	14,383	196	73	B1-U0-G2
MRS-LED-24L-SIL-3-35-80CRI	23,085	196	118	B3-U0-G3
MRS-LED-24L-SIL-3-35-80CRI-IH	18,211	196	93	B2-U0-G3
MRS-LED-24L-SIL-3-35-80CRI-IL	15,466	196	79	B1-U0-G2
MRS-LED-24L-SIL-3-40-80CRI	22,898	196	117	B3-U0-G3
MRS-LED-24L-SIL-3-40-80CRI-IH	18,065	196	92	B2-U0-G3
MRS-LED-24L-SIL-3-40-80CRI-IL	15,341	196	78	B1-U0-G2
MRS-LED-24L-SIL-3-50-80CRI	21,873	196	112	B3-U0-G3
MRS-LED-24L-SIL-3-50-80CRI-IH	17,256	196	88	B2-U0-G2
MRS-LED-24L-SIL-3-50-80CRI-IL	14,654	196	75	B1-U0-G2



MRS-80CRI - Mirada Small Area Light

MRS-80CRI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	LER	BUG
MRS-LED-24L-SIL-4-27-80CRI	19,944	196	102	B3-U0-G4
MRS-LED-24L-SIL-4-27-80CRI-IH	15,923	196	81	B2-U0-G3
MRS-LED-24L-SIL-4-27-80CRI-IL	12,059	196	62	B1-U0-G2
MRS-LED-24L-SIL-4-30-80CRI	21,567	196	110	B3-U0-G5
MRS-LED-24L-SIL-4-30-80CRI-IH	17,219	196	88	B2-U0-G3
MRS-LED-24L-SIL-4-30-80CRI-IL	13,041	196	67	B1-U0-G2
MRS-LED-24L-SIL-4-35-80CRI	23,190	196	118	B3-U0-G5
MRS-LED-24L-SIL-4-35-80CRI-IH	18,515	196	94	B2-U0-G3
MRS-LED-24L-SIL-4-35-80CRI-IL	14,022	196	72	B1-U0-G3
MRS-LED-24L-SIL-4-40-80CRI	23,025	196	117	B3-U0-G5
MRS-LED-24L-SIL-4-40-80CRI-IH	18,274	196	93	B2-U0-G3
MRS-LED-24L-SIL-4-40-80CRI-IL	13,839	196	71	B1-U0-G3
MRS-LED-24L-SIL-4-50-80CRI	22,216	196	113	B3-U0-G5
MRS-LED-24L-SIL-4-50-80CRI-IH	17,705	196	90	B2-U0-G3
MRS-LED-24L-SIL-4-50-80CRI-IL	13,409	196	68	B1-U0-G3
MRS-LED-24L-SIL-5W-27-80CRI	19,011	196	97	B4-U0-G2
MRS-LED-24L-SIL-5W-30-80CRI	20,558	196	105	B5-U0-G3
MRS-LED-24L-SIL-5W-35-80CRI	22,105	196	113	B5-U0-G3
MRS-LED-24L-SIL-5W-40-80CRI	21,928	196	112	B5-U0-G3
MRS-LED-24L-SIL-5W-50-80CRI	20,946	196	107	B5-U0-G3
MRS-LED-24L-SIL-FT-27-80CRI	19,061	196	97	B3-U0-G3
MRS-LED-24L-SIL-FT-27-80CRI-IH	14,289	192	74	B2-U0-G2
MRS-LED-24L-SIL-FT-27-80CRI-IL	12,337	196	63	B1-U0-G2
MRS-LED-24L-SIL-FT-30-80CRI	20,613	196	105	B3-U0-G3
MRS-LED-24L-SIL-FT-30-80CRI-IH	15,452	192	80	B2-U0-G2
MRS-LED-24L-SIL-FT-30-80CRI-IL	13,341	196	68	B1-U0-G2
MRS-LED-24L-SIL-FT-35-80CRI	22,164	196	113	B3-U0-G3
MRS-LED-24L-SIL-FT-35-80CRI-IH	16,615	192	87	B2-U0-G2
MRS-LED-24L-SIL-FT-35-80CRI-IL	14,345	196	73	B1-U0-G2
MRS-LED-24L-SIL-FT-40-80CRI	21,985	196	112	B3-U0-G3
MRS-LED-24L-SIL-FT-40-80CRI-IH	16,480	192	86	B2-U0-G2
MRS-LED-24L-SIL-FT-40-80CRI-IL	14,229	196	73	B1-U0-G2
MRS-LED-24L-SIL-FT-50-80CRI	21,000	196	107	B3-U0-G3
MRS-LED-24L-SIL-FT-50-80CRI-IH	15,742	192	82	B2-U0-G2
MRS-LED-24L-SIL-FT-50-80CRI-IL	13,592	196	69	B1-U0-G2
MRS-LED-24L-SIL-LC-27-80CRI	20,184	196	103	B3-U0-G4
MRS-LED-24L-SIL-LC-30-80CRI	21,826	196	111	B3-U0-G4
MRS-LED-24L-SIL-LC-35-80CRI	23,469	196	120	B3-U0-G4
MRS-LED-24L-SIL-LC-40-80CRI	23,163	196	118	B3-U0-G4
MRS-LED-24L-SIL-LC-50-80CRI	22,442	196	115	B3-U0-G4
MRS-LED-24L-SIL-RC-27-80CRI	20,052	196	102	B3-U0-G3
MRS-LED-24L-SIL-RC-30-80CRI	21,684	196	111	B3-U0-G4
MRS-LED-24L-SIL-RC-35-80CRI	23,316	196	119	B3-U0-G4
MRS-LED-24L-SIL-RC-40-80CRI	23,012	196	117	B3-U0-G4
MRS-LED-24L-SIL-RC-50-80CRI	22,296	196	114	B3-U0-G4
MRS-LED-30L-SIL-2-27-80CRI	25,867	209	124	B4-U0-G3
MRS-LED-30L-SIL-2-27-80CRI-IH	21,401	209	102	B3-U0-G2
MRS-LED-30L-SIL-2-27-80CRI-IL	14,948	209	72	B2-U0-G2
MRS-LED-30L-SIL-2-30-80CRI	27,973	209	134	B4-U0-G3
MRS-LED-30L-SIL-2-30-80CRI-IH	23,143	209	111	B3-U0-G2
MRS-LED-30L-SIL-2-30-80CRI-IL	16,165	209	77	B2-U0-G2
MRS-LED-30L-SIL-2-35-80CRI	30,078	209	144	B4-U0-G3
MRS-LED-30L-SIL-2-35-80CRI-IH	24,885	209	119	B3-U0-G2



MRS-80CRI - Mirada Small Area Light

MRS-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-30L-SIL-2-35-80CRI-IL	17,382	209	83	B2-U0-G2
MRS-LED-30L-SIL-2-40-80CRI	27,421	209	131	B4-U0-G3
MRS-LED-30L-SIL-2-40-80CRI-IH	22,687	209	109	B3-U0-G2
MRS-LED-30L-SIL-2-40-80CRI-IL	15,847	209	76	B2-U0-G2
MRS-LED-30L-SIL-2-50-80CRI	28,548	209	137	B4-U0-G3
MRS-LED-30L-SIL-2-50-80CRI-IH	23,619	209	113	B3-U0-G2
MRS-LED-30L-SIL-2-50-80CRI-IL	16,498	209	79	B2-U0-G2
MRS-LED-30L-SIL-3-27-80CRI	27,272	209	130	B3-U0-G3
MRS-LED-30L-SIL-3-27-80CRI-IH	22,748	209	109	B2-U0-G3
MRS-LED-30L-SIL-3-27-80CRI-IL	18,072	209	86	B1-U0-G3
MRS-LED-30L-SIL-3-30-80CRI	29,492	209	141	B3-U0-G3
MRS-LED-30L-SIL-3-30-80CRI-IH	24,600	209	118	B2-U0-G4
MRS-LED-30L-SIL-3-30-80CRI-IL	19,543	209	94	B1-U0-G3
MRS-LED-30L-SIL-3-35-80CRI	31,711	209	152	B3-U0-G3
MRS-LED-30L-SIL-3-35-80CRI-IH	26,451	209	127	B2-U0-G4
MRS-LED-30L-SIL-3-35-80CRI-IL	21,014	209	101	B1-U0-G3
MRS-LED-30L-SIL-3-40-80CRI	28,910	209	138	B3-U0-G3
MRS-LED-30L-SIL-3-40-80CRI-IH	24,115	209	115	B2-U0-G4
MRS-LED-30L-SIL-3-40-80CRI-IL	19,158	209	92	B1-U0-G3
MRS-LED-30L-SIL-3-50-80CRI	30,098	209	144	B3-U0-G3
MRS-LED-30L-SIL-3-50-80CRI-IH	25,106	209	120	B2-U0-G4
MRS-LED-30L-SIL-3-50-80CRI-IL	19,945	209	95	B1-U0-G3
MRS-LED-30L-SIL-4-27-80CRI	26,195	209	125	B3-U0-G5
MRS-LED-30L-SIL-4-27-80CRI-IH	21,553	209	103	B2-U0-G3
MRS-LED-30L-SIL-4-27-80CRI-IL	16,720	209	80	B1-U0-G3
MRS-LED-30L-SIL-4-30-80CRI	28,327	209	136	B3-U0-G5
MRS-LED-30L-SIL-4-30-80CRI-IH	23,307	209	112	B2-U0-G4
MRS-LED-30L-SIL-4-30-80CRI-IL	18,081	209	87	B1-U0-G3
MRS-LED-30L-SIL-4-35-80CRI	30,459	209	146	B3-U0-G5
MRS-LED-30L-SIL-4-35-80CRI-IH	25,062	209	120	B3-U0-G4
MRS-LED-30L-SIL-4-35-80CRI-IL	19,442	209	93	B1-U0-G3
MRS-LED-30L-SIL-4-40-80CRI	27,768	209	133	B3-U0-G5
MRS-LED-30L-SIL-4-40-80CRI-IH	22,848	209	109	B2-U0-G4
MRS-LED-30L-SIL-4-40-80CRI-IL	17,725	209	85	B1-U0-G3
MRS-LED-30L-SIL-4-50-80CRI	28,910	209	138	B3-U0-G5
MRS-LED-30L-SIL-4-50-80CRI-IH	23,787	209	114	B2-U0-G4
MRS-LED-30L-SIL-4-50-80CRI-IL	18,454	209	88	B1-U0-G3
MRS-LED-30L-SIL-5W-27-80CRI	26,306	209	126	B5-U0-G3
MRS-LED-30L-SIL-5W-30-80CRI	28,447	209	136	B5-U0-G3
MRS-LED-30L-SIL-5W-35-80CRI	30,588	209	146	B5-U0-G3
MRS-LED-30L-SIL-5W-40-80CRI	27,886	209	133	B5-U0-G3
MRS-LED-30L-SIL-5W-50-80CRI	29,032	209	139	B5-U0-G3
MRS-LED-30L-SIL-FT-27-80CRI	27,163	209	130	B3-U0-G4
MRS-LED-30L-SIL-FT-27-80CRI-IH	21,457	209	103	B3-U0-G3
MRS-LED-30L-SIL-FT-27-80CRI-IL	16,914	209	81	B1-U0-G3
MRS-LED-30L-SIL-FT-30-80CRI	29,374	209	141	B3-U0-G4
MRS-LED-30L-SIL-FT-30-80CRI-IH	23,204	209	111	B3-U0-G3
MRS-LED-30L-SIL-FT-30-80CRI-IL	18,291	209	88	B1-U0-G3
MRS-LED-30L-SIL-FT-35-80CRI	31,585	209	151	B3-U0-G4
MRS-LED-30L-SIL-FT-35-80CRI-IH	24,950	209	119	B3-U0-G4
MRS-LED-30L-SIL-FT-35-80CRI-IL	19,667	209	94	B1-U0-G3
MRS-LED-30L-SIL-FT-40-80CRI	28,795	209	138	B3-U0-G4
MRS-LED-30L-SIL-FT-40-80CRI-IH	22,746	209	109	B3-U0-G3
MRS-LED-30L-SIL-FT-40-80CRI-IL	17,930	209	86	B1-U0-G3
MRS-LED-30L-SIL-FT-50-80CRI	29,978	209	143	B3-U0-G4
MRS-LED-30L-SIL-FT-50-80CRI-IH	23,681	209	113	B3-U0-G4
MRS-LED-30L-SIL-FT-50-80CRI-IL	18,667	209	89	B1-U0-G3



MRS-80CRI - Mirada Small Area Light

MRS-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MRS-LED-30L-SIL-LC-27-80CRI	27,781	209	133	B3-U0-G4
MRS-LED-30L-SIL-LC-27-80CRI-IH	21,246	209	102	B3-U0-G3
MRS-LED-30L-SIL-LC-27-80CRI-IL	16,268	209	78	B1-U0-G3
MRS-LED-30L-SIL-LC-30-80CRI	30,042	209	144	B3-U0-G5
MRS-LED-30L-SIL-LC-30-80CRI-IH	22,975	209	110	B3-U0-G3
MRS-LED-30L-SIL-LC-30-80CRI-IL	17,592	209	84	B1-U0-G3
MRS-LED-30L-SIL-LC-35-80CRI	32,303	209	155	B3-U0-G5
MRS-LED-30L-SIL-LC-35-80CRI-IH	24,704	209	118	B3-U0-G4
MRS-LED-30L-SIL-LC-35-80CRI-IL	18,916	209	91	B1-U0-G3
MRS-LED-30L-SIL-LC-40-80CRI	29,450	209	141	B3-U0-G5
MRS-LED-30L-SIL-LC-40-80CRI-IH	22,522	209	108	B3-U0-G3
MRS-LED-30L-SIL-LC-40-80CRI-IL	17,245	209	83	B1-U0-G3
MRS-LED-30L-SIL-LC-50-80CRI	30,660	209	147	B3-U0-G5
MRS-LED-30L-SIL-LC-50-80CRI-IH	23,448	209	112	B3-U0-G4
MRS-LED-30L-SIL-LC-50-80CRI-IL	17,954	209	86	B1-U0-G3
MRS-LED-30L-SIL-RC-27-80CRI	27,470	209	131	B3-U0-G4
MRS-LED-30L-SIL-RC-27-80CRI-IH	21,012	209	101	B3-U0-G3
MRS-LED-30L-SIL-RC-27-80CRI-IL	16,407	209	79	B1-U0-G3
MRS-LED-30L-SIL-RC-30-80CRI	29,706	209	142	B3-U0-G4
MRS-LED-30L-SIL-RC-30-80CRI-IH	22,722	209	109	B3-U0-G3
MRS-LED-30L-SIL-RC-30-80CRI-IL	17,743	209	85	B1-U0-G3
MRS-LED-30L-SIL-RC-35-80CRI	31,942	209	153	B3-U0-G4
MRS-LED-30L-SIL-RC-35-80CRI-IH	24,432	209	117	B3-U0-G4
MRS-LED-30L-SIL-RC-35-80CRI-IL	19,078	209	91	B1-U0-G3
MRS-LED-30L-SIL-RC-40-80CRI	29,121	209	139	B3-U0-G4
MRS-LED-30L-SIL-RC-40-80CRI-IH	22,274	209	107	B3-U0-G3
MRS-LED-30L-SIL-RC-40-80CRI-IL	17,393	209	83	B1-U0-G3
MRS-LED-30L-SIL-RC-50-80CRI	30,318	209	145	B3-U0-G4
MRS-LED-30L-SIL-RC-50-80CRI-IH	23,189	209	111	B3-U0-G3
MRS-LED-30L-SIL-RC-50-80CRI-IL	18,108	209	87	B1-U0-G3