



# OPS-PT-U0 Opulence – Decorative Post Top Light

## OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-01L-3W-AMT-U0	1,100	26	42	B0-U0-G1
OPS-PT-01L-4F-AMT-U0	1,114	26	43	B0-U0-G1
OPS-PT-01L-5C-AMT-U0	1,147	26	44	B1-U0-G0
OPS-PT-01L-5D-AMT-U0	1,030	26	40	B1-U0-G1
OPS-PT-01L-5Q-AMT-U0	1,109	26	43	B1-U0-G0
OPS-PT-01L-5R-AMT-U0	1,111	26	43	B1-U0-G1
OPS-PT-01L-AD-AMT-U0	1,035	26	40	B0-U0-G1
OPS-PT-03L-3W-27K8-U0	2,685	20	134	B1-U0-G1
OPS-PT-03L-3W-27K8-U0-EHS	2,286	20	114	B1-U0-G1
OPS-PT-03L-3W-30K8-U0	2,772	20	139	B1-U0-G1
OPS-PT-03L-3W-30K8-U0-EHS	2,361	20	118	B1-U0-G1
OPS-PT-03L-3W-35K8-U0	2,727	20	136	B1-U0-G1
OPS-PT-03L-3W-35K8-U0-EHS	2,322	20	116	B1-U0-G1
OPS-PT-03L-3W-40K8-U0	2,838	20	142	B1-U0-G1
OPS-PT-03L-3W-40K8-U0-EHS	2,416	20	121	B1-U0-G1
OPS-PT-03L-3W-50K8-U0	2,876	20	144	B1-U0-G1
OPS-PT-03L-3W-50K8-U0-EHS	2,448	20	122	B1-U0-G1
OPS-PT-03L-3W-AMB-U0	1,927	22	88	B1-U0-G1
OPS-PT-03L-3W-AMB-U0-EHS	1,641	22	75	B1-U0-G1
OPS-PT-03L-4F-27K8-U0	2,735	20	137	B1-U0-G1
OPS-PT-03L-4F-27K8-U0-EHS	2,373	20	119	B1-U0-G1
OPS-PT-03L-4F-30K8-U0	2,823	20	141	B1-U0-G1
OPS-PT-03L-4F-30K8-U0-EHS	2,450	20	122	B1-U0-G1
OPS-PT-03L-4F-35K8-U0	2,777	20	139	B1-U0-G1
OPS-PT-03L-4F-35K8-U0-EHS	2,410	20	120	B1-U0-G1
OPS-PT-03L-4F-40K8-U0	2,890	20	145	B1-U0-G1
OPS-PT-03L-4F-40K8-U0-EHS	2,508	20	125	B1-U0-G1
OPS-PT-03L-4F-50K8-U0	2,928	20	146	B1-U0-G1
OPS-PT-03L-4F-50K8-U0-EHS	2,541	20	127	B1-U0-G1
OPS-PT-03L-4F-AMB-U0	1,962	22	89	B1-U0-G1
OPS-PT-03L-4F-AMB-U0-EHS	1,703	22	77	B1-U0-G1
OPS-PT-03L-5C-27K8-U0	2,866	20	143	B1-U0-G1
OPS-PT-03L-5C-27K8-U0-EHS	2,391	20	120	B1-U0-G1
OPS-PT-03L-5C-30K8-U0	2,959	20	148	B1-U0-G1
OPS-PT-03L-5C-30K8-U0-EHS	2,469	20	123	B1-U0-G1
OPS-PT-03L-5C-35K8-U0	2,911	20	146	B1-U0-G1
OPS-PT-03L-5C-35K8-U0-EHS	2,428	20	121	B1-U0-G1
OPS-PT-03L-5C-40K8-U0	3,030	20	151	B2-U0-G1
OPS-PT-03L-5C-40K8-U0-EHS	2,527	20	126	B1-U0-G1
OPS-PT-03L-5C-50K8-U0	3,069	20	153	B2-U0-G1
OPS-PT-03L-5C-50K8-U0-EHS	2,561	20	128	B1-U0-G1
OPS-PT-03L-5C-AMB-U0	2,057	22	94	B1-U0-G1
OPS-PT-03L-5C-AMB-U0-EHS	1,716	22	78	B1-U0-G1
OPS-PT-03L-5D-27K8-U0	2,582	20	129	B1-U0-G1
OPS-PT-03L-5D-27K8-U0-EHS	2,032	20	102	B1-U0-G1
OPS-PT-03L-5D-30K8-U0	2,666	20	133	B1-U0-G1
OPS-PT-03L-5D-30K8-U0-EHS	2,098	20	105	B1-U0-G1
OPS-PT-03L-5D-35K8-U0	2,622	20	131	B1-U0-G1
OPS-PT-03L-5D-35K8-U0-EHS	2,063	20	103	B1-U0-G1
OPS-PT-03L-5D-40K8-U0	2,729	20	136	B1-U0-G1
OPS-PT-03L-5D-40K8-U0-EHS	2,148	20	107	B1-U0-G1
OPS-PT-03L-5D-50K8-U0	2,765	20	138	B1-U0-G1
OPS-PT-03L-5D-50K8-U0-EHS	2,176	20	109	B1-U0-G1



# OPS-PT-U0 Opulence – Decorative Post Top Light

## OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-03L-5D-AMB-U0	1,853	22	84	B1-U0-G1
OPS-PT-03L-5D-AMB-U0-EHS	1,458	22	66	B1-U0-G1
OPS-PT-03L-5Q-27K8-U0	2,810	20	141	B1-U0-G1
OPS-PT-03L-5Q-27K8-U0-EHS	2,167	20	108	B1-U0-G1
OPS-PT-03L-5Q-30K8-U0	2,901	20	145	B1-U0-G1
OPS-PT-03L-5Q-30K8-U0-EHS	2,238	20	112	B1-U0-G1
OPS-PT-03L-5Q-35K8-U0	2,854	20	143	B1-U0-G1
OPS-PT-03L-5Q-35K8-U0-EHS	2,201	20	110	B1-U0-G1
OPS-PT-03L-5Q-40K8-U0	2,970	20	148	B1-U0-G1
OPS-PT-03L-5Q-40K8-U0-EHS	2,291	20	115	B1-U0-G1
OPS-PT-03L-5Q-50K8-U0	3,009	20	150	B1-U0-G1
OPS-PT-03L-5Q-50K8-U0-EHS	2,321	20	116	B1-U0-G1
OPS-PT-03L-5Q-AMB-U0	2,017	22	92	B1-U0-G1
OPS-PT-03L-5Q-AMB-U0-EHS	1,555	22	71	B1-U0-G1
OPS-PT-03L-5R-27K8-U0	2,787	20	139	B2-U0-G2
OPS-PT-03L-5R-27K8-U0-EHS	2,125	20	106	B1-U0-G1
OPS-PT-03L-5R-30K8-U0	2,877	20	144	B2-U0-G2
OPS-PT-03L-5R-30K8-U0-EHS	2,194	20	110	B1-U0-G1
OPS-PT-03L-5R-35K8-U0	2,830	20	141	B2-U0-G2
OPS-PT-03L-5R-35K8-U0-EHS	2,157	20	108	B1-U0-G1
OPS-PT-03L-5R-40K8-U0	2,945	20	147	B2-U0-G2
OPS-PT-03L-5R-40K8-U0-EHS	2,245	20	112	B1-U0-G1
OPS-PT-03L-5R-50K8-U0	2,984	20	149	B2-U0-G2
OPS-PT-03L-5R-50K8-U0-EHS	2,275	20	114	B1-U0-G1
OPS-PT-03L-5R-AMB-U0	2,000	22	91	B1-U0-G1
OPS-PT-03L-5R-AMB-U0-EHS	1,525	22	69	B1-U0-G1
OPS-PT-03L-AD-27K8-U0	2,583	20	129	B1-U0-G1
OPS-PT-03L-AD-27K8-U0-EHS	2,104	20	105	B1-U0-G1
OPS-PT-03L-AD-30K8-U0	2,668	20	133	B1-U0-G1
OPS-PT-03L-AD-30K8-U0-EHS	2,173	20	109	B1-U0-G1
OPS-PT-03L-AD-35K8-U0	2,624	20	131	B1-U0-G1
OPS-PT-03L-AD-35K8-U0-EHS	2,137	20	107	B1-U0-G1
OPS-PT-03L-AD-40K8-U0	2,731	20	137	B1-U0-G1
OPS-PT-03L-AD-40K8-U0-EHS	2,224	20	111	B1-U0-G1
OPS-PT-03L-AD-50K8-U0	2,767	20	138	B1-U0-G1
OPS-PT-03L-AD-50K8-U0-EHS	2,253	20	113	B1-U0-G1
OPS-PT-03L-AD-AMB-U0	1,854	22	84	B1-U0-G1
OPS-PT-03L-AD-AMB-U0-EHS	1,511	22	69	B1-U0-G1
OPS-PT-05L-3W-27K8-U0	4,436	34	130	B1-U0-G1
OPS-PT-05L-3W-27K8-U0-EHS	3,777	34	111	B1-U0-G1
OPS-PT-05L-3W-30K8-U0	4,580	34	135	B1-U0-G1
OPS-PT-05L-3W-30K8-U0-EHS	3,899	34	115	B1-U0-G1
OPS-PT-05L-3W-35K8-U0	4,505	34	132	B1-U0-G1
OPS-PT-05L-3W-35K8-U0-EHS	3,836	34	113	B1-U0-G1
OPS-PT-05L-3W-40K8-U0	4,689	34	138	B1-U0-G1
OPS-PT-05L-3W-40K8-U0-EHS	3,992	34	117	B1-U0-G1
OPS-PT-05L-3W-50K8-U0	4,751	34	140	B1-U0-G1
OPS-PT-05L-3W-50K8-U0-EHS	4,045	34	119	B1-U0-G1
OPS-PT-05L-3W-AMB-U0	3,114	36	87	B1-U0-G1
OPS-PT-05L-3W-AMB-U0-EHS	2,652	36	74	B1-U0-G1
OPS-PT-05L-4F-27K8-U0	4,517	34	133	B1-U0-G1
OPS-PT-05L-4F-27K8-U0-EHS	3,920	34	115	B1-U0-G1
OPS-PT-05L-4F-30K8-U0	4,664	34	137	B1-U0-G1



# OPS-PT-U0 Opulence – Decorative Post Top Light

## OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-05L-4F-30K8-U0-EHS	4,047	34	119	B1-U0-G1
OPS-PT-05L-4F-35K8-U0	4,588	34	135	B1-U0-G1
OPS-PT-05L-4F-35K8-U0-EHS	3,981	34	117	B1-U0-G1
OPS-PT-05L-4F-40K8-U0	4,775	34	140	B1-U0-G1
OPS-PT-05L-4F-40K8-U0-EHS	4,143	34	122	B1-U0-G1
OPS-PT-05L-4F-50K8-U0	4,838	34	142	B1-U0-G1
OPS-PT-05L-4F-50K8-U0-EHS	4,198	34	123	B1-U0-G1
OPS-PT-05L-4F-AMB-U0	3,171	36	88	B1-U0-G1
OPS-PT-05L-4F-AMB-U0-EHS	2,752	36	76	B1-U0-G1
OPS-PT-05L-5C-27K8-U0	4,735	34	139	B2-U0-G1
OPS-PT-05L-5C-27K8-U0-EHS	3,950	34	116	B2-U0-G1
OPS-PT-05L-5C-30K8-U0	4,890	34	144	B2-U0-G1
OPS-PT-05L-5C-30K8-U0-EHS	4,079	34	120	B2-U0-G1
OPS-PT-05L-5C-35K8-U0	4,809	34	141	B2-U0-G1
OPS-PT-05L-5C-35K8-U0-EHS	4,012	34	118	B2-U0-G1
OPS-PT-05L-5C-40K8-U0	5,005	34	147	B2-U0-G1
OPS-PT-05L-5C-40K8-U0-EHS	4,175	34	123	B2-U0-G1
OPS-PT-05L-5C-50K8-U0	5,072	34	149	B2-U0-G1
OPS-PT-05L-5C-50K8-U0-EHS	4,230	34	124	B2-U0-G1
OPS-PT-05L-5C-AMB-U0	3,324	36	92	B2-U0-G1
OPS-PT-05L-5C-AMB-U0-EHS	2,773	36	77	B1-U0-G1
OPS-PT-05L-5D-27K8-U0	4,265	34	125	B2-U0-G1
OPS-PT-05L-5D-27K8-U0-EHS	3,357	34	99	B1-U0-G1
OPS-PT-05L-5D-30K8-U0	4,404	34	130	B2-U0-G1
OPS-PT-05L-5D-30K8-U0-EHS	3,466	34	102	B1-U0-G1
OPS-PT-05L-5D-35K8-U0	4,331	34	127	B2-U0-G1
OPS-PT-05L-5D-35K8-U0-EHS	3,409	34	100	B1-U0-G1
OPS-PT-05L-5D-40K8-U0	4,508	34	133	B2-U0-G1
OPS-PT-05L-5D-40K8-U0-EHS	3,548	34	104	B1-U0-G1
OPS-PT-05L-5D-50K8-U0	4,568	34	134	B2-U0-G1
OPS-PT-05L-5D-50K8-U0-EHS	3,594	34	106	B1-U0-G1
OPS-PT-05L-5D-AMB-U0	2,994	36	83	B1-U0-G1
OPS-PT-05L-5D-AMB-U0-EHS	2,357	36	65	B1-U0-G1
OPS-PT-05L-5Q-27K8-U0	4,643	34	137	B2-U0-G1
OPS-PT-05L-5Q-27K8-U0-EHS	3,581	34	105	B1-U0-G1
OPS-PT-05L-5Q-30K8-U0	4,794	34	141	B2-U0-G1
OPS-PT-05L-5Q-30K8-U0-EHS	3,697	34	109	B1-U0-G1
OPS-PT-05L-5Q-35K8-U0	4,715	34	139	B2-U0-G1
OPS-PT-05L-5Q-35K8-U0-EHS	3,636	34	107	B1-U0-G1
OPS-PT-05L-5Q-40K8-U0	4,907	34	144	B2-U0-G1
OPS-PT-05L-5Q-40K8-U0-EHS	3,784	34	111	B1-U0-G1
OPS-PT-05L-5Q-50K8-U0	4,972	34	146	B2-U0-G1
OPS-PT-05L-5Q-50K8-U0-EHS	3,834	34	113	B1-U0-G1
OPS-PT-05L-5Q-AMB-U0	3,259	36	91	B1-U0-G1
OPS-PT-05L-5Q-AMB-U0-EHS	2,514	36	70	B1-U0-G1
OPS-PT-05L-5R-27K8-U0	4,604	34	135	B2-U0-G2
OPS-PT-05L-5R-27K8-U0-EHS	3,509	34	103	B1-U0-G1
OPS-PT-05L-5R-30K8-U0	4,754	34	140	B2-U0-G2
OPS-PT-05L-5R-30K8-U0-EHS	3,624	34	107	B1-U0-G1
OPS-PT-05L-5R-35K8-U0	4,675	34	138	B2-U0-G2
OPS-PT-05L-5R-35K8-U0-EHS	3,564	34	105	B1-U0-G1
OPS-PT-05L-5R-40K8-U0	4,866	34	143	B2-U0-G2
OPS-PT-05L-5R-40K8-U0-EHS	3,709	34	109	B1-U0-G1
OPS-PT-05L-5R-50K8-U0	4,930	34	145	B2-U0-G2



# OPS-PT-U0 Opulence – Decorative Post Top Light

## OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-05L-5R-50K8-U0-EHS	3,758	34	111	B1-U0-G1
OPS-PT-05L-5R-AMB-U0	3,232	36	90	B2-U0-G2
OPS-PT-05L-5R-AMB-U0-EHS	2,464	36	68	B1-U0-G1
OPS-PT-05L-AD-27K8-U0	4,269	34	126	B1-U0-G1
OPS-PT-05L-AD-27K8-U0-EHS	3,477	34	102	B1-U0-G1
OPS-PT-05L-AD-30K8-U0	4,407	34	130	B1-U0-G1
OPS-PT-05L-AD-30K8-U0-EHS	3,590	34	106	B1-U0-G1
OPS-PT-05L-AD-35K8-U0	4,335	34	127	B1-U0-G1
OPS-PT-05L-AD-35K8-U0-EHS	3,531	34	104	B1-U0-G1
OPS-PT-05L-AD-40K8-U0	4,511	34	133	B1-U0-G1
OPS-PT-05L-AD-40K8-U0-EHS	3,675	34	108	B1-U0-G1
OPS-PT-05L-AD-50K8-U0	4,571	34	134	B1-U0-G1
OPS-PT-05L-AD-50K8-U0-EHS	3,723	34	110	B1-U0-G1
OPS-PT-05L-AD-AMB-U0	2,997	36	83	B1-U0-G1
OPS-PT-05L-AD-AMB-U0-EHS	2,441	36	68	B1-U0-G1
OPS-PT-06L-3W-27K8-U0	5,257	41	128	B1-U0-G1
OPS-PT-06L-3W-27K8-U0-EHS	4,476	41	109	B1-U0-G1
OPS-PT-06L-3W-30K8-U0	5,428	41	132	B1-U0-G1
OPS-PT-06L-3W-30K8-U0-EHS	4,621	41	113	B1-U0-G1
OPS-PT-06L-3W-35K8-U0	5,339	41	130	B1-U0-G1
OPS-PT-06L-3W-35K8-U0-EHS	4,545	41	111	B1-U0-G1
OPS-PT-06L-3W-40K8-U0	5,556	41	136	B2-U0-G2
OPS-PT-06L-3W-40K8-U0-EHS	4,730	41	115	B1-U0-G1
OPS-PT-06L-3W-50K8-U0	5,630	41	137	B2-U0-G2
OPS-PT-06L-3W-50K8-U0-EHS	4,793	41	117	B1-U0-G1
OPS-PT-06L-3W-AMB-U0	3,578	43	83	B1-U0-G1
OPS-PT-06L-3W-AMB-U0-EHS	3,046	43	71	B1-U0-G1
OPS-PT-06L-4F-27K8-U0	5,354	41	131	B1-U0-G1
OPS-PT-06L-4F-27K8-U0-EHS	4,645	41	113	B1-U0-G1
OPS-PT-06L-4F-30K8-U0	5,528	41	135	B1-U0-G1
OPS-PT-06L-4F-30K8-U0-EHS	4,796	41	117	B1-U0-G1
OPS-PT-06L-4F-35K8-U0	5,437	41	133	B1-U0-G1
OPS-PT-06L-4F-35K8-U0-EHS	4,717	41	115	B1-U0-G1
OPS-PT-06L-4F-40K8-U0	5,658	41	138	B1-U0-G1
OPS-PT-06L-4F-40K8-U0-EHS	4,909	41	120	B1-U0-G1
OPS-PT-06L-4F-50K8-U0	5,733	41	140	B2-U0-G1
OPS-PT-06L-4F-50K8-U0-EHS	4,974	41	121	B1-U0-G1
OPS-PT-06L-4F-AMB-U0	3,644	43	85	B1-U0-G1
OPS-PT-06L-4F-AMB-U0-EHS	3,161	43	74	B1-U0-G1
OPS-PT-06L-5C-27K8-U0	5,612	41	137	B2-U0-G1
OPS-PT-06L-5C-27K8-U0-EHS	4,681	41	114	B2-U0-G1
OPS-PT-06L-5C-30K8-U0	5,794	41	141	B2-U0-G1
OPS-PT-06L-5C-30K8-U0-EHS	4,833	41	118	B2-U0-G1
OPS-PT-06L-5C-35K8-U0	5,699	41	139	B2-U0-G1
OPS-PT-06L-5C-35K8-U0-EHS	4,754	41	116	B2-U0-G1
OPS-PT-06L-5C-40K8-U0	5,931	41	145	B2-U0-G1
OPS-PT-06L-5C-40K8-U0-EHS	4,948	41	121	B2-U0-G1
OPS-PT-06L-5C-50K8-U0	6,010	41	147	B2-U0-G1
OPS-PT-06L-5C-50K8-U0-EHS	5,013	41	122	B2-U0-G1
OPS-PT-06L-5C-AMB-U0	3,819	43	89	B2-U0-G1
OPS-PT-06L-5C-AMB-U0-EHS	3,186	43	74	B1-U0-G1
OPS-PT-06L-5D-27K8-U0	5,055	41	123	B2-U0-G1
OPS-PT-06L-5D-27K8-U0-EHS	3,978	41	97	B1-U0-G1



# OPS-PT-U0 Opulence – Decorative Post Top Light

## OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-06L-5D-30K8-U0	5,219	41	127	B2-U0-G1
OPS-PT-06L-5D-30K8-U0-EHS	4,107	41	100	B2-U0-G1
OPS-PT-06L-5D-35K8-U0	5,133	41	125	B2-U0-G1
OPS-PT-06L-5D-35K8-U0-EHS	4,040	41	99	B1-U0-G1
OPS-PT-06L-5D-40K8-U0	5,342	41	130	B2-U0-G1
OPS-PT-06L-5D-40K8-U0-EHS	4,204	41	103	B2-U0-G1
OPS-PT-06L-5D-50K8-U0	5,413	41	132	B2-U0-G1
OPS-PT-06L-5D-50K8-U0-EHS	4,260	41	104	B2-U0-G1
OPS-PT-06L-5D-AMB-U0	3,440	43	80	B1-U0-G1
OPS-PT-06L-5D-AMB-U0-EHS	2,707	43	63	B1-U0-G1
OPS-PT-06L-5Q-27K8-U0	5,502	41	134	B2-U0-G1
OPS-PT-06L-5Q-27K8-U0-EHS	4,243	41	103	B2-U0-G1
OPS-PT-06L-5Q-30K8-U0	5,681	41	139	B2-U0-G1
OPS-PT-06L-5Q-30K8-U0-EHS	4,381	41	107	B2-U0-G1
OPS-PT-06L-5Q-35K8-U0	5,588	41	136	B2-U0-G1
OPS-PT-06L-5Q-35K8-U0-EHS	4,309	41	105	B2-U0-G1
OPS-PT-06L-5Q-40K8-U0	5,815	41	142	B2-U0-G1
OPS-PT-06L-5Q-40K8-U0-EHS	4,484	41	109	B2-U0-G1
OPS-PT-06L-5Q-50K8-U0	5,893	41	144	B2-U0-G1
OPS-PT-06L-5Q-50K8-U0-EHS	4,544	41	111	B2-U0-G1
OPS-PT-06L-5Q-AMB-U0	3,745	43	87	B2-U0-G1
OPS-PT-06L-5Q-AMB-U0-EHS	2,888	43	67	B1-U0-G1
OPS-PT-06L-5R-27K8-U0	5,456	41	133	B2-U0-G2
OPS-PT-06L-5R-27K8-U0-EHS	4,159	41	101	B1-U0-G1
OPS-PT-06L-5R-30K8-U0	5,634	41	137	B3-U0-G3
OPS-PT-06L-5R-30K8-U0-EHS	4,294	41	105	B1-U0-G1
OPS-PT-06L-5R-35K8-U0	5,541	41	135	B2-U0-G2
OPS-PT-06L-5R-35K8-U0-EHS	4,223	41	103	B1-U0-G1
OPS-PT-06L-5R-40K8-U0	5,767	41	141	B3-U0-G3
OPS-PT-06L-5R-40K8-U0-EHS	4,396	41	107	B2-U0-G1
OPS-PT-06L-5R-50K8-U0	5,844	41	143	B3-U0-G3
OPS-PT-06L-5R-50K8-U0-EHS	4,454	41	109	B2-U0-G1
OPS-PT-06L-5R-AMB-U0	3,714	43	86	B2-U0-G2
OPS-PT-06L-5R-AMB-U0-EHS	2,831	43	66	B1-U0-G1
OPS-PT-06L-AD-27K8-U0	5,059	41	123	B2-U0-G1
OPS-PT-06L-AD-27K8-U0-EHS	4,121	41	101	B1-U0-G1
OPS-PT-06L-AD-30K8-U0	5,223	41	127	B2-U0-G1
OPS-PT-06L-AD-30K8-U0-EHS	4,254	41	104	B1-U0-G1
OPS-PT-06L-AD-35K8-U0	5,137	41	125	B2-U0-G1
OPS-PT-06L-AD-35K8-U0-EHS	4,184	41	102	B1-U0-G1
OPS-PT-06L-AD-40K8-U0	5,346	41	130	B2-U0-G1
OPS-PT-06L-AD-40K8-U0-EHS	4,355	41	106	B1-U0-G1
OPS-PT-06L-AD-50K8-U0	5,417	41	132	B2-U0-G1
OPS-PT-06L-AD-50K8-U0-EHS	4,413	41	108	B1-U0-G1
OPS-PT-06L-AD-AMB-U0	3,443	43	80	B1-U0-G1
OPS-PT-06L-AD-AMB-U0-EHS	2,804	43	65	B1-U0-G1
OPS-PT-08L-3W-27K8-U0	7,044	55	128	B2-U0-G2
OPS-PT-08L-3W-27K8-U0-EHS	5,998	55	109	B1-U0-G1
OPS-PT-08L-3W-30K8-U0	7,273	55	132	B2-U0-G2
OPS-PT-08L-3W-30K8-U0-EHS	6,193	55	113	B2-U0-G1
OPS-PT-08L-3W-35K8-U0	7,153	55	130	B2-U0-G2
OPS-PT-08L-3W-35K8-U0-EHS	6,091	55	111	B2-U0-G1
OPS-PT-08L-3W-40K8-U0	7,445	55	135	B2-U0-G2



# OPS-PT-U0 Opulence – Decorative Post Top Light

## OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-08L-3W-40K8-U0-EHS	6,339	55	115	B2-U0-G1
OPS-PT-08L-3W-50K8-U0	7,544	55	137	B2-U0-G2
OPS-PT-08L-3W-50K8-U0-EHS	6,423	55	117	B2-U0-G1
OPS-PT-08L-3W-AMB-U0	4,837	59	82	B1-U0-G1
OPS-PT-08L-3W-AMB-U0-EHS	4,119	59	70	B1-U0-G1
OPS-PT-08L-4F-27K8-U0	7,174	55	130	B2-U0-G1
OPS-PT-08L-4F-27K8-U0-EHS	6,225	55	113	B1-U0-G1
OPS-PT-08L-4F-30K8-U0	7,407	55	135	B2-U0-G1
OPS-PT-08L-4F-30K8-U0-EHS	6,427	55	117	B1-U0-G1
OPS-PT-08L-4F-35K8-U0	7,285	55	132	B2-U0-G1
OPS-PT-08L-4F-35K8-U0-EHS	6,321	55	115	B1-U0-G1
OPS-PT-08L-4F-40K8-U0	7,582	55	138	B2-U0-G1
OPS-PT-08L-4F-40K8-U0-EHS	6,579	55	120	B1-U0-G1
OPS-PT-08L-4F-50K8-U0	7,683	55	140	B2-U0-G2
OPS-PT-08L-4F-50K8-U0-EHS	6,666	55	121	B1-U0-G1
OPS-PT-08L-4F-AMB-U0	4,926	59	83	B1-U0-G1
OPS-PT-08L-4F-AMB-U0-EHS	4,274	59	72	B1-U0-G1
OPS-PT-08L-5C-27K8-U0	7,520	55	137	B3-U0-G1
OPS-PT-08L-5C-27K8-U0-EHS	6,273	55	114	B2-U0-G1
OPS-PT-08L-5C-30K8-U0	7,764	55	141	B3-U0-G1
OPS-PT-08L-5C-30K8-U0-EHS	6,477	55	118	B2-U0-G1
OPS-PT-08L-5C-35K8-U0	7,636	55	139	B3-U0-G1
OPS-PT-08L-5C-35K8-U0-EHS	6,370	55	116	B2-U0-G1
OPS-PT-08L-5C-40K8-U0	7,947	55	144	B3-U0-G1
OPS-PT-08L-5C-40K8-U0-EHS	6,630	55	121	B2-U0-G1
OPS-PT-08L-5C-50K8-U0	8,053	55	146	B3-U0-G1
OPS-PT-08L-5C-50K8-U0-EHS	6,718	55	122	B2-U0-G1
OPS-PT-08L-5C-AMB-U0	5,164	59	88	B2-U0-G1
OPS-PT-08L-5C-AMB-U0-EHS	4,307	59	73	B2-U0-G1
OPS-PT-08L-5D-27K8-U0	6,773	55	123	B2-U0-G1
OPS-PT-08L-5D-27K8-U0-EHS	5,331	55	97	B2-U0-G1
OPS-PT-08L-5D-30K8-U0	6,993	55	127	B2-U0-G1
OPS-PT-08L-5D-30K8-U0-EHS	5,504	55	100	B2-U0-G1
OPS-PT-08L-5D-35K8-U0	6,878	55	125	B2-U0-G1
OPS-PT-08L-5D-35K8-U0-EHS	5,413	55	98	B2-U0-G1
OPS-PT-08L-5D-40K8-U0	7,158	55	130	B2-U0-G1
OPS-PT-08L-5D-40K8-U0-EHS	5,634	55	102	B2-U0-G1
OPS-PT-08L-5D-50K8-U0	7,253	55	132	B2-U0-G1
OPS-PT-08L-5D-50K8-U0-EHS	5,709	55	104	B2-U0-G1
OPS-PT-08L-5D-AMB-U0	4,651	59	79	B2-U0-G1
OPS-PT-08L-5D-AMB-U0-EHS	3,660	59	62	B1-U0-G1
OPS-PT-08L-5Q-27K8-U0	7,373	55	134	B3-U0-G1
OPS-PT-08L-5Q-27K8-U0-EHS	5,686	55	103	B2-U0-G1
OPS-PT-08L-5Q-30K8-U0	7,613	55	138	B3-U0-G1
OPS-PT-08L-5Q-30K8-U0-EHS	5,871	55	107	B2-U0-G1
OPS-PT-08L-5Q-35K8-U0	7,487	55	136	B3-U0-G1
OPS-PT-08L-5Q-35K8-U0-EHS	5,774	55	105	B2-U0-G1
OPS-PT-08L-5Q-40K8-U0	7,792	55	142	B3-U0-G1
OPS-PT-08L-5Q-40K8-U0-EHS	6,009	55	109	B2-U0-G1
OPS-PT-08L-5Q-50K8-U0	7,896	55	144	B3-U0-G1
OPS-PT-08L-5Q-50K8-U0-EHS	6,089	55	111	B2-U0-G1
OPS-PT-08L-5Q-AMB-U0	5,063	59	86	B2-U0-G1
OPS-PT-08L-5Q-AMB-U0-EHS	3,904	59	66	B1-U0-G1
OPS-PT-08L-5R-27K8-U0	7,309	55	133	B3-U0-G3



# OPS-PT-U0 Opulence – Decorative Post Top Light

## OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-08L-5R-27K8-U0-EHS	5,573	55	101	B2-U0-G1
OPS-PT-08L-5R-30K8-U0	7,547	55	137	B3-U0-G3
OPS-PT-08L-5R-30K8-U0-EHS	5,754	55	105	B2-U0-G1
OPS-PT-08L-5R-35K8-U0	7,422	55	135	B3-U0-G3
OPS-PT-08L-5R-35K8-U0-EHS	5,660	55	103	B2-U0-G1
OPS-PT-08L-5R-40K8-U0	7,725	55	140	B3-U0-G3
OPS-PT-08L-5R-40K8-U0-EHS	5,890	55	107	B2-U0-G1
OPS-PT-08L-5R-50K8-U0	7,827	55	142	B3-U0-G3
OPS-PT-08L-5R-50K8-U0-EHS	5,968	55	109	B2-U0-G1
OPS-PT-08L-5R-AMB-U0	5,019	59	85	B2-U0-G2
OPS-PT-08L-5R-AMB-U0-EHS	3,827	59	65	B1-U0-G1
OPS-PT-08L-AD-27K8-U0	6,778	55	123	B2-U0-G2
OPS-PT-08L-AD-27K8-U0-EHS	5,521	55	100	B2-U0-G1
OPS-PT-08L-AD-30K8-U0	6,999	55	127	B2-U0-G2
OPS-PT-08L-AD-30K8-U0-EHS	5,701	55	104	B2-U0-G1
OPS-PT-08L-AD-35K8-U0	6,884	55	125	B2-U0-G2
OPS-PT-08L-AD-35K8-U0-EHS	5,607	55	102	B2-U0-G1
OPS-PT-08L-AD-40K8-U0	7,164	55	130	B2-U0-G2
OPS-PT-08L-AD-40K8-U0-EHS	5,835	55	106	B2-U0-G1
OPS-PT-08L-AD-50K8-U0	7,259	55	132	B2-U0-G2
OPS-PT-08L-AD-50K8-U0-EHS	5,913	55	108	B2-U0-G1
OPS-PT-08L-AD-AMB-U0	4,654	59	79	B1-U0-G1
OPS-PT-08L-AD-AMB-U0-EHS	3,791	59	64	B1-U0-G1
OPS-PT-10L-3W-27K8-U0	8,883	70	127	B2-U0-G2
OPS-PT-10L-3W-27K8-U0-EHS	7,564	70	108	B2-U0-G1
OPS-PT-10L-3W-30K8-U0	9,172	70	131	B2-U0-G2
OPS-PT-10L-3W-30K8-U0-EHS	7,810	70	112	B2-U0-G1
OPS-PT-10L-3W-35K8-U0	9,021	70	129	B2-U0-G2
OPS-PT-10L-3W-35K8-U0-EHS	7,681	70	110	B2-U0-G1
OPS-PT-10L-3W-40K8-U0	9,389	70	134	B2-U0-G2
OPS-PT-10L-3W-40K8-U0-EHS	7,994	70	114	B2-U0-G1
OPS-PT-10L-3W-50K8-U0	9,513	70	136	B2-U0-G2
OPS-PT-10L-3W-50K8-U0-EHS	8,100	70	116	B2-U0-G1
OPS-PT-10L-3W-AMB-U0	5,898	74	80	B2-U0-G2
OPS-PT-10L-3W-AMB-U0-EHS	5,021	74	68	B1-U0-G1
OPS-PT-10L-4F-27K8-U0	9,047	70	129	B2-U0-G2
OPS-PT-10L-4F-27K8-U0-EHS	7,850	70	112	B2-U0-G1
OPS-PT-10L-4F-30K8-U0	9,341	70	133	B2-U0-G2
OPS-PT-10L-4F-30K8-U0-EHS	8,105	70	116	B2-U0-G1
OPS-PT-10L-4F-35K8-U0	9,187	70	131	B2-U0-G2
OPS-PT-10L-4F-35K8-U0-EHS	7,971	70	114	B2-U0-G1
OPS-PT-10L-4F-40K8-U0	9,562	70	137	B2-U0-G2
OPS-PT-10L-4F-40K8-U0-EHS	8,296	70	119	B2-U0-G1
OPS-PT-10L-4F-50K8-U0	9,688	70	138	B2-U0-G2
OPS-PT-10L-4F-50K8-U0-EHS	8,406	70	120	B2-U0-G1
OPS-PT-10L-4F-AMB-U0	6,006	74	81	B2-U0-G1
OPS-PT-10L-4F-AMB-U0-EHS	5,211	74	70	B1-U0-G1
OPS-PT-10L-5C-27K8-U0	9,483	70	135	B3-U0-G1
OPS-PT-10L-5C-27K8-U0-EHS	7,911	70	113	B2-U0-G1
OPS-PT-10L-5C-30K8-U0	9,791	70	140	B3-U0-G1
OPS-PT-10L-5C-30K8-U0-EHS	8,168	70	117	B2-U0-G1
OPS-PT-10L-5C-35K8-U0	9,630	70	138	B3-U0-G1
OPS-PT-10L-5C-35K8-U0-EHS	8,033	70	115	B2-U0-G1



# OPS-PT-U0 Opulence – Decorative Post Top Light

## OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-10L-5C-40K8-U0	10,022	70	143	B3-U0-G1
OPS-PT-10L-5C-40K8-U0-EHS	8,361	70	119	B2-U0-G1
OPS-PT-10L-5C-50K8-U0	10,155	70	145	B3-U0-G1
OPS-PT-10L-5C-50K8-U0-EHS	8,472	70	121	B2-U0-G1
OPS-PT-10L-5C-AMB-U0	6,296	74	85	B2-U0-G1
OPS-PT-10L-5C-AMB-U0-EHS	5,252	74	71	B2-U0-G1
OPS-PT-10L-5D-27K8-U0	8,542	70	122	B3-U0-G2
OPS-PT-10L-5D-27K8-U0-EHS	6,722	70	96	B2-U0-G1
OPS-PT-10L-5D-30K8-U0	8,819	70	126	B3-U0-G2
OPS-PT-10L-5D-30K8-U0-EHS	6,941	70	99	B2-U0-G1
OPS-PT-10L-5D-35K8-U0	8,674	70	124	B3-U0-G2
OPS-PT-10L-5D-35K8-U0-EHS	6,826	70	98	B2-U0-G1
OPS-PT-10L-5D-40K8-U0	9,027	70	129	B3-U0-G2
OPS-PT-10L-5D-40K8-U0-EHS	7,105	70	101	B2-U0-G1
OPS-PT-10L-5D-50K8-U0	9,147	70	131	B3-U0-G2
OPS-PT-10L-5D-50K8-U0-EHS	7,199	70	103	B2-U0-G1
OPS-PT-10L-5D-AMB-U0	5,671	74	77	B2-U0-G1
OPS-PT-10L-5D-AMB-U0-EHS	4,463	74	60	B2-U0-G1
OPS-PT-10L-5Q-27K8-U0	9,297	70	133	B3-U0-G1
OPS-PT-10L-5Q-27K8-U0-EHS	7,171	70	102	B2-U0-G1
OPS-PT-10L-5Q-30K8-U0	9,600	70	137	B3-U0-G1
OPS-PT-10L-5Q-30K8-U0-EHS	7,403	70	106	B2-U0-G1
OPS-PT-10L-5Q-35K8-U0	9,442	70	135	B3-U0-G1
OPS-PT-10L-5Q-35K8-U0-EHS	7,282	70	104	B2-U0-G1
OPS-PT-10L-5Q-40K8-U0	9,826	70	140	B3-U0-G1
OPS-PT-10L-5Q-40K8-U0-EHS	7,578	70	108	B2-U0-G1
OPS-PT-10L-5Q-50K8-U0	9,957	70	142	B3-U0-G1
OPS-PT-10L-5Q-50K8-U0-EHS	7,679	70	110	B2-U0-G1
OPS-PT-10L-5Q-AMB-U0	6,172	74	83	B2-U0-G1
OPS-PT-10L-5Q-AMB-U0-EHS	4,760	74	64	B2-U0-G1
OPS-PT-10L-5R-27K8-U0	9,217	70	132	B3-U0-G3
OPS-PT-10L-5R-27K8-U0-EHS	7,028	70	100	B2-U0-G1
OPS-PT-10L-5R-30K8-U0	9,516	70	136	B3-U0-G3
OPS-PT-10L-5R-30K8-U0-EHS	7,256	70	104	B2-U0-G1
OPS-PT-10L-5R-35K8-U0	9,360	70	134	B3-U0-G3
OPS-PT-10L-5R-35K8-U0-EHS	7,137	70	102	B2-U0-G1
OPS-PT-10L-5R-40K8-U0	9,741	70	139	B3-U0-G3
OPS-PT-10L-5R-40K8-U0-EHS	7,428	70	106	B2-U0-G1
OPS-PT-10L-5R-50K8-U0	9,870	70	141	B3-U0-G3
OPS-PT-10L-5R-50K8-U0-EHS	7,526	70	108	B2-U0-G2
OPS-PT-10L-5R-AMB-U0	6,119	74	83	B3-U0-G3
OPS-PT-10L-5R-AMB-U0-EHS	4,666	74	63	B2-U0-G1
OPS-PT-10L-AD-27K8-U0	8,548	70	122	B2-U0-G2
OPS-PT-10L-AD-27K8-U0-EHS	6,963	70	99	B2-U0-G2
OPS-PT-10L-AD-30K8-U0	8,826	70	126	B2-U0-G2
OPS-PT-10L-AD-30K8-U0-EHS	7,189	70	103	B2-U0-G2
OPS-PT-10L-AD-35K8-U0	8,681	70	124	B2-U0-G2
OPS-PT-10L-AD-35K8-U0-EHS	7,071	70	101	B2-U0-G2
OPS-PT-10L-AD-40K8-U0	9,034	70	129	B2-U0-G2
OPS-PT-10L-AD-40K8-U0-EHS	7,359	70	105	B2-U0-G2
OPS-PT-10L-AD-50K8-U0	9,154	70	131	B2-U0-G2
OPS-PT-10L-AD-50K8-U0-EHS	7,457	70	107	B2-U0-G2
OPS-PT-10L-AD-AMB-U0	5,675	74	77	B2-U0-G1
OPS-PT-10L-AD-AMB-U0-EHS	4,623	74	62	B1-U0-G1





# OPS-PT-U0 Opulence – Decorative Post Top Light

## OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-12L-3W-27K8-U0	10,589	85	125	B2-U0-G2
OPS-PT-12L-3W-27K8-U0-EHS	9,016	85	106	B2-U0-G2
OPS-PT-12L-3W-30K8-U0	10,933	85	129	B3-U0-G3
OPS-PT-12L-3W-30K8-U0-EHS	9,309	85	110	B2-U0-G2
OPS-PT-12L-3W-35K8-U0	10,753	85	127	B2-U0-G2
OPS-PT-12L-3W-35K8-U0-EHS	9,156	85	108	B2-U0-G2
OPS-PT-12L-3W-40K8-U0	11,191	85	132	B3-U0-G3
OPS-PT-12L-3W-40K8-U0-EHS	9,529	85	112	B2-U0-G2
OPS-PT-12L-3W-50K8-U0	11,340	85	133	B3-U0-G3
OPS-PT-12L-3W-50K8-U0-EHS	9,655	85	114	B2-U0-G2
OPS-PT-12L-4F-27K8-U0	10,784	85	127	B2-U0-G2
OPS-PT-12L-4F-27K8-U0-EHS	9,357	85	110	B2-U0-G2
OPS-PT-12L-4F-30K8-U0	11,135	85	131	B2-U0-G2
OPS-PT-12L-4F-30K8-U0-EHS	9,661	85	114	B2-U0-G2
OPS-PT-12L-4F-35K8-U0	10,952	85	129	B2-U0-G2
OPS-PT-12L-4F-35K8-U0-EHS	9,502	85	112	B2-U0-G2
OPS-PT-12L-4F-40K8-U0	11,398	85	134	B2-U0-G2
OPS-PT-12L-4F-40K8-U0-EHS	9,889	85	116	B2-U0-G2
OPS-PT-12L-4F-50K8-U0	11,549	85	136	B2-U0-G2
OPS-PT-12L-4F-50K8-U0-EHS	10,020	85	118	B2-U0-G2
OPS-PT-12L-5C-27K8-U0	11,304	85	133	B3-U0-G1
OPS-PT-12L-5C-27K8-U0-EHS	9,430	85	111	B3-U0-G1
OPS-PT-12L-5C-30K8-U0	11,671	85	137	B3-U0-G1
OPS-PT-12L-5C-30K8-U0-EHS	9,736	85	115	B3-U0-G1
OPS-PT-12L-5C-35K8-U0	11,479	85	135	B3-U0-G1
OPS-PT-12L-5C-35K8-U0-EHS	9,576	85	113	B3-U0-G1
OPS-PT-12L-5C-40K8-U0	11,947	85	141	B3-U0-G1
OPS-PT-12L-5C-40K8-U0-EHS	9,966	85	117	B3-U0-G1
OPS-PT-12L-5C-50K8-U0	12,105	85	142	B3-U0-G1
OPS-PT-12L-5C-50K8-U0-EHS	10,098	85	119	B3-U0-G1
OPS-PT-12L-5D-27K8-U0	10,182	85	120	B3-U0-G2
OPS-PT-12L-5D-27K8-U0-EHS	8,013	85	94	B2-U0-G1
OPS-PT-12L-5D-30K8-U0	10,512	85	124	B3-U0-G2
OPS-PT-12L-5D-30K8-U0-EHS	8,273	85	97	B2-U0-G2
OPS-PT-12L-5D-35K8-U0	10,340	85	122	B3-U0-G2
OPS-PT-12L-5D-35K8-U0-EHS	8,137	85	96	B2-U0-G1
OPS-PT-12L-5D-40K8-U0	10,761	85	127	B3-U0-G2
OPS-PT-12L-5D-40K8-U0-EHS	8,469	85	100	B2-U0-G2
OPS-PT-12L-5D-50K8-U0	10,903	85	128	B3-U0-G2
OPS-PT-12L-5D-50K8-U0-EHS	8,581	85	101	B2-U0-G2
OPS-PT-12L-5Q-27K8-U0	11,083	85	130	B3-U0-G1
OPS-PT-12L-5Q-27K8-U0-EHS	8,547	85	101	B2-U0-G2
OPS-PT-12L-5Q-30K8-U0	11,443	85	135	B3-U0-G1
OPS-PT-12L-5Q-30K8-U0-EHS	8,825	85	104	B2-U0-G2
OPS-PT-12L-5Q-35K8-U0	11,254	85	132	B3-U0-G1
OPS-PT-12L-5Q-35K8-U0-EHS	8,680	85	102	B2-U0-G2
OPS-PT-12L-5Q-40K8-U0	11,713	85	138	B3-U0-G2
OPS-PT-12L-5Q-40K8-U0-EHS	9,033	85	106	B2-U0-G2
OPS-PT-12L-5Q-50K8-U0	11,868	85	140	B3-U0-G2
OPS-PT-12L-5Q-50K8-U0-EHS	9,153	85	108	B2-U0-G2
OPS-PT-12L-5R-27K8-U0	10,987	85	129	B3-U0-G3
OPS-PT-12L-5R-27K8-U0-EHS	8,377	85	99	B2-U0-G2
OPS-PT-12L-5R-30K8-U0	11,344	85	133	B3-U0-G3



# OPS-PT-U0 Opulence – Decorative Post Top Light

## OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-12L-5R-30K8-U0-EHS	8,650	85	102	B2-U0-G2
OPS-PT-12L-5R-35K8-U0	11,158	85	131	B3-U0-G3
OPS-PT-12L-5R-35K8-U0-EHS	8,507	85	100	B2-U0-G2
OPS-PT-12L-5R-40K8-U0	11,612	85	137	B3-U0-G3
OPS-PT-12L-5R-40K8-U0-EHS	8,854	85	104	B2-U0-G2
OPS-PT-12L-5R-50K8-U0	11,766	85	138	B3-U0-G3
OPS-PT-12L-5R-50K8-U0-EHS	8,971	85	106	B2-U0-G2
OPS-PT-12L-AD-27K8-U0	10,189	85	120	B2-U0-G2
OPS-PT-12L-AD-27K8-U0-EHS	8,300	85	98	B2-U0-G2
OPS-PT-12L-AD-30K8-U0	10,521	85	124	B2-U0-G2
OPS-PT-12L-AD-30K8-U0-EHS	8,569	85	101	B2-U0-G2
OPS-PT-12L-AD-35K8-U0	10,348	85	122	B2-U0-G2
OPS-PT-12L-AD-35K8-U0-EHS	8,428	85	99	B2-U0-G2
OPS-PT-12L-AD-40K8-U0	10,769	85	127	B2-U0-G2
OPS-PT-12L-AD-40K8-U0-EHS	8,772	85	103	B2-U0-G2
OPS-PT-12L-AD-50K8-U0	10,912	85	128	B2-U0-G2
OPS-PT-12L-AD-50K8-U0-EHS	8,888	85	105	B2-U0-G2
OPS-PT-14L-3W-27K8-U0	12,242	100	122	B3-U0-G3
OPS-PT-14L-3W-27K8-U0-EHS	10,424	100	104	B2-U0-G2
OPS-PT-14L-3W-30K8-U0	12,640	100	126	B3-U0-G3
OPS-PT-14L-3W-30K8-U0-EHS	10,762	100	108	B2-U0-G2
OPS-PT-14L-3W-35K8-U0	12,432	100	124	B3-U0-G3
OPS-PT-14L-3W-35K8-U0-EHS	10,585	100	106	B2-U0-G2
OPS-PT-14L-3W-40K8-U0	12,938	100	129	B3-U0-G3
OPS-PT-14L-3W-40K8-U0-EHS	11,016	100	110	B2-U0-G2
OPS-PT-14L-3W-50K8-U0	13,110	100	131	B3-U0-G3
OPS-PT-14L-3W-50K8-U0-EHS	11,163	100	112	B2-U0-G2
OPS-PT-14L-4F-27K8-U0	12,468	100	125	B2-U0-G2
OPS-PT-14L-4F-27K8-U0-EHS	10,818	100	108	B2-U0-G2
OPS-PT-14L-4F-30K8-U0	12,873	100	129	B2-U0-G2
OPS-PT-14L-4F-30K8-U0-EHS	11,169	100	112	B2-U0-G2
OPS-PT-14L-4F-35K8-U0	12,661	100	127	B2-U0-G2
OPS-PT-14L-4F-35K8-U0-EHS	10,985	100	110	B2-U0-G2
OPS-PT-14L-4F-40K8-U0	13,177	100	132	B2-U0-G2
OPS-PT-14L-4F-40K8-U0-EHS	11,433	100	114	B2-U0-G2
OPS-PT-14L-4F-50K8-U0	13,352	100	134	B2-U0-G2
OPS-PT-14L-4F-50K8-U0-EHS	11,584	100	116	B2-U0-G2
OPS-PT-14L-5C-27K8-U0	13,069	100	131	B3-U0-G1
OPS-PT-14L-5C-27K8-U0-EHS	10,902	100	109	B3-U0-G1
OPS-PT-14L-5C-30K8-U0	13,493	100	135	B3-U0-G1
OPS-PT-14L-5C-30K8-U0-EHS	11,256	100	113	B3-U0-G1
OPS-PT-14L-5C-35K8-U0	13,271	100	133	B3-U0-G1
OPS-PT-14L-5C-35K8-U0-EHS	11,071	100	111	B3-U0-G1
OPS-PT-14L-5C-40K8-U0	13,812	100	138	B3-U0-G1
OPS-PT-14L-5C-40K8-U0-EHS	11,522	100	115	B3-U0-G1
OPS-PT-14L-5C-50K8-U0	13,995	100	140	B3-U0-G1
OPS-PT-14L-5C-50K8-U0-EHS	11,675	100	117	B3-U0-G1
OPS-PT-14L-5D-27K8-U0	11,771	100	118	B3-U0-G2
OPS-PT-14L-5D-27K8-U0-EHS	9,264	100	93	B2-U0-G2
OPS-PT-14L-5D-30K8-U0	12,154	100	122	B3-U0-G2
OPS-PT-14L-5D-30K8-U0-EHS	9,565	100	96	B2-U0-G2
OPS-PT-14L-5D-35K8-U0	11,954	100	120	B3-U0-G2
OPS-PT-14L-5D-35K8-U0-EHS	9,408	100	94	B2-U0-G2



# OPS-PT-U0 Opulence – Decorative Post Top Light

## OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-14L-5D-40K8-U0	12,441	100	124	B3-U0-G2
OPS-PT-14L-5D-40K8-U0-EHS	9,791	100	98	B2-U0-G2
OPS-PT-14L-5D-50K8-U0	12,606	100	126	B3-U0-G2
OPS-PT-14L-5D-50K8-U0-EHS	9,921	100	99	B2-U0-G2
OPS-PT-14L-5Q-27K8-U0	12,813	100	128	B3-U0-G2
OPS-PT-14L-5Q-27K8-U0-EHS	9,882	100	99	B2-U0-G2
OPS-PT-14L-5Q-30K8-U0	13,229	100	132	B3-U0-G2
OPS-PT-14L-5Q-30K8-U0-EHS	10,203	100	102	B2-U0-G2
OPS-PT-14L-5Q-35K8-U0	13,012	100	130	B3-U0-G2
OPS-PT-14L-5Q-35K8-U0-EHS	10,035	100	100	B2-U0-G2
OPS-PT-14L-5Q-40K8-U0	13,542	100	135	B3-U0-G2
OPS-PT-14L-5Q-40K8-U0-EHS	10,444	100	104	B3-U0-G2
OPS-PT-14L-5Q-50K8-U0	13,722	100	137	B3-U0-G2
OPS-PT-14L-5Q-50K8-U0-EHS	10,583	100	106	B3-U0-G2
OPS-PT-14L-5R-27K8-U0	12,703	100	127	B3-U0-G3
OPS-PT-14L-5R-27K8-U0-EHS	9,685	100	97	B2-U0-G2
OPS-PT-14L-5R-30K8-U0	13,116	100	131	B3-U0-G3
OPS-PT-14L-5R-30K8-U0-EHS	10,000	100	100	B2-U0-G2
OPS-PT-14L-5R-35K8-U0	12,900	100	129	B3-U0-G3
OPS-PT-14L-5R-35K8-U0-EHS	9,836	100	98	B2-U0-G2
OPS-PT-14L-5R-40K8-U0	13,426	100	134	B3-U0-G3
OPS-PT-14L-5R-40K8-U0-EHS	10,236	100	102	B2-U0-G2
OPS-PT-14L-5R-50K8-U0	13,604	100	136	B3-U0-G3
OPS-PT-14L-5R-50K8-U0-EHS	10,372	100	104	B2-U0-G2
OPS-PT-14L-AD-27K8-U0	11,780	100	118	B2-U0-G2
OPS-PT-14L-AD-27K8-U0-EHS	9,596	100	96	B2-U0-G2
OPS-PT-14L-AD-30K8-U0	12,163	100	122	B3-U0-G3
OPS-PT-14L-AD-30K8-U0-EHS	9,908	100	99	B2-U0-G2
OPS-PT-14L-AD-35K8-U0	11,963	100	120	B3-U0-G2
OPS-PT-14L-AD-35K8-U0-EHS	9,744	100	97	B2-U0-G2
OPS-PT-14L-AD-40K8-U0	12,450	100	125	B3-U0-G3
OPS-PT-14L-AD-40K8-U0-EHS	10,141	100	101	B2-U0-G2
OPS-PT-14L-AD-50K8-U0	12,615	100	126	B3-U0-G3
OPS-PT-14L-AD-50K8-U0-EHS	10,276	100	103	B2-U0-G2