



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|------------------------|-------------------------|--------------|-------------------|------------|
| OPS-PT-01L-3W-AMT | 1,126 | 26 | 43 | B0-U2-G1 |
| OPS-PT-01L-4F-AMT | 1,141 | 26 | 44 | B0-U2-G1 |
| OPS-PT-01L-5C-AMT | 1,180 | 26 | 45 | B1-U2-G0 |
| OPS-PT-01L-5D-AMT | 1,055 | 26 | 41 | B1-U2-G1 |
| OPS-PT-01L-5Q-AMT | 1,134 | 26 | 44 | B1-U2-G0 |
| OPS-PT-01L-5R-AMT | 1,111 | 26 | 43 | B1-U0-G1 |
| OPS-PT-01L-AD-AMT | 1,062 | 26 | 41 | B0-U2-G1 |
| | | | | |
| OPS-PT-03L-3W-27K8 | 2,752 | 20 | 138 | B1-U2-G1 |
| OPS-PT-03L-3W-27K8-EHS | 2,581 | 22 | 117 | B1-U2-G1 |
| OPS-PT-03L-3W-30K8 | 2,843 | 20 | 142 | B1-U2-G1 |
| OPS-PT-03L-3W-30K8-EHS | 2,698 | 22 | 123 | B1-U2-G1 |
| OPS-PT-03L-3W-35K8 | 2,795 | 20 | 140 | B1-U2-G1 |
| OPS-PT-03L-3W-35K8-EHS | 2,816 | 22 | 128 | B1-U2-G1 |
| OPS-PT-03L-3W-40K8 | 2,909 | 20 | 145 | B1-U2-G1 |
| OPS-PT-03L-3W-40K8-EHS | 2,933 | 22 | 133 | B1-U2-G1 |
| OPS-PT-03L-3W-50K8 | 2,947 | 20 | 147 | B1-U2-G1 |
| OPS-PT-03L-3W-50K8-EHS | 2,933 | 22 | 133 | B1-U2-G1 |
| OPS-PT-03L-3W-AMB | 1,975 | 22 | 90 | B1-U2-G1 |
| OPS-PT-03L-3W-AMB-EHS | 1,851 | 22 | 84 | B1-U2-G1 |
| OPS-PT-03L-4F-27K8 | 2,804 | 20 | 140 | B1-U2-G1 |
| OPS-PT-03L-4F-27K8-EHS | 2,673 | 22 | 121 | B1-U2-G1 |
| OPS-PT-03L-4F-30K8 | 2,896 | 20 | 145 | B1-U2-G1 |
| OPS-PT-03L-4F-30K8-EHS | 2,794 | 22 | 127 | B1-U2-G1 |
| OPS-PT-03L-4F-35K8 | 2,848 | 20 | 142 | B1-U2-G1 |
| OPS-PT-03L-4F-35K8-EHS | 2,916 | 22 | 133 | B1-U2-G1 |
| OPS-PT-03L-4F-40K8 | 2,964 | 20 | 148 | B1-U2-G1 |
| OPS-PT-03L-4F-40K8-EHS | 3,037 | 22 | 138 | B1-U2-G1 |
| OPS-PT-03L-4F-50K8 | 3,002 | 20 | 150 | B1-U2-G1 |
| OPS-PT-03L-4F-50K8-EHS | 3,037 | 22 | 138 | B1-U2-G1 |
| OPS-PT-03L-4F-AMB | 2,012 | 22 | 91 | B1-U2-G1 |
| OPS-PT-03L-4F-AMB-EHS | 1,918 | 22 | 87 | B1-U2-G1 |
| OPS-PT-03L-5C-27K8 | 2,952 | 20 | 148 | B1-U3-G1 |
| OPS-PT-03L-5C-27K8-EHS | 2,711 | 22 | 123 | B1-U3-G1 |
| OPS-PT-03L-5C-30K8 | 3,049 | 20 | 152 | B1-U3-G1 |
| OPS-PT-03L-5C-30K8-EHS | 2,834 | 22 | 129 | B1-U3-G1 |
| OPS-PT-03L-5C-35K8 | 2,998 | 20 | 150 | B1-U3-G1 |
| OPS-PT-03L-5C-35K8-EHS | 2,957 | 22 | 134 | B1-U3-G1 |
| OPS-PT-03L-5C-40K8 | 3,120 | 20 | 156 | B2-U3-G1 |
| OPS-PT-03L-5C-40K8-EHS | 3,080 | 22 | 140 | B1-U3-G1 |
| OPS-PT-03L-5C-50K8 | 3,160 | 20 | 158 | B2-U3-G1 |
| OPS-PT-03L-5C-50K8-EHS | 3,080 | 22 | 140 | B1-U3-G1 |
| OPS-PT-03L-5C-AMB | 2,119 | 22 | 96 | B1-U2-G1 |
| OPS-PT-03L-5C-AMB-EHS | 1,945 | 22 | 88 | B1-U2-G1 |
| OPS-PT-03L-5D-27K8 | 2,647 | 20 | 132 | B1-U2-G1 |
| OPS-PT-03L-5D-27K8-EHS | 2,300 | 22 | 105 | B1-U2-G1 |
| OPS-PT-03L-5D-30K8 | 2,735 | 20 | 137 | B1-U2-G1 |
| OPS-PT-03L-5D-30K8-EHS | 2,404 | 22 | 109 | B1-U2-G1 |
| OPS-PT-03L-5D-35K8 | 2,688 | 20 | 134 | B1-U2-G1 |
| OPS-PT-03L-5D-35K8-EHS | 2,509 | 22 | 114 | B1-U2-G1 |
| OPS-PT-03L-5D-40K8 | 2,798 | 20 | 140 | B1-U2-G1 |
| OPS-PT-03L-5D-40K8-EHS | 2,614 | 22 | 119 | B1-U2-G1 |
| OPS-PT-03L-5D-50K8 | 2,834 | 20 | 142 | B1-U2-G1 |
| OPS-PT-03L-5D-50K8-EHS | 2,614 | 22 | 119 | B1-U2-G1 |



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|------------------------|-------------------------|--------------|-------------------|------------|
| OPS-PT-03L-5D-AMB | 1,900 | 22 | 86 | B1-U2-G1 |
| OPS-PT-03L-5D-AMB-EHS | 1,650 | 22 | 75 | B1-U2-G1 |
| OPS-PT-03L-5Q-27K8 | 2,876 | 20 | 144 | B1-U2-G1 |
| OPS-PT-03L-5Q-27K8-EHS | 2,448 | 22 | 111 | B1-U2-G1 |
| OPS-PT-03L-5Q-30K8 | 2,970 | 20 | 149 | B1-U2-G1 |
| OPS-PT-03L-5Q-30K8-EHS | 2,559 | 22 | 116 | B1-U2-G1 |
| OPS-PT-03L-5Q-35K8 | 2,921 | 20 | 146 | B1-U2-G1 |
| OPS-PT-03L-5Q-35K8-EHS | 2,671 | 22 | 121 | B1-U2-G1 |
| OPS-PT-03L-5Q-40K8 | 3,039 | 20 | 152 | B1-U2-G1 |
| OPS-PT-03L-5Q-40K8-EHS | 2,782 | 22 | 126 | B1-U2-G1 |
| OPS-PT-03L-5Q-50K8 | 3,079 | 20 | 154 | B1-U2-G1 |
| OPS-PT-03L-5Q-50K8-EHS | 2,782 | 22 | 126 | B1-U2-G1 |
| OPS-PT-03L-5Q-AMB | 2,064 | 22 | 94 | B1-U2-G1 |
| OPS-PT-03L-5Q-AMB-EHS | 1,757 | 22 | 80 | B1-U2-G1 |
| OPS-PT-03L-5R-27K8 | 2,843 | 20 | 142 | B2-U2-G2 |
| OPS-PT-03L-5R-27K8-EHS | 2,406 | 22 | 109 | B1-U2-G1 |
| OPS-PT-03L-5R-30K8 | 2,936 | 20 | 147 | B2-U2-G2 |
| OPS-PT-03L-5R-30K8-EHS | 2,515 | 22 | 114 | B1-U2-G1 |
| OPS-PT-03L-5R-35K8 | 2,887 | 20 | 144 | B2-U2-G2 |
| OPS-PT-03L-5R-35K8-EHS | 2,625 | 22 | 119 | B1-U2-G1 |
| OPS-PT-03L-5R-40K8 | 3,004 | 20 | 150 | B2-U2-G2 |
| OPS-PT-03L-5R-40K8-EHS | 2,734 | 22 | 124 | B1-U2-G1 |
| OPS-PT-03L-5R-50K8 | 3,043 | 20 | 152 | B2-U2-G2 |
| OPS-PT-03L-5R-50K8-EHS | 2,734 | 22 | 124 | B1-U2-G1 |
| OPS-PT-03L-5R-AMB | 2,039 | 22 | 93 | B1-U2-G1 |
| OPS-PT-03L-5R-AMB-EHS | 1,726 | 22 | 78 | B1-U2-G1 |
| OPS-PT-03L-AD-27K8 | 2,654 | 20 | 133 | B1-U2-G1 |
| OPS-PT-03L-AD-27K8-EHS | 2,383 | 22 | 108 | B1-U2-G1 |
| OPS-PT-03L-AD-30K8 | 2,742 | 20 | 137 | B1-U3-G1 |
| OPS-PT-03L-AD-30K8-EHS | 2,491 | 22 | 113 | B1-U2-G1 |
| OPS-PT-03L-AD-35K8 | 2,695 | 20 | 135 | B1-U2-G1 |
| OPS-PT-03L-AD-35K8-EHS | 2,600 | 22 | 118 | B1-U2-G1 |
| OPS-PT-03L-AD-40K8 | 2,805 | 20 | 140 | B1-U3-G1 |
| OPS-PT-03L-AD-40K8-EHS | 2,708 | 22 | 123 | B1-U2-G1 |
| OPS-PT-03L-AD-50K8 | 2,842 | 20 | 142 | B1-U3-G1 |
| OPS-PT-03L-AD-50K8-EHS | 2,708 | 22 | 123 | B1-U2-G1 |
| OPS-PT-03L-AD-AMB | 1,904 | 22 | 87 | B1-U2-G1 |
| OPS-PT-03L-AD-AMB-EHS | 1,710 | 22 | 78 | B1-U2-G1 |
| | | | | |
| OPS-PT-05L-3W-27K8 | 4,548 | 34 | 134 | B1-U3-G1 |
| OPS-PT-05L-3W-27K8-EHS | 3,573 | 30 | 119 | B1-U3-G1 |
| OPS-PT-05L-3W-30K8 | 4,696 | 34 | 138 | B1-U3-G1 |
| OPS-PT-05L-3W-30K8-EHS | 3,736 | 30 | 125 | B1-U3-G1 |
| OPS-PT-05L-3W-35K8 | 4,618 | 34 | 136 | B1-U3-G1 |
| OPS-PT-05L-3W-35K8-EHS | 3,898 | 30 | 130 | B1-U3-G1 |
| OPS-PT-05L-3W-40K8 | 4,806 | 34 | 141 | B1-U3-G1 |
| OPS-PT-05L-3W-40K8-EHS | 4,060 | 30 | 135 | B1-U3-G1 |
| OPS-PT-05L-3W-50K8 | 4,869 | 34 | 143 | B1-U3-G1 |
| OPS-PT-05L-3W-50K8-EHS | 4,060 | 30 | 135 | B1-U3-G1 |
| OPS-PT-05L-3W-AMB | 3,193 | 36 | 89 | B1-U3-G1 |
| OPS-PT-05L-3W-AMB-EHS | 2,509 | 36 | 70 | B1-U2-G1 |
| OPS-PT-05L-4F-27K8 | 4,632 | 34 | 136 | B1-U3-G1 |
| OPS-PT-05L-4F-27K8-EHS | 3,701 | 30 | 123 | B1-U3-G1 |
| OPS-PT-05L-4F-30K8 | 4,783 | 34 | 141 | B1-U3-G1 |



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|------------------------|-------------------------|--------------|-------------------|------------|
| OPS-PT-05L-4F-30K8-EHS | 3,869 | 30 | 129 | B1-U3-G1 |
| OPS-PT-05L-4F-35K8 | 4,704 | 34 | 138 | B1-U3-G1 |
| OPS-PT-05L-4F-35K8-EHS | 4,037 | 30 | 135 | B1-U3-G1 |
| OPS-PT-05L-4F-40K8 | 4,896 | 34 | 144 | B1-U3-G1 |
| OPS-PT-05L-4F-40K8-EHS | 4,205 | 30 | 140 | B1-U3-G1 |
| OPS-PT-05L-4F-50K8 | 4,960 | 34 | 146 | B1-U3-G1 |
| OPS-PT-05L-4F-50K8-EHS | 4,205 | 30 | 140 | B1-U3-G1 |
| OPS-PT-05L-4F-AMB | 3,252 | 36 | 90 | B1-U3-G1 |
| OPS-PT-05L-4F-AMB-EHS | 2,599 | 36 | 72 | B1-U2-G1 |
| OPS-PT-05L-5C-27K8 | 4,876 | 34 | 143 | B2-U3-G1 |
| OPS-PT-05L-5C-27K8-EHS | 3,753 | 30 | 125 | B1-U3-G1 |
| OPS-PT-05L-5C-30K8 | 5,035 | 34 | 148 | B2-U3-G1 |
| OPS-PT-05L-5C-30K8-EHS | 3,924 | 30 | 131 | B2-U3-G1 |
| OPS-PT-05L-5C-35K8 | 4,953 | 34 | 146 | B2-U3-G1 |
| OPS-PT-05L-5C-35K8-EHS | 4,094 | 30 | 136 | B2-U3-G1 |
| OPS-PT-05L-5C-40K8 | 5,154 | 34 | 152 | B2-U3-G1 |
| OPS-PT-05L-5C-40K8-EHS | 4,265 | 30 | 142 | B2-U3-G1 |
| OPS-PT-05L-5C-50K8 | 5,222 | 34 | 154 | B2-U3-G1 |
| OPS-PT-05L-5C-50K8-EHS | 4,265 | 30 | 142 | B2-U3-G1 |
| OPS-PT-05L-5C-AMB | 3,424 | 36 | 95 | B2-U3-G1 |
| OPS-PT-05L-5C-AMB-EHS | 2,636 | 36 | 73 | B1-U2-G1 |
| OPS-PT-05L-5D-27K8 | 4,373 | 34 | 129 | B2-U3-G1 |
| OPS-PT-05L-5D-27K8-EHS | 3,185 | 30 | 106 | B1-U3-G1 |
| OPS-PT-05L-5D-30K8 | 4,516 | 34 | 133 | B2-U3-G1 |
| OPS-PT-05L-5D-30K8-EHS | 3,330 | 30 | 111 | B1-U3-G1 |
| OPS-PT-05L-5D-35K8 | 4,441 | 34 | 131 | B2-U3-G1 |
| OPS-PT-05L-5D-35K8-EHS | 3,474 | 30 | 116 | B1-U3-G1 |
| OPS-PT-05L-5D-40K8 | 4,622 | 34 | 136 | B2-U3-G1 |
| OPS-PT-05L-5D-40K8-EHS | 3,619 | 30 | 121 | B1-U3-G1 |
| OPS-PT-05L-5D-50K8 | 4,682 | 34 | 138 | B2-U3-G1 |
| OPS-PT-05L-5D-50K8-EHS | 3,619 | 30 | 121 | B1-U3-G1 |
| OPS-PT-05L-5D-AMB | 3,071 | 36 | 85 | B1-U2-G1 |
| OPS-PT-05L-5D-AMB-EHS | 2,236 | 36 | 62 | B1-U2-G1 |
| OPS-PT-05L-5Q-27K8 | 4,750 | 34 | 140 | B2-U3-G1 |
| OPS-PT-05L-5Q-27K8-EHS | 3,390 | 30 | 113 | B1-U3-G1 |
| OPS-PT-05L-5Q-30K8 | 4,905 | 34 | 144 | B2-U3-G1 |
| OPS-PT-05L-5Q-30K8-EHS | 3,544 | 30 | 118 | B1-U3-G1 |
| OPS-PT-05L-5Q-35K8 | 4,825 | 34 | 142 | B2-U3-G1 |
| OPS-PT-05L-5Q-35K8-EHS | 3,698 | 30 | 123 | B1-U3-G1 |
| OPS-PT-05L-5Q-40K8 | 5,021 | 34 | 148 | B2-U3-G1 |
| OPS-PT-05L-5Q-40K8-EHS | 3,852 | 30 | 128 | B1-U3-G1 |
| OPS-PT-05L-5Q-50K8 | 5,087 | 34 | 150 | B2-U3-G1 |
| OPS-PT-05L-5Q-50K8-EHS | 3,852 | 30 | 128 | B1-U3-G1 |
| OPS-PT-05L-5Q-AMB | 3,335 | 36 | 93 | B1-U2-G1 |
| OPS-PT-05L-5Q-AMB-EHS | 2,380 | 36 | 66 | B1-U2-G1 |
| OPS-PT-05L-5R-27K8 | 4,697 | 34 | 138 | B2-U3-G2 |
| OPS-PT-05L-5R-27K8-EHS | 3,332 | 30 | 111 | B1-U3-G1 |
| OPS-PT-05L-5R-30K8 | 4,850 | 34 | 143 | B2-U3-G2 |
| OPS-PT-05L-5R-30K8-EHS | 3,483 | 30 | 116 | B1-U3-G1 |
| OPS-PT-05L-5R-35K8 | 4,770 | 34 | 140 | B2-U3-G2 |
| OPS-PT-05L-5R-35K8-EHS | 3,635 | 30 | 121 | B1-U3-G1 |
| OPS-PT-05L-5R-40K8 | 4,964 | 34 | 146 | B2-U3-G2 |
| OPS-PT-05L-5R-40K8-EHS | 3,786 | 30 | 126 | B1-U3-G1 |
| OPS-PT-05L-5R-50K8 | 5,028 | 34 | 148 | B2-U3-G2 |



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|------------------------|-------------------------|--------------|-------------------|------------|
| OPS-PT-05L-5R-50K8-EHS | 3,786 | 30 | 126 | B1-U3-G1 |
| OPS-PT-05L-5R-AMB | 3,298 | 36 | 92 | B2-U2-G2 |
| OPS-PT-05L-5R-AMB-EHS | 2,339 | 36 | 65 | B1-U2-G1 |
| OPS-PT-05L-AD-27K8 | 4,386 | 34 | 129 | B1-U3-G1 |
| OPS-PT-05L-AD-27K8-EHS | 3,300 | 30 | 110 | B1-U3-G1 |
| OPS-PT-05L-AD-30K8 | 4,528 | 34 | 133 | B1-U3-G1 |
| OPS-PT-05L-AD-30K8-EHS | 3,449 | 30 | 115 | B1-U3-G1 |
| OPS-PT-05L-AD-35K8 | 4,454 | 34 | 131 | B1-U3-G1 |
| OPS-PT-05L-AD-35K8-EHS | 3,600 | 30 | 120 | B1-U3-G1 |
| OPS-PT-05L-AD-40K8 | 4,635 | 34 | 136 | B1-U3-G1 |
| OPS-PT-05L-AD-40K8-EHS | 3,749 | 30 | 125 | B1-U3-G1 |
| OPS-PT-05L-AD-50K8 | 4,695 | 34 | 138 | B1-U3-G1 |
| OPS-PT-05L-AD-50K8-EHS | 3,749 | 30 | 125 | B1-U3-G1 |
| OPS-PT-05L-AD-AMB | 3,079 | 36 | 86 | B1-U3-G1 |
| OPS-PT-05L-AD-AMB-EHS | 2,317 | 36 | 64 | B1-U2-G1 |
| | | | | |
| OPS-PT-06L-3W-27K8 | 5,389 | 41 | 131 | B1-U3-G1 |
| OPS-PT-06L-3W-27K8-EHS | 4,368 | 38 | 115 | B1-U3-G1 |
| OPS-PT-06L-3W-30K8 | 5,564 | 41 | 136 | B1-U3-G1 |
| OPS-PT-06L-3W-30K8-EHS | 4,566 | 38 | 120 | B1-U3-G1 |
| OPS-PT-06L-3W-35K8 | 5,473 | 41 | 133 | B1-U3-G1 |
| OPS-PT-06L-3W-35K8-EHS | 4,765 | 38 | 125 | B1-U3-G1 |
| OPS-PT-06L-3W-40K8 | 5,695 | 41 | 139 | B2-U3-G2 |
| OPS-PT-06L-3W-40K8-EHS | 4,963 | 38 | 131 | B1-U3-G1 |
| OPS-PT-06L-3W-50K8 | 5,770 | 41 | 141 | B2-U3-G2 |
| OPS-PT-06L-3W-50K8-EHS | 4,963 | 38 | 131 | B1-U3-G1 |
| OPS-PT-06L-3W-AMB | 3,668 | 43 | 85 | B1-U3-G1 |
| OPS-PT-06L-3W-AMB-EHS | 2,973 | 43 | 69 | B1-U2-G1 |
| OPS-PT-06L-4F-27K8 | 5,490 | 41 | 134 | B1-U3-G1 |
| OPS-PT-06L-4F-27K8-EHS | 4,523 | 38 | 119 | B1-U3-G1 |
| OPS-PT-06L-4F-30K8 | 5,668 | 41 | 138 | B1-U3-G1 |
| OPS-PT-06L-4F-30K8-EHS | 4,729 | 38 | 124 | B1-U3-G1 |
| OPS-PT-06L-4F-35K8 | 5,575 | 41 | 136 | B1-U3-G1 |
| OPS-PT-06L-4F-35K8-EHS | 4,935 | 38 | 130 | B1-U3-G1 |
| OPS-PT-06L-4F-40K8 | 5,802 | 41 | 142 | B1-U3-G1 |
| OPS-PT-06L-4F-40K8-EHS | 5,140 | 38 | 135 | B1-U3-G1 |
| OPS-PT-06L-4F-50K8 | 5,878 | 41 | 143 | B2-U3-G1 |
| OPS-PT-06L-4F-50K8-EHS | 5,140 | 38 | 135 | B1-U3-G1 |
| OPS-PT-06L-4F-AMB | 3,736 | 43 | 87 | B1-U3-G1 |
| OPS-PT-06L-4F-AMB-EHS | 3,078 | 43 | 72 | B1-U2-G1 |
| OPS-PT-06L-5C-27K8 | 5,780 | 41 | 141 | B2-U3-G1 |
| OPS-PT-06L-5C-27K8-EHS | 4,587 | 38 | 121 | B2-U3-G1 |
| OPS-PT-06L-5C-30K8 | 5,968 | 41 | 146 | B2-U3-G1 |
| OPS-PT-06L-5C-30K8-EHS | 4,796 | 38 | 126 | B2-U3-G1 |
| OPS-PT-06L-5C-35K8 | 5,870 | 41 | 143 | B2-U3-G1 |
| OPS-PT-06L-5C-35K8-EHS | 5,004 | 38 | 132 | B2-U3-G1 |
| OPS-PT-06L-5C-40K8 | 6,108 | 41 | 149 | B2-U3-G1 |
| OPS-PT-06L-5C-40K8-EHS | 5,212 | 38 | 137 | B2-U3-G1 |
| OPS-PT-06L-5C-50K8 | 6,189 | 41 | 151 | B2-U3-G1 |
| OPS-PT-06L-5C-50K8-EHS | 5,212 | 38 | 137 | B2-U3-G1 |
| OPS-PT-06L-5C-AMB | 3,933 | 43 | 91 | B2-U3-G1 |
| OPS-PT-06L-5C-AMB-EHS | 3,122 | 43 | 73 | B1-U3-G1 |
| OPS-PT-06L-5D-27K8 | 5,183 | 41 | 126 | B2-U3-G1 |
| OPS-PT-06L-5D-27K8-EHS | 3,893 | 38 | 102 | B1-U3-G1 |



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|------------------------|-------------------------|--------------|-------------------|------------|
| OPS-PT-06L-5D-30K8 | 5,352 | 41 | 131 | B2-U3-G1 |
| OPS-PT-06L-5D-30K8-EHS | 4,070 | 38 | 107 | B1-U3-G1 |
| OPS-PT-06L-5D-35K8 | 5,264 | 41 | 128 | B2-U3-G1 |
| OPS-PT-06L-5D-35K8-EHS | 4,247 | 38 | 112 | B2-U3-G1 |
| OPS-PT-06L-5D-40K8 | 5,478 | 41 | 134 | B2-U3-G1 |
| OPS-PT-06L-5D-40K8-EHS | 4,423 | 38 | 116 | B2-U3-G1 |
| OPS-PT-06L-5D-50K8 | 5,550 | 41 | 135 | B2-U3-G1 |
| OPS-PT-06L-5D-50K8-EHS | 4,423 | 38 | 116 | B2-U3-G1 |
| OPS-PT-06L-5D-AMB | 3,528 | 43 | 82 | B1-U3-G1 |
| OPS-PT-06L-5D-AMB-EHS | 2,649 | 43 | 62 | B1-U2-G1 |
| OPS-PT-06L-5Q-27K8 | 5,630 | 41 | 137 | B2-U3-G1 |
| OPS-PT-06L-5Q-27K8-EHS | 4,143 | 38 | 109 | B1-U3-G1 |
| OPS-PT-06L-5Q-30K8 | 5,813 | 41 | 142 | B2-U3-G1 |
| OPS-PT-06L-5Q-30K8-EHS | 4,331 | 38 | 114 | B2-U3-G1 |
| OPS-PT-06L-5Q-35K8 | 5,718 | 41 | 139 | B2-U3-G1 |
| OPS-PT-06L-5Q-35K8-EHS | 4,520 | 38 | 119 | B2-U3-G1 |
| OPS-PT-06L-5Q-40K8 | 5,950 | 41 | 145 | B2-U3-G1 |
| OPS-PT-06L-5Q-40K8-EHS | 4,708 | 38 | 124 | B2-U3-G1 |
| OPS-PT-06L-5Q-50K8 | 6,029 | 41 | 147 | B2-U3-G1 |
| OPS-PT-06L-5Q-50K8-EHS | 4,708 | 38 | 124 | B2-U3-G1 |
| OPS-PT-06L-5Q-AMB | 3,832 | 43 | 89 | B2-U3-G1 |
| OPS-PT-06L-5Q-AMB-EHS | 2,820 | 43 | 66 | B1-U2-G1 |
| OPS-PT-06L-5R-27K8 | 5,566 | 41 | 136 | B2-U3-G2 |
| OPS-PT-06L-5R-27K8-EHS | 4,072 | 38 | 107 | B1-U3-G1 |
| OPS-PT-06L-5R-30K8 | 5,748 | 41 | 140 | B3-U3-G3 |
| OPS-PT-06L-5R-30K8-EHS | 4,257 | 38 | 112 | B1-U3-G1 |
| OPS-PT-06L-5R-35K8 | 5,653 | 41 | 138 | B2-U3-G2 |
| OPS-PT-06L-5R-35K8-EHS | 4,442 | 38 | 117 | B1-U3-G1 |
| OPS-PT-06L-5R-40K8 | 5,883 | 41 | 143 | B3-U3-G3 |
| OPS-PT-06L-5R-40K8-EHS | 4,627 | 38 | 122 | B2-U3-G1 |
| OPS-PT-06L-5R-50K8 | 5,960 | 41 | 145 | B3-U3-G3 |
| OPS-PT-06L-5R-50K8-EHS | 4,627 | 38 | 122 | B2-U3-G1 |
| OPS-PT-06L-5R-AMB | 3,788 | 43 | 88 | B2-U2-G2 |
| OPS-PT-06L-5R-AMB-EHS | 2,771 | 43 | 64 | B1-U2-G1 |
| OPS-PT-06L-AD-27K8 | 5,197 | 41 | 127 | B2-U3-G1 |
| OPS-PT-06L-AD-27K8-EHS | 4,033 | 38 | 106 | B1-U3-G1 |
| OPS-PT-06L-AD-30K8 | 5,366 | 41 | 131 | B2-U3-G1 |
| OPS-PT-06L-AD-30K8-EHS | 4,216 | 38 | 111 | B1-U3-G1 |
| OPS-PT-06L-AD-35K8 | 5,278 | 41 | 129 | B2-U3-G1 |
| OPS-PT-06L-AD-35K8-EHS | 4,399 | 38 | 116 | B1-U3-G1 |
| OPS-PT-06L-AD-40K8 | 5,493 | 41 | 134 | B2-U3-G1 |
| OPS-PT-06L-AD-40K8-EHS | 4,582 | 38 | 121 | B1-U3-G1 |
| OPS-PT-06L-AD-50K8 | 5,565 | 41 | 136 | B2-U3-G1 |
| OPS-PT-06L-AD-50K8-EHS | 4,582 | 38 | 121 | B1-U3-G1 |
| OPS-PT-06L-AD-AMB | 3,537 | 43 | 82 | B1-U3-G1 |
| OPS-PT-06L-AD-AMB-EHS | 2,744 | 43 | 64 | B1-U2-G1 |
| | | | | |
| OPS-PT-08L-3W-27K8 | 7,223 | 55 | 131 | B2-U3-G2 |
| OPS-PT-08L-3W-27K8-EHS | 5,856 | 52 | 113 | B1-U3-G1 |
| OPS-PT-08L-3W-30K8 | 7,457 | 55 | 136 | B2-U3-G2 |
| OPS-PT-08L-3W-30K8-EHS | 6,123 | 52 | 118 | B1-U3-G1 |
| OPS-PT-08L-3W-35K8 | 7,334 | 55 | 133 | B2-U3-G2 |
| OPS-PT-08L-3W-35K8-EHS | 6,389 | 52 | 123 | B2-U3-G1 |
| OPS-PT-08L-3W-40K8 | 7,633 | 55 | 139 | B2-U3-G2 |



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|------------------------|-------------------------|--------------|-------------------|------------|
| OPS-PT-08L-3W-40K8-EHS | 6,655 | 52 | 128 | B2-U3-G1 |
| OPS-PT-08L-3W-50K8 | 7,734 | 55 | 141 | B2-U3-G2 |
| OPS-PT-08L-3W-50K8-EHS | 6,655 | 52 | 128 | B2-U3-G1 |
| OPS-PT-08L-3W-AMB | 4,959 | 59 | 84 | B1-U3-G1 |
| OPS-PT-08L-3W-AMB-EHS | 4,021 | 59 | 68 | B1-U3-G1 |
| OPS-PT-08L-4F-27K8 | 7,356 | 55 | 134 | B2-U3-G1 |
| OPS-PT-08L-4F-27K8-EHS | 6,066 | 52 | 117 | B1-U3-G1 |
| OPS-PT-08L-4F-30K8 | 7,595 | 55 | 138 | B2-U3-G1 |
| OPS-PT-08L-4F-30K8-EHS | 6,341 | 52 | 122 | B1-U3-G1 |
| OPS-PT-08L-4F-35K8 | 7,470 | 55 | 136 | B2-U3-G1 |
| OPS-PT-08L-4F-35K8-EHS | 6,617 | 52 | 127 | B1-U3-G1 |
| OPS-PT-08L-4F-40K8 | 7,774 | 55 | 141 | B2-U3-G1 |
| OPS-PT-08L-4F-40K8-EHS | 6,893 | 52 | 133 | B1-U3-G1 |
| OPS-PT-08L-4F-50K8 | 7,877 | 55 | 143 | B2-U3-G2 |
| OPS-PT-08L-4F-50K8-EHS | 6,893 | 52 | 133 | B1-U3-G1 |
| OPS-PT-08L-4F-AMB | 5,051 | 59 | 86 | B1-U3-G1 |
| OPS-PT-08L-4F-AMB-EHS | 4,165 | 59 | 71 | B1-U3-G1 |
| OPS-PT-08L-5C-27K8 | 7,745 | 55 | 141 | B3-U3-G1 |
| OPS-PT-08L-5C-27K8-EHS | 6,151 | 52 | 118 | B2-U3-G1 |
| OPS-PT-08L-5C-30K8 | 7,997 | 55 | 145 | B3-U3-G1 |
| OPS-PT-08L-5C-30K8-EHS | 6,431 | 52 | 124 | B2-U3-G1 |
| OPS-PT-08L-5C-35K8 | 7,865 | 55 | 143 | B3-U3-G1 |
| OPS-PT-08L-5C-35K8-EHS | 6,710 | 52 | 129 | B2-U3-G1 |
| OPS-PT-08L-5C-40K8 | 8,186 | 55 | 149 | B3-U3-G1 |
| OPS-PT-08L-5C-40K8-EHS | 6,990 | 52 | 134 | B2-U3-G1 |
| OPS-PT-08L-5C-50K8 | 8,294 | 55 | 151 | B3-U3-G1 |
| OPS-PT-08L-5C-50K8-EHS | 6,990 | 52 | 134 | B2-U3-G1 |
| OPS-PT-08L-5C-AMB | 5,318 | 59 | 90 | B2-U3-G1 |
| OPS-PT-08L-5C-AMB-EHS | 4,224 | 59 | 72 | B2-U3-G1 |
| OPS-PT-08L-5D-27K8 | 6,946 | 55 | 126 | B2-U3-G1 |
| OPS-PT-08L-5D-27K8-EHS | 5,219 | 52 | 100 | B2-U3-G1 |
| OPS-PT-08L-5D-30K8 | 7,172 | 55 | 130 | B2-U3-G1 |
| OPS-PT-08L-5D-30K8-EHS | 5,456 | 52 | 105 | B2-U3-G1 |
| OPS-PT-08L-5D-35K8 | 7,054 | 55 | 128 | B2-U3-G1 |
| OPS-PT-08L-5D-35K8-EHS | 5,694 | 52 | 109 | B2-U3-G1 |
| OPS-PT-08L-5D-40K8 | 7,341 | 55 | 133 | B2-U3-G1 |
| OPS-PT-08L-5D-40K8-EHS | 5,931 | 52 | 114 | B2-U3-G1 |
| OPS-PT-08L-5D-50K8 | 7,438 | 55 | 135 | B2-U3-G2 |
| OPS-PT-08L-5D-50K8-EHS | 5,931 | 52 | 114 | B2-U3-G1 |
| OPS-PT-08L-5D-AMB | 4,770 | 59 | 81 | B2-U3-G1 |
| OPS-PT-08L-5D-AMB-EHS | 3,584 | 59 | 61 | B1-U3-G1 |
| OPS-PT-08L-5Q-27K8 | 7,544 | 55 | 137 | B3-U3-G1 |
| OPS-PT-08L-5Q-27K8-EHS | 5,556 | 52 | 107 | B2-U3-G1 |
| OPS-PT-08L-5Q-30K8 | 7,790 | 55 | 142 | B3-U3-G1 |
| OPS-PT-08L-5Q-30K8-EHS | 5,809 | 52 | 112 | B2-U3-G1 |
| OPS-PT-08L-5Q-35K8 | 7,662 | 55 | 139 | B3-U3-G1 |
| OPS-PT-08L-5Q-35K8-EHS | 6,061 | 52 | 117 | B2-U3-G1 |
| OPS-PT-08L-5Q-40K8 | 7,974 | 55 | 145 | B3-U3-G1 |
| OPS-PT-08L-5Q-40K8-EHS | 6,313 | 52 | 121 | B2-U3-G1 |
| OPS-PT-08L-5Q-50K8 | 8,079 | 55 | 147 | B3-U3-G1 |
| OPS-PT-08L-5Q-50K8-EHS | 6,313 | 52 | 121 | B2-U3-G1 |
| OPS-PT-08L-5Q-AMB | 5,180 | 59 | 88 | B2-U3-G1 |
| OPS-PT-08L-5Q-AMB-EHS | 3,815 | 59 | 65 | B1-U3-G1 |
| OPS-PT-08L-5R-27K8 | 7,458 | 55 | 136 | B3-U3-G3 |



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|------------------------|-------------------------|--------------|-------------------|------------|
| OPS-PT-08L-5R-27K8-EHS | 5,460 | 52 | 105 | B2-U3-G1 |
| OPS-PT-08L-5R-30K8 | 7,701 | 55 | 140 | B3-U3-G3 |
| OPS-PT-08L-5R-30K8-EHS | 5,709 | 52 | 110 | B2-U3-G1 |
| OPS-PT-08L-5R-35K8 | 7,574 | 55 | 138 | B3-U3-G3 |
| OPS-PT-08L-5R-35K8-EHS | 5,957 | 52 | 115 | B2-U3-G1 |
| OPS-PT-08L-5R-40K8 | 7,882 | 55 | 143 | B3-U3-G3 |
| OPS-PT-08L-5R-40K8-EHS | 6,205 | 52 | 119 | B2-U3-G1 |
| OPS-PT-08L-5R-50K8 | 7,987 | 55 | 145 | B3-U3-G3 |
| OPS-PT-08L-5R-50K8-EHS | 6,205 | 52 | 119 | B2-U3-G1 |
| OPS-PT-08L-5R-AMB | 5,121 | 59 | 87 | B2-U3-G2 |
| OPS-PT-08L-5R-AMB-EHS | 3,749 | 59 | 64 | B1-U3-G1 |
| OPS-PT-08L-AD-27K8 | 6,965 | 55 | 127 | B2-U3-G2 |
| OPS-PT-08L-AD-27K8-EHS | 5,407 | 52 | 104 | B1-U3-G1 |
| OPS-PT-08L-AD-30K8 | 7,191 | 55 | 131 | B2-U3-G2 |
| OPS-PT-08L-AD-30K8-EHS | 5,653 | 52 | 109 | B2-U3-G1 |
| OPS-PT-08L-AD-35K8 | 7,073 | 55 | 129 | B2-U3-G2 |
| OPS-PT-08L-AD-35K8-EHS | 5,899 | 52 | 113 | B2-U3-G1 |
| OPS-PT-08L-AD-40K8 | 7,361 | 55 | 134 | B2-U3-G2 |
| OPS-PT-08L-AD-40K8-EHS | 6,144 | 52 | 118 | B2-U3-G1 |
| OPS-PT-08L-AD-50K8 | 7,458 | 55 | 136 | B2-U3-G2 |
| OPS-PT-08L-AD-50K8-EHS | 6,144 | 52 | 118 | B2-U3-G1 |
| OPS-PT-08L-AD-AMB | 4,782 | 59 | 81 | B1-U3-G1 |
| OPS-PT-08L-AD-AMB-EHS | 3,713 | 59 | 63 | B1-U3-G1 |
| | | | | |
| OPS-PT-10L-3W-27K8 | 9,108 | 70 | 130 | B2-U3-G2 |
| OPS-PT-10L-3W-27K8-EHS | 7,147 | 66 | 108 | B2-U3-G1 |
| OPS-PT-10L-3W-30K8 | 9,404 | 70 | 134 | B2-U3-G2 |
| OPS-PT-10L-3W-30K8-EHS | 7,472 | 66 | 113 | B2-U3-G1 |
| OPS-PT-10L-3W-35K8 | 9,249 | 70 | 132 | B2-U3-G2 |
| OPS-PT-10L-3W-35K8-EHS | 7,797 | 66 | 118 | B2-U3-G1 |
| OPS-PT-10L-3W-40K8 | 9,626 | 70 | 138 | B2-U3-G2 |
| OPS-PT-10L-3W-40K8-EHS | 8,121 | 66 | 123 | B2-U3-G2 |
| OPS-PT-10L-3W-50K8 | 9,754 | 70 | 139 | B2-U3-G2 |
| OPS-PT-10L-3W-50K8-EHS | 8,121 | 66 | 123 | B2-U3-G2 |
| OPS-PT-10L-3W-AMB | 6,047 | 74 | 82 | B2-U3-G2 |
| OPS-PT-10L-3W-AMB-EHS | 4,745 | 74 | 64 | B1-U3-G1 |
| OPS-PT-10L-4F-27K8 | 9,276 | 70 | 133 | B2-U3-G2 |
| OPS-PT-10L-4F-27K8-EHS | 7,402 | 66 | 112 | B2-U3-G1 |
| OPS-PT-10L-4F-30K8 | 9,578 | 70 | 137 | B2-U3-G2 |
| OPS-PT-10L-4F-30K8-EHS | 7,739 | 66 | 117 | B2-U3-G1 |
| OPS-PT-10L-4F-35K8 | 9,420 | 70 | 135 | B2-U3-G2 |
| OPS-PT-10L-4F-35K8-EHS | 8,075 | 66 | 122 | B2-U3-G1 |
| OPS-PT-10L-4F-40K8 | 9,803 | 70 | 140 | B2-U3-G2 |
| OPS-PT-10L-4F-40K8-EHS | 8,411 | 66 | 127 | B2-U3-G1 |
| OPS-PT-10L-4F-50K8 | 9,933 | 70 | 142 | B2-U3-G2 |
| OPS-PT-10L-4F-50K8-EHS | 8,411 | 66 | 127 | B2-U3-G1 |
| OPS-PT-10L-4F-AMB | 6,159 | 74 | 83 | B2-U3-G1 |
| OPS-PT-10L-4F-AMB-EHS | 4,915 | 74 | 66 | B1-U3-G1 |
| OPS-PT-10L-5C-27K8 | 9,767 | 70 | 140 | B3-U3-G1 |
| OPS-PT-10L-5C-27K8-EHS | 7,507 | 66 | 114 | B2-U3-G1 |
| OPS-PT-10L-5C-30K8 | 10,084 | 70 | 144 | B3-U3-G1 |
| OPS-PT-10L-5C-30K8-EHS | 7,847 | 66 | 119 | B2-U3-G1 |
| OPS-PT-10L-5C-35K8 | 9,918 | 70 | 142 | B3-U3-G1 |
| OPS-PT-10L-5C-35K8-EHS | 8,189 | 66 | 124 | B2-U3-G1 |



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|------------------------|-------------------------|--------------|-------------------|------------|
| OPS-PT-10L-5C-40K8 | 10,322 | 70 | 147 | B3-U3-G1 |
| OPS-PT-10L-5C-40K8-EHS | 8,530 | 66 | 129 | B2-U3-G1 |
| OPS-PT-10L-5C-50K8 | 10,459 | 70 | 149 | B3-U3-G1 |
| OPS-PT-10L-5C-50K8-EHS | 8,530 | 66 | 129 | B2-U3-G1 |
| OPS-PT-10L-5C-AMB | 6,484 | 74 | 88 | B2-U3-G1 |
| OPS-PT-10L-5C-AMB-EHS | 4,984 | 74 | 67 | B2-U3-G1 |
| OPS-PT-10L-5D-27K8 | 8,760 | 70 | 125 | B3-U3-G2 |
| OPS-PT-10L-5D-27K8-EHS | 6,370 | 66 | 97 | B2-U3-G1 |
| OPS-PT-10L-5D-30K8 | 9,044 | 70 | 129 | B3-U3-G2 |
| OPS-PT-10L-5D-30K8-EHS | 6,659 | 66 | 101 | B2-U3-G1 |
| OPS-PT-10L-5D-35K8 | 8,895 | 70 | 127 | B3-U3-G2 |
| OPS-PT-10L-5D-35K8-EHS | 6,949 | 66 | 105 | B2-U3-G1 |
| OPS-PT-10L-5D-40K8 | 9,257 | 70 | 132 | B3-U3-G2 |
| OPS-PT-10L-5D-40K8-EHS | 7,238 | 66 | 110 | B2-U3-G1 |
| OPS-PT-10L-5D-50K8 | 9,380 | 70 | 134 | B3-U3-G2 |
| OPS-PT-10L-5D-50K8-EHS | 7,238 | 66 | 110 | B2-U3-G1 |
| OPS-PT-10L-5D-AMB | 5,816 | 74 | 79 | B2-U3-G1 |
| OPS-PT-10L-5D-AMB-EHS | 4,229 | 74 | 57 | B2-U3-G1 |
| OPS-PT-10L-5Q-27K8 | 9,514 | 70 | 136 | B3-U3-G1 |
| OPS-PT-10L-5Q-27K8-EHS | 6,780 | 66 | 103 | B2-U3-G1 |
| OPS-PT-10L-5Q-30K8 | 9,823 | 70 | 140 | B3-U3-G1 |
| OPS-PT-10L-5Q-30K8-EHS | 7,088 | 66 | 107 | B2-U3-G1 |
| OPS-PT-10L-5Q-35K8 | 9,661 | 70 | 138 | B3-U3-G1 |
| OPS-PT-10L-5Q-35K8-EHS | 7,396 | 66 | 112 | B2-U3-G1 |
| OPS-PT-10L-5Q-40K8 | 10,055 | 70 | 144 | B3-U3-G1 |
| OPS-PT-10L-5Q-40K8-EHS | 7,704 | 66 | 117 | B2-U3-G1 |
| OPS-PT-10L-5Q-50K8 | 10,188 | 70 | 146 | B3-U3-G1 |
| OPS-PT-10L-5Q-50K8-EHS | 7,704 | 66 | 117 | B2-U3-G1 |
| OPS-PT-10L-5Q-AMB | 6,316 | 74 | 85 | B2-U3-G1 |
| OPS-PT-10L-5Q-AMB-EHS | 4,501 | 74 | 61 | B2-U3-G1 |
| OPS-PT-10L-5R-27K8 | 9,406 | 70 | 134 | B3-U3-G3 |
| OPS-PT-10L-5R-27K8-EHS | 6,663 | 66 | 101 | B2-U3-G1 |
| OPS-PT-10L-5R-30K8 | 9,712 | 70 | 139 | B3-U3-G3 |
| OPS-PT-10L-5R-30K8-EHS | 6,966 | 66 | 106 | B2-U3-G1 |
| OPS-PT-10L-5R-35K8 | 9,552 | 70 | 136 | B3-U3-G3 |
| OPS-PT-10L-5R-35K8-EHS | 7,269 | 66 | 110 | B2-U3-G1 |
| OPS-PT-10L-5R-40K8 | 9,941 | 70 | 142 | B3-U3-G3 |
| OPS-PT-10L-5R-40K8-EHS | 7,572 | 66 | 115 | B2-U3-G2 |
| OPS-PT-10L-5R-50K8 | 10,073 | 70 | 144 | B3-U3-G3 |
| OPS-PT-10L-5R-50K8-EHS | 7,572 | 66 | 115 | B2-U3-G2 |
| OPS-PT-10L-5R-AMB | 6,245 | 74 | 84 | B3-U3-G3 |
| OPS-PT-10L-5R-AMB-EHS | 4,424 | 74 | 60 | B1-U3-G1 |
| OPS-PT-10L-AD-27K8 | 8,783 | 70 | 125 | B2-U3-G2 |
| OPS-PT-10L-AD-27K8-EHS | 6,599 | 66 | 100 | B2-U3-G1 |
| OPS-PT-10L-AD-30K8 | 9,069 | 70 | 130 | B2-U3-G2 |
| OPS-PT-10L-AD-30K8-EHS | 6,899 | 66 | 105 | B2-U3-G2 |
| OPS-PT-10L-AD-35K8 | 8,919 | 70 | 127 | B2-U3-G2 |
| OPS-PT-10L-AD-35K8-EHS | 7,199 | 66 | 109 | B2-U3-G2 |
| OPS-PT-10L-AD-40K8 | 9,283 | 70 | 133 | B2-U3-G2 |
| OPS-PT-10L-AD-40K8-EHS | 7,499 | 66 | 114 | B2-U3-G2 |
| OPS-PT-10L-AD-50K8 | 9,406 | 70 | 134 | B2-U3-G2 |
| OPS-PT-10L-AD-50K8-EHS | 7,499 | 66 | 114 | B2-U3-G2 |
| OPS-PT-10L-AD-AMB | 5,832 | 74 | 79 | B2-U3-G1 |
| OPS-PT-10L-AD-AMB-EHS | 4,381 | 74 | 59 | B1-U3-G1 |



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|------------------------|-------------------------|--------------|-------------------|------------|
| OPS-PT-12L-3W-27K8 | 10,856 | 85 | 128 | B2-U3-G2 |
| OPS-PT-12L-3W-27K8-EHS | 8,537 | 79 | 108 | B2-U3-G2 |
| OPS-PT-12L-3W-30K8 | 11,209 | 85 | 132 | B3-U3-G3 |
| OPS-PT-12L-3W-30K8-EHS | 8,925 | 79 | 113 | B2-U3-G2 |
| OPS-PT-12L-3W-35K8 | 11,025 | 85 | 130 | B2-U3-G2 |
| OPS-PT-12L-3W-35K8-EHS | 9,313 | 79 | 118 | B2-U3-G2 |
| OPS-PT-12L-3W-40K8 | 11,474 | 85 | 135 | B3-U3-G3 |
| OPS-PT-12L-3W-40K8-EHS | 9,701 | 79 | 123 | B2-U3-G2 |
| OPS-PT-12L-3W-50K8 | 11,626 | 85 | 137 | B3-U3-G3 |
| OPS-PT-12L-3W-50K8-EHS | 9,701 | 79 | 123 | B2-U3-G2 |
| OPS-PT-12L-4F-27K8 | 11,057 | 85 | 130 | B2-U3-G2 |
| OPS-PT-12L-4F-27K8-EHS | 8,842 | 79 | 112 | B2-U3-G2 |
| OPS-PT-12L-4F-30K8 | 11,417 | 85 | 134 | B2-U3-G2 |
| OPS-PT-12L-4F-30K8-EHS | 9,244 | 79 | 117 | B2-U3-G2 |
| OPS-PT-12L-4F-35K8 | 11,229 | 85 | 132 | B2-U3-G2 |
| OPS-PT-12L-4F-35K8-EHS | 9,645 | 79 | 122 | B2-U3-G2 |
| OPS-PT-12L-4F-40K8 | 11,686 | 85 | 137 | B2-U3-G2 |
| OPS-PT-12L-4F-40K8-EHS | 10,047 | 79 | 127 | B2-U3-G2 |
| OPS-PT-12L-4F-50K8 | 11,841 | 85 | 139 | B2-U3-G2 |
| OPS-PT-12L-4F-50K8-EHS | 10,047 | 79 | 127 | B2-U3-G2 |
| OPS-PT-12L-5C-27K8 | 11,642 | 85 | 137 | B3-U3-G1 |
| OPS-PT-12L-5C-27K8-EHS | 8,966 | 79 | 113 | B3-U3-G1 |
| OPS-PT-12L-5C-30K8 | 12,020 | 85 | 141 | B3-U3-G1 |
| OPS-PT-12L-5C-30K8-EHS | 9,374 | 79 | 119 | B3-U3-G1 |
| OPS-PT-12L-5C-35K8 | 11,822 | 85 | 139 | B3-U3-G1 |
| OPS-PT-12L-5C-35K8-EHS | 9,781 | 79 | 124 | B3-U3-G1 |
| OPS-PT-12L-5C-40K8 | 12,304 | 85 | 145 | B3-U3-G1 |
| OPS-PT-12L-5C-40K8-EHS | 10,189 | 79 | 129 | B3-U3-G1 |
| OPS-PT-12L-5C-50K8 | 12,467 | 85 | 147 | B3-U3-G1 |
| OPS-PT-12L-5C-50K8-EHS | 10,189 | 79 | 129 | B3-U3-G1 |
| OPS-PT-12L-5D-27K8 | 10,441 | 85 | 123 | B3-U3-G2 |
| OPS-PT-12L-5D-27K8-EHS | 7,608 | 79 | 96 | B2-U3-G1 |
| OPS-PT-12L-5D-30K8 | 10,780 | 85 | 127 | B3-U3-G2 |
| OPS-PT-12L-5D-30K8-EHS | 7,954 | 79 | 101 | B2-U3-G1 |
| OPS-PT-12L-5D-35K8 | 10,603 | 85 | 125 | B3-U3-G2 |
| OPS-PT-12L-5D-35K8-EHS | 8,300 | 79 | 105 | B2-U3-G2 |
| OPS-PT-12L-5D-40K8 | 11,035 | 85 | 130 | B3-U3-G2 |
| OPS-PT-12L-5D-40K8-EHS | 8,645 | 79 | 109 | B2-U3-G2 |
| OPS-PT-12L-5D-50K8 | 11,181 | 85 | 132 | B3-U3-G2 |
| OPS-PT-12L-5D-50K8-EHS | 8,645 | 79 | 109 | B2-U3-G2 |
| OPS-PT-12L-5Q-27K8 | 11,341 | 85 | 133 | B3-U3-G1 |
| OPS-PT-12L-5Q-27K8-EHS | 8,098 | 79 | 103 | B2-U3-G1 |
| OPS-PT-12L-5Q-30K8 | 11,709 | 85 | 138 | B3-U3-G1 |
| OPS-PT-12L-5Q-30K8-EHS | 8,466 | 79 | 107 | B2-U3-G1 |
| OPS-PT-12L-5Q-35K8 | 11,517 | 85 | 135 | B3-U3-G1 |
| OPS-PT-12L-5Q-35K8-EHS | 8,834 | 79 | 112 | B2-U3-G2 |
| OPS-PT-12L-5Q-40K8 | 11,985 | 85 | 141 | B3-U3-G2 |
| OPS-PT-12L-5Q-40K8-EHS | 9,203 | 79 | 116 | B2-U3-G2 |
| OPS-PT-12L-5Q-50K8 | 12,144 | 85 | 143 | B3-U3-G2 |
| OPS-PT-12L-5Q-50K8-EHS | 9,203 | 79 | 116 | B2-U3-G2 |
| OPS-PT-12L-5R-27K8 | 11,212 | 85 | 132 | B3-U3-G3 |
| OPS-PT-12L-5R-27K8-EHS | 7,959 | 79 | 101 | B2-U3-G2 |
| OPS-PT-12L-5R-30K8 | 11,577 | 85 | 136 | B3-U3-G3 |



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|------------------------|-------------------------|--------------|-------------------|------------|
| OPS-PT-12L-5R-30K8-EHS | 8,321 | 79 | 105 | B2-U3-G2 |
| OPS-PT-12L-5R-35K8 | 11,386 | 85 | 134 | B3-U3-G3 |
| OPS-PT-12L-5R-35K8-EHS | 8,683 | 79 | 110 | B2-U3-G2 |
| OPS-PT-12L-5R-40K8 | 11,850 | 85 | 139 | B3-U3-G3 |
| OPS-PT-12L-5R-40K8-EHS | 9,044 | 79 | 114 | B2-U3-G2 |
| OPS-PT-12L-5R-50K8 | 12,007 | 85 | 141 | B3-U3-G3 |
| OPS-PT-12L-5R-50K8-EHS | 9,044 | 79 | 114 | B2-U3-G2 |
| OPS-PT-12L-AD-27K8 | 10,470 | 85 | 123 | B2-U3-G2 |
| OPS-PT-12L-AD-27K8-EHS | 7,882 | 79 | 100 | B2-U3-G2 |
| OPS-PT-12L-AD-30K8 | 10,811 | 85 | 127 | B2-U3-G2 |
| OPS-PT-12L-AD-30K8-EHS | 8,241 | 79 | 104 | B2-U3-G2 |
| OPS-PT-12L-AD-35K8 | 10,633 | 85 | 125 | B2-U3-G2 |
| OPS-PT-12L-AD-35K8-EHS | 8,599 | 79 | 109 | B2-U3-G2 |
| OPS-PT-12L-AD-40K8 | 11,065 | 85 | 130 | B2-U3-G2 |
| OPS-PT-12L-AD-40K8-EHS | 8,957 | 79 | 113 | B2-U3-G2 |
| OPS-PT-12L-AD-50K8 | 11,212 | 85 | 132 | B2-U3-G2 |
| OPS-PT-12L-AD-50K8-EHS | 8,957 | 79 | 113 | B2-U3-G2 |
| | | | | |
| OPS-PT-14L-3W-27K8 | 12,551 | 100 | 126 | B3-U3-G3 |
| OPS-PT-14L-3W-27K8-EHS | 9,927 | 103 | 96 | B2-U3-G2 |
| OPS-PT-14L-3W-30K8 | 12,959 | 100 | 130 | B3-U3-G3 |
| OPS-PT-14L-3W-30K8-EHS | 10,378 | 103 | 101 | B2-U3-G2 |
| OPS-PT-14L-3W-35K8 | 12,746 | 100 | 127 | B3-U3-G3 |
| OPS-PT-14L-3W-35K8-EHS | 10,829 | 103 | 105 | B2-U3-G2 |
| OPS-PT-14L-3W-40K8 | 13,265 | 100 | 133 | B3-U3-G3 |
| OPS-PT-14L-3W-40K8-EHS | 11,280 | 103 | 110 | B2-U3-G2 |
| OPS-PT-14L-3W-50K8 | 13,441 | 100 | 134 | B3-U3-G3 |
| OPS-PT-14L-3W-50K8-EHS | 11,280 | 103 | 110 | B2-U3-G2 |
| OPS-PT-14L-4F-27K8 | 12,784 | 100 | 128 | B2-U3-G2 |
| OPS-PT-14L-4F-27K8-EHS | 10,281 | 103 | 100 | B2-U3-G2 |
| OPS-PT-14L-4F-30K8 | 13,200 | 100 | 132 | B2-U3-G2 |
| OPS-PT-14L-4F-30K8-EHS | 10,748 | 103 | 104 | B2-U3-G2 |
| OPS-PT-14L-4F-35K8 | 12,983 | 100 | 130 | B2-U3-G2 |
| OPS-PT-14L-4F-35K8-EHS | 11,215 | 103 | 109 | B2-U3-G2 |
| OPS-PT-14L-4F-40K8 | 13,511 | 100 | 135 | B2-U3-G2 |
| OPS-PT-14L-4F-40K8-EHS | 11,683 | 103 | 113 | B2-U3-G2 |
| OPS-PT-14L-4F-50K8 | 13,691 | 100 | 137 | B2-U3-G2 |
| OPS-PT-14L-4F-50K8-EHS | 11,683 | 103 | 113 | B2-U3-G2 |
| OPS-PT-14L-5C-27K8 | 13,459 | 100 | 135 | B3-U3-G1 |
| OPS-PT-14L-5C-27K8-EHS | 10,426 | 103 | 101 | B3-U3-G1 |
| OPS-PT-14L-5C-30K8 | 13,897 | 100 | 139 | B3-U3-G1 |
| OPS-PT-14L-5C-30K8-EHS | 10,900 | 103 | 106 | B3-U3-G1 |
| OPS-PT-14L-5C-35K8 | 13,668 | 100 | 137 | B3-U3-G1 |
| OPS-PT-14L-5C-35K8-EHS | 11,373 | 103 | 110 | B3-U3-G1 |
| OPS-PT-14L-5C-40K8 | 14,225 | 100 | 142 | B3-U3-G1 |
| OPS-PT-14L-5C-40K8-EHS | 11,847 | 103 | 115 | B3-U3-G1 |
| OPS-PT-14L-5C-50K8 | 14,414 | 100 | 144 | B3-U3-G1 |
| OPS-PT-14L-5C-50K8-EHS | 11,847 | 103 | 115 | B3-U3-G1 |
| OPS-PT-14L-5D-27K8 | 12,071 | 100 | 121 | B3-U3-G2 |
| OPS-PT-14L-5D-27K8-EHS | 8,847 | 103 | 86 | B2-U3-G2 |
| OPS-PT-14L-5D-30K8 | 12,464 | 100 | 125 | B3-U3-G2 |
| OPS-PT-14L-5D-30K8-EHS | 9,249 | 103 | 90 | B2-U3-G2 |
| OPS-PT-14L-5D-35K8 | 12,259 | 100 | 123 | B3-U3-G2 |
| OPS-PT-14L-5D-35K8-EHS | 9,651 | 103 | 94 | B2-U3-G2 |
| OPS-PT-14L-5D-40K8 | 12,758 | 100 | 128 | B3-U3-G2 |



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|------------------------|-------------------------|--------------|-------------------|------------|
| OPS-PT-14L-5D-40K8-EHS | 10,053 | 103 | 98 | B2-U3-G2 |
| OPS-PT-14L-5D-50K8 | 12,927 | 100 | 129 | B3-U3-G2 |
| OPS-PT-14L-5D-50K8-EHS | 10,053 | 103 | 98 | B2-U3-G2 |
| OPS-PT-14L-5Q-27K8 | 13,111 | 100 | 131 | B3-U3-G2 |
| OPS-PT-14L-5Q-27K8-EHS | 9,416 | 103 | 91 | B2-U3-G2 |
| OPS-PT-14L-5Q-30K8 | 13,537 | 100 | 135 | B3-U3-G2 |
| OPS-PT-14L-5Q-30K8-EHS | 9,845 | 103 | 96 | B2-U3-G2 |
| OPS-PT-14L-5Q-35K8 | 13,315 | 100 | 133 | B3-U3-G2 |
| OPS-PT-14L-5Q-35K8-EHS | 10,273 | 103 | 100 | B2-U3-G2 |
| OPS-PT-14L-5Q-40K8 | 13,857 | 100 | 139 | B3-U3-G2 |
| OPS-PT-14L-5Q-40K8-EHS | 10,700 | 103 | 104 | B3-U3-G2 |
| OPS-PT-14L-5Q-50K8 | 14,040 | 100 | 140 | B3-U3-G2 |
| OPS-PT-14L-5Q-50K8-EHS | 10,700 | 103 | 104 | B3-U3-G2 |
| OPS-PT-14L-5R-27K8 | 12,963 | 100 | 130 | B3-U3-G3 |
| OPS-PT-14L-5R-27K8-EHS | 9,254 | 103 | 90 | B2-U3-G2 |
| OPS-PT-14L-5R-30K8 | 13,384 | 100 | 134 | B3-U3-G3 |
| OPS-PT-14L-5R-30K8-EHS | 9,675 | 103 | 94 | B2-U3-G2 |
| OPS-PT-14L-5R-35K8 | 13,164 | 100 | 132 | B3-U3-G3 |
| OPS-PT-14L-5R-35K8-EHS | 10,096 | 103 | 98 | B2-U3-G2 |
| OPS-PT-14L-5R-40K8 | 13,700 | 100 | 137 | B3-U3-G3 |
| OPS-PT-14L-5R-40K8-EHS | 10,516 | 103 | 102 | B2-U3-G2 |
| OPS-PT-14L-5R-50K8 | 13,882 | 100 | 139 | B3-U3-G3 |
| OPS-PT-14L-5R-50K8-EHS | 10,516 | 103 | 102 | B2-U3-G2 |
| OPS-PT-14L-AD-27K8 | 12,104 | 100 | 121 | B2-U3-G2 |
| OPS-PT-14L-AD-27K8-EHS | 9,165 | 103 | 89 | B2-U3-G2 |
| OPS-PT-14L-AD-30K8 | 12,497 | 100 | 125 | B3-U3-G3 |
| OPS-PT-14L-AD-30K8-EHS | 9,582 | 103 | 93 | B2-U3-G2 |
| OPS-PT-14L-AD-35K8 | 12,292 | 100 | 123 | B3-U3-G2 |
| OPS-PT-14L-AD-35K8-EHS | 9,999 | 103 | 97 | B2-U3-G2 |
| OPS-PT-14L-AD-40K8 | 12,793 | 100 | 128 | B3-U3-G3 |
| OPS-PT-14L-AD-40K8-EHS | 10,415 | 103 | 101 | B2-U3-G2 |
| OPS-PT-14L-AD-50K8 | 12,962 | 100 | 130 | B3-U3-G3 |
| OPS-PT-14L-AD-50K8-EHS | 10,415 | 103 | 101 | B2-U3-G2 |