



OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
OPS-01L-3W-AMT	1,085	27	40	B0-U0-G1
OPS-01L-4F-AMT	1,100	27	41	B0-U0-G0
OPS-01L-5C-AMT	1,137	27	42	B1-U0-G0
OPS-01L-5D-AMT	1,017	27	38	B1-U0-G1
OPS-01L-5Q-AMT	1,093	27	40	B1-U0-G0
OPS-01L-5R-AMT	1,070	27	40	B1-U0-G1
OPS-01L-AD-AMT	1,024	27	38	B0-U0-G0
OPS-03L-2-27K8	3,307	20	165	B1-U0-G1
OPS-03L-2-30K8	3,416	20	171	B1-U0-G1
OPS-03L-2-35K8	3,436	20	172	B1-U0-G1
OPS-03L-2-40K8	3,392	20	170	B1-U0-G1
OPS-03L-2-50K8	3,531	20	177	B1-U0-G1
OPS-03L-3W-27K8	3,042	20	152	B1-U0-G1
OPS-03L-3W-27K8-EHS	2,915	22	133	B1-U1-G1
OPS-03L-3W-30K8	3,141	20	157	B1-U0-G1
OPS-03L-3W-30K8-EHS	3,047	22	139	B1-U1-G1
OPS-03L-3W-35K8	3,159	20	158	B1-U0-G1
OPS-03L-3W-35K8-EHS	3,180	22	145	B1-U1-G1
OPS-03L-3W-40K8	3,119	20	156	B1-U0-G1
OPS-03L-3W-40K8-EHS	3,312	22	151	B1-U1-G1
OPS-03L-3W-50K8	3,248	20	162	B1-U0-G1
OPS-03L-3W-50K8-EHS	3,312	22	151	B1-U1-G1
OPS-03L-3W-AMB	2,184	22	99	B1-U0-G1
OPS-03L-3W-AMB-EHS	2,093	22	95	B1-U1-G1
OPS-03L-4F-27K8	3,091	20	155	B1-U0-G1
OPS-03L-4F-27K8-EHS	3,004	22	137	B1-U1-G1
OPS-03L-4F-30K8	3,191	20	160	B1-U0-G1
OPS-03L-4F-30K8-EHS	3,140	22	143	B1-U1-G1
OPS-03L-4F-35K8	3,209	20	160	B1-U0-G1
OPS-03L-4F-35K8-EHS	3,276	22	149	B1-U1-G1
OPS-03L-4F-40K8	3,169	20	158	B1-U0-G1
OPS-03L-4F-40K8-EHS	3,413	22	155	B1-U1-G1
OPS-03L-4F-50K8	3,299	20	165	B1-U0-G1
OPS-03L-4F-50K8-EHS	3,413	22	155	B1-U1-G1
OPS-03L-4F-AMB	2,218	22	101	B1-U0-G1
OPS-03L-4F-AMB-EHS	2,157	22	98	B1-U1-G1
OPS-03L-5C-27K8	3,302	20	165	B2-U0-G0
OPS-03L-5C-27K8-EHS	3,017	22	137	B1-U1-G0
OPS-03L-5C-30K8	3,409	20	170	B2-U0-G0
OPS-03L-5C-30K8-EHS	3,154	22	143	B1-U1-G0
OPS-03L-5C-35K8	3,428	20	171	B2-U0-G0
OPS-03L-5C-35K8-EHS	3,291	22	150	B1-U1-G0
OPS-03L-5C-40K8	3,386	20	169	B2-U0-G0
OPS-03L-5C-40K8-EHS	3,428	22	156	B1-U1-G0
OPS-03L-5C-50K8	3,525	20	176	B2-U0-G0
OPS-03L-5C-50K8-EHS	3,428	22	156	B1-U1-G0
OPS-03L-5C-AMB	2,370	22	108	B1-U0-G0
OPS-03L-5C-AMB-EHS	2,166	22	98	B1-U1-G0
OPS-03L-5D-27K8	2,953	20	148	B1-U0-G1
OPS-03L-5D-27K8-EHS	2,621	22	119	B1-U1-G1
OPS-03L-5D-30K8	3,049	20	152	B1-U0-G1
OPS-03L-5D-30K8-EHS	2,740	22	125	B1-U1-G1
OPS-03L-5D-35K8	3,066	20	153	B1-U0-G1
OPS-03L-5D-35K8-EHS	2,859	22	130	B1-U1-G1
OPS-03L-5D-40K8	3,028	20	151	B1-U0-G1
OPS-03L-5D-40K8-EHS	2,978	22	135	B1-U1-G1



OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
OPS-03L-5D-50K8	3,153	20	158	B1-U0-G1
OPS-03L-5D-50K8-EHS	2,978	22	135	B1-U1-G1
OPS-03L-5D-AMB	2,120	22	96	B1-U0-G1
OPS-03L-5D-AMB-EHS	1,881	22	86	B1-U1-G1
OPS-03L-5Q-27K8	3,174	20	159	B2-U0-G1
OPS-03L-5Q-27K8-EHS	2,747	22	125	B1-U1-G1
OPS-03L-5Q-30K8	3,277	20	164	B2-U0-G1
OPS-03L-5Q-30K8-EHS	2,871	22	131	B1-U1-G1
OPS-03L-5Q-35K8	3,295	20	165	B2-U0-G1
OPS-03L-5Q-35K8-EHS	2,996	22	136	B1-U1-G1
OPS-03L-5Q-40K8	3,255	20	163	B2-U0-G1
OPS-03L-5Q-40K8-EHS	3,121	22	142	B1-U1-G1
OPS-03L-5Q-50K8	3,389	20	169	B2-U0-G1
OPS-03L-5Q-50K8-EHS	3,121	22	142	B1-U1-G1
OPS-03L-5Q-AMB	2,278	22	104	B1-U0-G0
OPS-03L-5Q-AMB-EHS	1,972	22	90	B1-U1-G1
OPS-03L-5R-27K8	3,106	20	155	B2-U0-G2
OPS-03L-5R-27K8-EHS	2,767	22	126	B1-U1-G1
OPS-03L-5R-30K8	3,207	20	160	B2-U0-G2
OPS-03L-5R-30K8-EHS	2,893	22	132	B1-U1-G1
OPS-03L-5R-35K8	3,225	20	161	B2-U0-G2
OPS-03L-5R-35K8-EHS	3,019	22	137	B1-U1-G1
OPS-03L-5R-40K8	3,185	20	159	B2-U0-G2
OPS-03L-5R-40K8-EHS	3,145	22	143	B1-U1-G1
OPS-03L-5R-50K8	3,316	20	166	B2-U0-G2
OPS-03L-5R-50K8-EHS	3,145	22	143	B1-U1-G1
OPS-03L-5R-AMB	2,229	22	101	B1-U0-G1
OPS-03L-5R-AMB-EHS	1,986	22	90	B1-U1-G1
OPS-03L-AD-27K8	2,973	20	149	B1-U0-G1
OPS-03L-AD-27K8-EHS	2,754	22	125	B1-U1-G1
OPS-03L-AD-30K8	3,069	20	153	B1-U0-G1
OPS-03L-AD-30K8-EHS	2,879	22	131	B1-U1-G1
OPS-03L-AD-35K8	3,086	20	154	B1-U0-G1
OPS-03L-AD-35K8-EHS	3,005	22	137	B1-U1-G1
OPS-03L-AD-40K8	3,048	20	152	B1-U0-G1
OPS-03L-AD-40K8-EHS	3,130	22	142	B1-U1-G1
OPS-03L-AD-50K8	3,174	20	159	B1-U0-G1
OPS-03L-AD-50K8-EHS	3,130	22	142	B1-U1-G1
OPS-03L-AD-AMB	2,134	22	97	B1-U0-G1
OPS-03L-AD-AMB-EHS	1,978	22	90	B1-U1-G1
OPS-05L-2-27K8	5,470	34	161	B1-U0-G1
OPS-05L-2-30K8	5,649	34	166	B1-U0-G1
OPS-05L-2-35K8	5,683	34	167	B1-U0-G1
OPS-05L-2-40K8	5,610	34	165	B1-U0-G1
OPS-05L-2-50K8	5,840	34	172	B2-U0-G1
OPS-05L-3W-27K8	5,029	34	148	B1-U0-G1
OPS-05L-3W-27K8-EHS	4,035	30	134	B1-U1-G1
OPS-05L-3W-30K8	5,192	34	153	B1-U0-G1
OPS-05L-3W-30K8-EHS	4,218	30	141	B1-U1-G1
OPS-05L-3W-35K8	5,221	34	154	B1-U0-G1
OPS-05L-3W-35K8-EHS	4,401	30	147	B1-U1-G1
OPS-05L-3W-40K8	5,156	34	152	B1-U0-G1
OPS-05L-3W-40K8-EHS	4,585	30	153	B1-U1-G1
OPS-05L-3W-50K8	5,369	34	158	B1-U0-G1
OPS-05L-3W-50K8-EHS	4,585	30	153	B1-U1-G1
OPS-05L-3W-AMB	3,531	36	98	B1-U0-G1



OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
OPS-05L-3W-AMB-EHS	2,834	36	79	B1-U1-G1
OPS-05L-4F-27K8	5,109	34	150	B1-U0-G1
OPS-05L-4F-27K8-EHS	4,157	30	139	B1-U1-G1
OPS-05L-4F-30K8	5,274	34	155	B1-U0-G1
OPS-05L-4F-30K8-EHS	4,346	30	145	B1-U1-G1
OPS-05L-4F-35K8	5,304	34	156	B1-U0-G1
OPS-05L-4F-35K8-EHS	4,535	30	151	B1-U1-G1
OPS-05L-4F-40K8	5,238	34	154	B1-U0-G1
OPS-05L-4F-40K8-EHS	4,723	30	157	B1-U1-G1
OPS-05L-4F-50K8	5,454	34	160	B1-U0-G1
OPS-05L-4F-50K8-EHS	4,723	30	157	B1-U1-G1
OPS-05L-4F-AMB	3,586	36	100	B1-U0-G1
OPS-05L-4F-AMB-EHS	2,920	36	81	B1-U1-G1
OPS-05L-5C-27K8	5,459	34	161	B2-U0-G0
OPS-05L-5C-27K8-EHS	4,175	30	139	B2-U1-G0
OPS-05L-5C-30K8	5,636	34	166	B2-U0-G0
OPS-05L-5C-30K8-EHS	4,365	30	146	B2-U1-G0
OPS-05L-5C-35K8	5,667	34	167	B2-U0-G0
OPS-05L-5C-35K8-EHS	4,555	30	152	B2-U1-G0
OPS-05L-5C-40K8	5,597	34	165	B2-U0-G0
OPS-05L-5C-40K8-EHS	4,744	30	158	B2-U1-G0
OPS-05L-5C-50K8	5,828	34	171	B2-U0-G0
OPS-05L-5C-50K8-EHS	4,744	30	158	B2-U1-G0
OPS-05L-5C-AMB	3,833	36	106	B2-U0-G0
OPS-05L-5C-AMB-EHS	2,933	36	81	B1-U1-G0
OPS-05L-5D-27K8	4,883	34	144	B2-U0-G1
OPS-05L-5D-27K8-EHS	3,628	30	121	B1-U1-G1
OPS-05L-5D-30K8	5,041	34	148	B2-U0-G1
OPS-05L-5D-30K8-EHS	3,793	30	126	B1-U1-G1
OPS-05L-5D-35K8	5,069	34	149	B2-U0-G1
OPS-05L-5D-35K8-EHS	3,958	30	132	B1-U1-G1
OPS-05L-5D-40K8	5,006	34	147	B2-U0-G1
OPS-05L-5D-40K8-EHS	4,123	30	137	B2-U1-G1
OPS-05L-5D-50K8	5,213	34	153	B2-U0-G1
OPS-05L-5D-50K8-EHS	4,123	30	137	B2-U1-G1
OPS-05L-5D-AMB	3,428	36	95	B1-U0-G1
OPS-05L-5D-AMB-EHS	2,548	36	71	B1-U1-G1
OPS-05L-5Q-27K8	5,382	34	158	B2-U0-G1
OPS-05L-5Q-27K8-EHS	3,802	30	127	B1-U1-G1
OPS-05L-5Q-30K8	5,419	34	159	B2-U0-G1
OPS-05L-5Q-30K8-EHS	3,975	30	132	B1-U1-G1
OPS-05L-5Q-35K8	5,315	34	156	B2-U0-G1
OPS-05L-5Q-35K8-EHS	4,147	30	138	B2-U1-G1
OPS-05L-5Q-40K8	5,382	34	158	B2-U0-G1
OPS-05L-5Q-40K8-EHS	4,320	30	144	B2-U1-G1
OPS-05L-5Q-50K8	5,604	34	165	B2-U0-G1
OPS-05L-5Q-50K8-EHS	4,320	30	144	B2-U1-G1
OPS-05L-5Q-AMB	3,779	36	105	B2-U0-G1
OPS-05L-5Q-AMB-EHS	2,670	36	74	B1-U1-G1
OPS-05L-5R-27K8	5,134	34	151	B2-U0-G2
OPS-05L-5R-27K8-EHS	3,832	30	128	B1-U1-G1
OPS-05L-5R-30K8	5,301	34	156	B2-U0-G2
OPS-05L-5R-30K8-EHS	4,006	30	134	B1-U1-G1
OPS-05L-5R-35K8	5,331	34	157	B2-U0-G2
OPS-05L-5R-35K8-EHS	4,180	30	139	B1-U1-G1
OPS-05L-5R-40K8	5,265	34	155	B2-U0-G2
OPS-05L-5R-40K8-EHS	4,354	30	145	B2-U1-G1



OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
OPS-05L-5R-50K8	5,481	34	161	B2-U0-G2
OPS-05L-5R-50K8-EHS	4,354	30	145	B2-U1-G1
OPS-05L-5R-AMB	3,605	36	100	B2-U0-G2
OPS-05L-5R-AMB-EHS	2,690	36	75	B1-U1-G1
OPS-05L-AD-27K8	4,915	34	145	B1-U0-G1
OPS-05L-AD-27K8-EHS	3,812	30	127	B1-U1-G1
OPS-05L-AD-30K8	5,075	34	149	B2-U0-G1
OPS-05L-AD-30K8-EHS	3,985	30	133	B1-U1-G1
OPS-05L-AD-35K8	5,103	34	150	B2-U0-G1
OPS-05L-AD-35K8-EHS	4,158	30	139	B1-U1-G1
OPS-05L-AD-40K8	5,040	34	148	B2-U0-G1
OPS-05L-AD-40K8-EHS	4,332	30	144	B1-U1-G1
OPS-05L-AD-50K8	5,248	34	154	B2-U0-G1
OPS-05L-AD-50K8-EHS	4,332	30	144	B1-U1-G1
OPS-05L-AD-AMB	3,451	36	96	B1-U0-G1
OPS-05L-AD-AMB-EHS	2,678	36	74	B1-U1-G1
OPS-06L-2-27K8	6,624	41	162	B2-U0-G1
OPS-06L-2-30K8	6,842	41	167	B2-U0-G1
OPS-06L-2-35K8	6,882	41	168	B2-U0-G1
OPS-06L-2-40K8	6,794	41	166	B2-U0-G1
OPS-06L-2-50K8	7,073	41	173	B2-U0-G2
OPS-06L-3W-27K8	6,094	41	149	B2-U0-G2
OPS-06L-3W-27K8-EHS	4,931	38	130	B1-U1-G1
OPS-06L-3W-30K8	6,292	41	153	B2-U0-G2
OPS-06L-3W-30K8-EHS	5,155	38	136	B1-U1-G1
OPS-06L-3W-35K8	6,327	41	154	B2-U0-G2
OPS-06L-3W-35K8-EHS	5,380	38	142	B1-U1-G1
OPS-06L-3W-40K8	6,248	41	152	B2-U0-G2
OPS-06L-3W-40K8-EHS	5,603	38	147	B1-U1-G1
OPS-06L-3W-50K8	6,506	41	159	B2-U0-G2
OPS-06L-3W-50K8-EHS	5,603	38	147	B1-U1-G1
OPS-06L-3W-AMB	4,147	43	96	B1-U0-G1
OPS-06L-3W-AMB-EHS	3,357	43	78	B1-U1-G1
OPS-06L-4F-27K8	6,191	41	151	B2-U0-G1
OPS-06L-4F-27K8-EHS	5,081	38	134	B1-U1-G1
OPS-06L-4F-30K8	6,392	41	156	B2-U0-G1
OPS-06L-4F-30K8-EHS	5,312	38	140	B1-U1-G1
OPS-06L-4F-35K8	6,428	41	157	B2-U0-G1
OPS-06L-4F-35K8-EHS	5,543	38	146	B1-U1-G1
OPS-06L-4F-40K8	6,348	41	155	B2-U0-G1
OPS-06L-4F-40K8-EHS	5,773	38	152	B1-U1-G1
OPS-06L-4F-50K8	6,609	41	161	B2-U0-G1
OPS-06L-4F-50K8-EHS	5,773	38	152	B1-U1-G1
OPS-06L-4F-AMB	4,214	43	98	B1-U0-G1
OPS-06L-4F-AMB-EHS	3,459	43	80	B1-U1-G1
OPS-06L-5C-27K8	6,615	41	161	B2-U0-G0
OPS-06L-5C-27K8-EHS	5,103	38	134	B2-U1-G1
OPS-06L-5C-30K8	6,830	41	167	B2-U0-G0
OPS-06L-5C-30K8-EHS	5,335	38	140	B2-U1-G1
OPS-06L-5C-35K8	6,868	41	168	B2-U0-G0
OPS-06L-5C-35K8-EHS	5,567	38	146	B2-U1-G1
OPS-06L-5C-40K8	6,783	41	165	B2-U0-G0
OPS-06L-5C-40K8-EHS	5,798	38	153	B2-U1-G1
OPS-06L-5C-50K8	7,062	41	172	B2-U0-G0
OPS-06L-5C-50K8-EHS	5,798	38	153	B2-U1-G1
OPS-06L-5C-AMB	4,502	43	105	B2-U0-G0



OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
OPS-06L-5C-AMB-EHS	3,474	43	81	B1-U1-G0
OPS-06L-5D-27K8	5,917	41	144	B2-U0-G1
OPS-06L-5D-27K8-EHS	4,434	38	117	B2-U1-G1
OPS-06L-5D-30K8	6,109	41	149	B2-U0-G1
OPS-06L-5D-30K8-EHS	4,636	38	122	B2-U1-G1
OPS-06L-5D-35K8	6,143	41	150	B2-U0-G1
OPS-06L-5D-35K8-EHS	4,838	38	127	B2-U1-G1
OPS-06L-5D-40K8	6,067	41	148	B2-U0-G1
OPS-06L-5D-40K8-EHS	5,039	38	133	B2-U1-G1
OPS-06L-5D-50K8	6,317	41	154	B2-U0-G1
OPS-06L-5D-50K8-EHS	5,039	38	133	B2-U1-G1
OPS-06L-5D-AMB	4,027	43	94	B2-U0-G1
OPS-06L-5D-AMB-EHS	3,018	43	70	B1-U1-G1
OPS-06L-5Q-27K8	6,360	41	155	B3-U0-G1
OPS-06L-5Q-27K8-EHS	4,647	38	122	B2-U1-G1
OPS-06L-5Q-30K8	6,566	41	160	B3-U0-G1
OPS-06L-5Q-30K8-EHS	4,858	38	128	B2-U1-G1
OPS-06L-5Q-35K8	6,603	41	161	B3-U0-G1
OPS-06L-5Q-35K8-EHS	5,069	38	133	B2-U1-G1
OPS-06L-5Q-40K8	6,521	41	159	B3-U0-G1
OPS-06L-5Q-40K8-EHS	5,280	38	139	B2-U1-G1
OPS-06L-5Q-50K8	6,790	41	166	B3-U0-G1
OPS-06L-5Q-50K8-EHS	5,280	38	139	B2-U1-G1
OPS-06L-5Q-AMB	4,328	43	101	B2-U0-G1
OPS-06L-5Q-AMB-EHS	3,163	43	74	B1-U1-G1
OPS-06L-5R-27K8	6,222	41	152	B3-U0-G3
OPS-06L-5R-27K8-EHS	4,683	38	123	B2-U1-G1
OPS-06L-5R-30K8	6,424	41	157	B3-U0-G3
OPS-06L-5R-30K8-EHS	4,896	38	129	B2-U1-G1
OPS-06L-5R-35K8	6,460	41	158	B3-U0-G3
OPS-06L-5R-35K8-EHS	5,109	38	134	B2-U1-G1
OPS-06L-5R-40K8	6,380	41	156	B3-U0-G3
OPS-06L-5R-40K8-EHS	5,322	38	140	B2-U1-G1
OPS-06L-5R-50K8	6,643	41	162	B3-U0-G3
OPS-06L-5R-50K8-EHS	5,322	38	140	B2-U1-G1
OPS-06L-5R-AMB	4,234	43	98	B2-U0-G2
OPS-06L-5R-AMB-EHS	3,187	43	74	B1-U1-G1
OPS-06L-AD-27K8	5,957	41	145	B2-U0-G1
OPS-06L-AD-27K8-EHS	4,659	38	123	B1-U1-G1
OPS-06L-AD-30K8	6,150	41	150	B2-U0-G1
OPS-06L-AD-30K8-EHS	4,871	38	128	B1-U1-G1
OPS-06L-AD-35K8	6,184	41	151	B2-U0-G1
OPS-06L-AD-35K8-EHS	5,082	38	134	B2-U1-G1
OPS-06L-AD-40K8	6,108	41	149	B2-U0-G1
OPS-06L-AD-40K8-EHS	5,294	38	139	B2-U1-G1
OPS-06L-AD-50K8	6,359	41	155	B2-U0-G1
OPS-06L-AD-50K8-EHS	5,294	38	139	B2-U1-G1
OPS-06L-AD-AMB	4,054	43	94	B1-U0-G1
OPS-06L-AD-AMB-EHS	3,172	43	74	B1-U1-G1
OPS-08L-2-27K8	8,682	55	158	B2-U0-G2
OPS-08L-2-30K8	8,966	55	163	B2-U0-G2
OPS-08L-2-35K8	9,020	55	164	B2-U0-G2
OPS-08L-2-40K8	8,904	55	162	B2-U0-G2
OPS-08L-2-50K8	9,269	55	169	B2-U0-G2
OPS-08L-3W-27K8	7,986	55	145	B2-U0-G2
OPS-08L-3W-27K8-EHS	6,615	52	127	B2-U1-G1



OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
OPS-08L-3W-30K8	8,245	55	150	B2-U0-G2
OPS-08L-3W-30K8-EHS	6,915	52	133	B2-U1-G1
OPS-08L-3W-35K8	8,291	55	151	B2-U0-G2
OPS-08L-3W-35K8-EHS	7,216	52	139	B2-U1-G1
OPS-08L-3W-40K8	8,189	55	149	B2-U0-G2
OPS-08L-3W-40K8-EHS	7,516	52	145	B2-U1-G1
OPS-08L-3W-50K8	8,526	55	155	B2-U0-G2
OPS-08L-3W-50K8-EHS	7,516	52	145	B2-U1-G1
OPS-08L-3W-AMB	5,484	59	93	B1-U0-G1
OPS-08L-3W-AMB-EHS	4,542	59	77	B1-U1-G1
OPS-08L-4F-27K8	8,113	55	148	B2-U0-G1
OPS-08L-4F-27K8-EHS	6,815	52	131	B2-U1-G1
OPS-08L-4F-30K8	8,376	55	152	B2-U0-G1
OPS-08L-4F-30K8-EHS	7,124	52	137	B2-U1-G1
OPS-08L-4F-35K8	8,423	55	153	B2-U0-G1
OPS-08L-4F-35K8-EHS	7,433	52	143	B2-U1-G1
OPS-08L-4F-40K8	8,319	55	151	B2-U0-G1
OPS-08L-4F-40K8-EHS	7,742	52	149	B2-U1-G1
OPS-08L-4F-50K8	8,662	55	157	B2-U0-G1
OPS-08L-4F-50K8-EHS	7,742	52	149	B2-U1-G1
OPS-08L-4F-AMB	5,571	59	94	B1-U0-G1
OPS-08L-4F-AMB-EHS	4,678	59	79	B1-U1-G1
OPS-08L-5C-27K8	8,669	55	158	B3-U0-G1
OPS-08L-5C-27K8-EHS	6,845	52	132	B2-U1-G1
OPS-08L-5C-30K8	8,949	55	163	B3-U0-G1
OPS-08L-5C-30K8-EHS	7,155	52	138	B2-U1-G1
OPS-08L-5C-35K8	9,000	55	164	B3-U0-G1
OPS-08L-5C-35K8-EHS	7,466	52	144	B3-U1-G1
OPS-08L-5C-40K8	8,888	55	162	B3-U0-G1
OPS-08L-5C-40K8-EHS	7,777	52	150	B3-U1-G1
OPS-08L-5C-50K8	9,254	55	168	B3-U0-G1
OPS-08L-5C-50K8-EHS	7,777	52	150	B3-U1-G1
OPS-08L-5C-AMB	5,952	59	101	B2-U0-G0
OPS-08L-5C-AMB-EHS	4,701	59	80	B2-U1-G0
OPS-08L-5D-27K8	7,753	55	141	B2-U0-G1
OPS-08L-5D-27K8-EHS	5,950	52	114	B2-U1-G1
OPS-08L-5D-30K8	8,005	55	146	B2-U0-G1
OPS-08L-5D-30K8-EHS	6,220	52	120	B2-U1-G1
OPS-08L-5D-35K8	8,049	55	146	B2-U0-G1
OPS-08L-5D-35K8-EHS	6,491	52	125	B2-U1-G1
OPS-08L-5D-40K8	7,950	55	145	B2-U0-G1
OPS-08L-5D-40K8-EHS	6,761	52	130	B2-U1-G1
OPS-08L-5D-50K8	8,277	55	150	B3-U0-G1
OPS-08L-5D-50K8-EHS	6,761	52	130	B2-U1-G1
OPS-08L-5D-AMB	5,324	59	90	B2-U0-G1
OPS-08L-5D-AMB-EHS	4,087	59	69	B1-U1-G1
OPS-08L-5Q-27K8	8,334	55	152	B3-U0-G1
OPS-08L-5Q-27K8-EHS	6,232	52	120	B2-U1-G1
OPS-08L-5Q-30K8	8,605	55	156	B3-U0-G1
OPS-08L-5Q-30K8-EHS	6,515	52	125	B2-U1-G1
OPS-08L-5Q-35K8	8,653	55	157	B3-U0-G1
OPS-08L-5Q-35K8-EHS	6,798	52	131	B2-U1-G1
OPS-08L-5Q-40K8	8,546	55	155	B3-U0-G1
OPS-08L-5Q-40K8-EHS	7,081	52	136	B2-U1-G2
OPS-08L-5Q-50K8	8,898	55	162	B3-U0-G1
OPS-08L-5Q-50K8-EHS	7,081	52	136	B2-U1-G2
OPS-08L-5Q-AMB	5,723	59	97	B2-U0-G1



OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
OPS-08L-5Q-AMB-EHS	4,281	59	73	B2-U1-G1
OPS-08L-5R-27K8	8,153	55	148	B3-U0-G3
OPS-08L-5R-27K8-EHS	6,282	52	121	B2-U1-G1
OPS-08L-5R-30K8	8,417	55	153	B3-U0-G3
OPS-08L-5R-30K8-EHS	6,567	52	126	B2-U1-G2
OPS-08L-5R-35K8	8,464	55	154	B3-U0-G3
OPS-08L-5R-35K8-EHS	6,853	52	132	B2-U1-G2
OPS-08L-5R-40K8	8,360	55	152	B3-U0-G3
OPS-08L-5R-40K8-EHS	7,138	52	137	B2-U1-G2
OPS-08L-5R-50K8	8,704	55	158	B3-U0-G3
OPS-08L-5R-50K8-EHS	7,138	52	137	B2-U1-G2
OPS-08L-5R-AMB	5,598	59	95	B3-U0-G3
OPS-08L-5R-AMB-EHS	4,314	59	73	B1-U1-G1
OPS-08L-AD-27K8	7,805	55	142	B2-U0-G2
OPS-08L-AD-27K8-EHS	6,249	52	120	B2-U1-G1
OPS-08L-AD-30K8	8,058	55	147	B2-U0-G2
OPS-08L-AD-30K8-EHS	6,532	52	126	B2-U1-G1
OPS-08L-AD-35K8	8,103	55	147	B2-U0-G2
OPS-08L-AD-35K8-EHS	6,816	52	131	B2-U1-G1
OPS-08L-AD-40K8	8,003	55	146	B2-U0-G2
OPS-08L-AD-40K8-EHS	7,100	52	137	B2-U1-G1
OPS-08L-AD-50K8	8,333	55	152	B2-U0-G2
OPS-08L-AD-50K8-EHS	7,100	52	137	B2-U1-G1
OPS-08L-AD-AMB	5,359	59	91	B2-U0-G1
OPS-08L-AD-AMB-EHS	4,292	59	73	B1-U1-G1
OPS-10L-2-27K8	10,904	70	156	B2-U0-G2
OPS-10L-2-30K8	11,261	70	161	B2-U0-G2
OPS-10L-2-35K8	11,329	70	162	B2-U0-G2
OPS-10L-2-40K8	11,183	70	160	B2-U0-G2
OPS-10L-2-50K8	11,642	70	166	B3-U0-G2
OPS-10L-3W-27K8	10,029	70	143	B2-U0-G2
OPS-10L-3W-27K8-EHS	8,071	66	122	B2-U1-G1
OPS-10L-3W-30K8	10,355	70	148	B2-U0-G2
OPS-10L-3W-30K8-EHS	8,438	66	128	B2-U1-G1
OPS-10L-3W-35K8	10,412	70	149	B2-U0-G2
OPS-10L-3W-35K8-EHS	8,804	66	133	B2-U1-G1
OPS-10L-3W-40K8	10,284	70	147	B2-U0-G2
OPS-10L-3W-40K8-EHS	9,171	66	139	B2-U1-G2
OPS-10L-3W-50K8	10,707	70	153	B2-U0-G2
OPS-10L-3W-50K8-EHS	9,171	66	139	B2-U1-G2
OPS-10L-3W-AMB	6,658	74	90	B2-U0-G2
OPS-10L-3W-AMB-EHS	5,359	74	72	B1-U1-G1
OPS-10L-4F-27K8	10,189	70	146	B2-U0-G2
OPS-10L-4F-27K8-EHS	8,315	66	126	B2-U1-G1
OPS-10L-4F-30K8	10,519	70	150	B2-U0-G2
OPS-10L-4F-30K8-EHS	8,692	66	132	B2-U1-G2
OPS-10L-4F-35K8	10,578	70	151	B2-U0-G2
OPS-10L-4F-35K8-EHS	9,070	66	137	B2-U1-G2
OPS-10L-4F-40K8	10,447	70	149	B2-U0-G2
OPS-10L-4F-40K8-EHS	9,447	66	143	B2-U1-G2
OPS-10L-4F-50K8	10,878	70	155	B2-U0-G2
OPS-10L-4F-50K8-EHS	9,447	66	143	B2-U1-G2
OPS-10L-4F-AMB	6,764	74	91	B2-U0-G1
OPS-10L-4F-AMB-EHS	5,520	74	75	B1-U1-G1
OPS-10L-5C-27K8	10,887	70	156	B3-U0-G1
OPS-10L-5C-27K8-EHS	8,352	66	127	B3-U1-G1



OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
OPS-10L-5C-30K8	11,240	70	161	B3-U0-G1
OPS-10L-5C-30K8-EHS	8,731	66	132	B3-U1-G1
OPS-10L-5C-35K8	11,302	70	161	B3-U0-G1
OPS-10L-5C-35K8-EHS	9,110	66	138	B3-U1-G1
OPS-10L-5C-40K8	11,163	70	159	B3-U0-G1
OPS-10L-5C-40K8-EHS	9,489	66	144	B3-U1-G1
OPS-10L-5C-50K8	11,623	70	166	B3-U0-G1
OPS-10L-5C-50K8-EHS	9,489	66	144	B3-U1-G1
OPS-10L-5C-AMB	7,227	74	98	B2-U0-G1
OPS-10L-5C-AMB-EHS	5,545	74	75	B2-U1-G1
OPS-10L-5D-27K8	9,737	70	139	B3-U0-G1
OPS-10L-5D-27K8-EHS	7,260	66	110	B2-U1-G1
OPS-10L-5D-30K8	10,053	70	144	B3-U0-G2
OPS-10L-5D-30K8-EHS	7,590	66	115	B2-U1-G1
OPS-10L-5D-35K8	10,109	70	144	B3-U0-G2
OPS-10L-5D-35K8-EHS	7,920	66	120	B2-U1-G1
OPS-10L-5D-40K8	9,984	70	143	B3-U0-G2
OPS-10L-5D-40K8-EHS	8,250	66	125	B2-U1-G1
OPS-10L-5D-50K8	10,395	70	148	B3-U0-G2
OPS-10L-5D-50K8-EHS	8,250	66	125	B2-U1-G1
OPS-10L-5D-AMB	6,464	74	87	B2-U0-G1
OPS-10L-5D-AMB-EHS	4,822	74	65	B2-U1-G1
OPS-10L-5Q-27K8	10,467	70	150	B3-U0-G1
OPS-10L-5Q-27K8-EHS	7,604	66	115	B2-U1-G2
OPS-10L-5Q-30K8	10,807	70	154	B3-U0-G1
OPS-10L-5Q-30K8-EHS	7,950	66	120	B2-U1-G2
OPS-10L-5Q-35K8	10,867	70	155	B3-U0-G1
OPS-10L-5Q-35K8-EHS	8,295	66	126	B2-U1-G2
OPS-10L-5Q-40K8	10,733	70	153	B3-U0-G1
OPS-10L-5Q-40K8-EHS	8,640	66	131	B2-U1-G2
OPS-10L-5Q-50K8	11,175	70	160	B3-U0-G2
OPS-10L-5Q-50K8-EHS	8,640	66	131	B2-U1-G2
OPS-10L-5Q-AMB	6,949	74	94	B3-U0-G1
OPS-10L-5Q-AMB-EHS	5,050	74	68	B2-U1-G1
OPS-10L-5R-27K8	10,239	70	146	B3-U0-G3
OPS-10L-5R-27K8-EHS	7,665	66	116	B2-U1-G2
OPS-10L-5R-30K8	10,572	70	151	B3-U0-G3
OPS-10L-5R-30K8-EHS	8,014	66	121	B2-U1-G2
OPS-10L-5R-35K8	10,631	70	152	B3-U0-G3
OPS-10L-5R-35K8-EHS	8,362	66	127	B2-U1-G2
OPS-10L-5R-40K8	10,499	70	150	B3-U0-G3
OPS-10L-5R-40K8-EHS	8,711	66	132	B2-U1-G2
OPS-10L-5R-50K8	10,932	70	156	B3-U0-G3
OPS-10L-5R-50K8-EHS	8,711	66	132	B2-U1-G2
OPS-10L-5R-AMB	6,798	74	92	B3-U0-G3
OPS-10L-5R-AMB-EHS	5,090	74	69	B2-U1-G1
OPS-10L-AD-27K8	9,802	70	140	B2-U0-G2
OPS-10L-AD-27K8-EHS	7,624	66	116	B2-U1-G1
OPS-10L-AD-30K8	10,120	70	145	B2-U0-G2
OPS-10L-AD-30K8-EHS	7,970	66	121	B2-U1-G1
OPS-10L-AD-35K8	10,176	70	145	B2-U0-G2
OPS-10L-AD-35K8-EHS	8,317	66	126	B2-U1-G1
OPS-10L-AD-40K8	10,050	70	144	B2-U0-G2
OPS-10L-AD-40K8-EHS	8,663	66	131	B2-U1-G1
OPS-10L-AD-50K8	10,465	70	149	B2-U0-G2
OPS-10L-AD-50K8-EHS	8,663	66	131	B2-U1-G1
OPS-10L-AD-AMB	6,507	74	88	B2-U0-G1



OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
OPS-10L-AD-AMB-EHS	5,063	74	68	B2-U1-G1
OPS-12L-2-27K8	13,058	85	154	B3-U0-G2
OPS-12L-2-30K8	13,486	85	159	B3-U0-G2
OPS-12L-2-35K8	13,566	85	160	B3-U0-G2
OPS-12L-2-40K8	13,392	85	158	B3-U0-G2
OPS-12L-2-50K8	13,941	85	164	B3-U0-G2
OPS-12L-3W-27K8	12,007	85	141	B3-U0-G3
OPS-12L-3W-27K8-EHS	9,642	79	122	B2-U1-G2
OPS-12L-3W-30K8	12,396	85	146	B3-U0-G3
OPS-12L-3W-30K8-EHS	10,080	79	128	B2-U1-G2
OPS-12L-3W-35K8	12,465	85	147	B3-U0-G3
OPS-12L-3W-35K8-EHS	10,518	79	133	B2-U1-G2
OPS-12L-3W-40K8	12,311	85	145	B3-U0-G3
OPS-12L-3W-40K8-EHS	10,956	79	139	B2-U1-G2
OPS-12L-3W-50K8	12,818	85	151	B3-U0-G3
OPS-12L-3W-50K8-EHS	10,956	79	139	B2-U1-G2
OPS-12L-4F-27K8	12,198	85	144	B2-U0-G2
OPS-12L-4F-27K8-EHS	9,934	79	126	B2-U2-G2
OPS-12L-4F-30K8	12,594	85	148	B2-U0-G2
OPS-12L-4F-30K8-EHS	10,385	79	131	B2-U2-G2
OPS-12L-4F-35K8	12,664	85	149	B2-U0-G2
OPS-12L-4F-35K8-EHS	10,836	79	137	B2-U2-G2
OPS-12L-4F-40K8	12,507	85	147	B2-U0-G2
OPS-12L-4F-40K8-EHS	11,286	79	143	B2-U2-G2
OPS-12L-4F-50K8	13,023	85	153	B2-U0-G2
OPS-12L-4F-50K8-EHS	11,286	79	143	B2-U2-G2
OPS-12L-5C-27K8	13,034	85	153	B3-U0-G1
OPS-12L-5C-27K8-EHS	9,978	79	126	B3-U2-G1
OPS-12L-5C-30K8	13,457	85	158	B3-U0-G1
OPS-12L-5C-30K8-EHS	10,431	79	132	B3-U2-G1
OPS-12L-5C-35K8	13,532	85	159	B3-U0-G1
OPS-12L-5C-35K8-EHS	10,884	79	138	B3-U2-G1
OPS-12L-5C-40K8	13,364	85	157	B3-U0-G1
OPS-12L-5C-40K8-EHS	11,337	79	144	B3-U2-G1
OPS-12L-5C-50K8	13,915	85	164	B3-U0-G1
OPS-12L-5C-50K8-EHS	11,337	79	144	B3-U2-G1
OPS-12L-5D-27K8	11,658	100	117	B3-U0-G2
OPS-12L-5D-27K8-EHS	8,672	79	110	B2-U1-G1
OPS-12L-5D-30K8	12,036	100	120	B3-U0-G2
OPS-12L-5D-30K8-EHS	9,066	79	115	B2-U1-G1
OPS-12L-5D-35K8	12,103	100	121	B3-U0-G2
OPS-12L-5D-35K8-EHS	9,460	79	120	B2-U1-G1
OPS-12L-5D-40K8	11,954	100	120	B3-U0-G2
OPS-12L-5D-40K8-EHS	9,853	79	125	B3-U1-G2
OPS-12L-5D-50K8	12,446	100	124	B3-U0-G2
OPS-12L-5D-50K8-EHS	9,853	79	125	B3-U1-G2
OPS-12L-5Q-27K8	12,531	85	147	B3-U0-G2
OPS-12L-5Q-27K8-EHS	9,084	79	115	B2-U1-G2
OPS-12L-5Q-30K8	12,937	85	152	B3-U0-G2
OPS-12L-5Q-30K8-EHS	9,497	79	120	B2-U1-G2
OPS-12L-5Q-35K8	13,009	85	153	B3-U0-G2
OPS-12L-5Q-35K8-EHS	9,909	79	125	B2-U1-G2
OPS-12L-5Q-40K8	12,848	85	151	B3-U0-G2
OPS-12L-5Q-40K8-EHS	10,322	79	131	B3-U1-G2
OPS-12L-5Q-50K8	13,378	85	157	B3-U0-G2
OPS-12L-5Q-50K8-EHS	10,322	79	131	B3-U1-G2



OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
OPS-12L-5R-27K8	12,259	85	144	B3-U0-G3
OPS-12L-5R-27K8-EHS	9,156	79	116	B2-U1-G2
OPS-12L-5R-30K8	12,657	85	149	B3-U0-G3
OPS-12L-5R-30K8-EHS	9,572	79	121	B2-U1-G2
OPS-12L-5R-35K8	12,727	85	150	B3-U0-G3
OPS-12L-5R-35K8-EHS	9,988	79	126	B2-U1-G2
OPS-12L-5R-40K8	12,570	85	148	B3-U0-G3
OPS-12L-5R-40K8-EHS	10,404	79	132	B3-U1-G2
OPS-12L-5R-50K8	13,088	85	154	B3-U0-G3
OPS-12L-5R-50K8-EHS	10,404	79	132	B3-U1-G2
OPS-12L-AD-27K8	11,735	100	117	B3-U0-G2
OPS-12L-AD-27K8-EHS	9,109	79	115	B2-U1-G1
OPS-12L-AD-30K8	12,116	100	121	B3-U0-G2
OPS-12L-AD-30K8-EHS	9,523	79	121	B2-U1-G2
OPS-12L-AD-35K8	12,183	100	122	B3-U0-G2
OPS-12L-AD-35K8-EHS	9,936	79	126	B2-U1-G2
OPS-12L-AD-40K8	12,033	100	120	B3-U0-G2
OPS-12L-AD-40K8-EHS	10,350	79	131	B3-U1-G2
OPS-12L-AD-50K8	12,529	100	125	B3-U0-G2
OPS-12L-AD-50K8-EHS	10,350	79	131	B3-U1-G2
OPS-14L-2-27K8	15,089	100	151	B3-U0-G3
OPS-14L-2-30K8	15,584	100	156	B3-U0-G3
OPS-14L-2-35K8	15,677	100	157	B3-U0-G3
OPS-14L-2-40K8	15,475	100	155	B3-U0-G3
OPS-14L-2-50K8	16,110	100	161	B3-U0-G3
OPS-14L-3W-27K8	13,882	100	139	B3-U0-G3
OPS-14L-3W-27K8-EHS	11,211	103	109	B2-U1-G2
OPS-14L-3W-30K8	14,332	100	143	B3-U0-G3
OPS-14L-3W-30K8-EHS	11,719	103	114	B2-U1-G2
OPS-14L-3W-35K8	14,412	100	144	B3-U0-G3
OPS-14L-3W-35K8-EHS	12,229	103	119	B2-U1-G2
OPS-14L-3W-40K8	14,234	100	142	B3-U0-G3
OPS-14L-3W-40K8-EHS	12,738	103	124	B2-U1-G2
OPS-14L-3W-50K8	14,820	100	148	B3-U0-G3
OPS-14L-3W-50K8-EHS	12,738	103	124	B2-U1-G2
OPS-14L-4F-27K8	14,103	100	141	B3-U0-G2
OPS-14L-4F-27K8-EHS	11,550	103	112	B2-U2-G2
OPS-14L-4F-30K8	14,560	100	146	B3-U0-G2
OPS-14L-4F-30K8-EHS	12,074	103	117	B2-U2-G2
OPS-14L-4F-35K8	14,641	100	146	B3-U0-G2
OPS-14L-4F-35K8-EHS	12,598	103	122	B2-U2-G2
OPS-14L-4F-40K8	14,460	100	145	B3-U0-G2
OPS-14L-4F-40K8-EHS	13,122	103	127	B3-U2-G2
OPS-14L-4F-50K8	15,056	100	151	B3-U0-G2
OPS-14L-4F-50K8-EHS	13,122	103	127	B3-U2-G2
OPS-14L-5C-27K8	15,069	100	151	B3-U0-G1
OPS-14L-5C-27K8-EHS	11,600	103	113	B3-U2-G1
OPS-14L-5C-30K8	15,558	100	156	B4-U0-G1
OPS-14L-5C-30K8-EHS	12,127	103	118	B3-U2-G1
OPS-14L-5C-35K8	15,644	100	156	B4-U0-G1
OPS-14L-5C-35K8-EHS	12,654	103	123	B3-U2-G1
OPS-14L-5C-40K8	15,451	100	155	B4-U0-G1
OPS-14L-5C-40K8-EHS	13,180	103	128	B3-U2-G1
OPS-14L-5C-50K8	16,088	100	161	B4-U0-G1
OPS-14L-5C-50K8-EHS	13,180	103	128	B3-U2-G1
OPS-14L-5D-27K8	13,477	100	135	B3-U0-G2
OPS-14L-5D-27K8-EHS	10,082	103	98	B3-U1-G2
OPS-14L-5D-30K8	13,915	100	139	B3-U0-G2
OPS-14L-5D-30K8-EHS	10,541	103	102	B3-U1-G2



OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
OPS-14L-5D-35K8	13,992	100	140	B3-U0-G2
OPS-14L-5D-35K8-EHS	10,999	103	107	B3-U1-G2
OPS-14L-5D-40K8	13,819	100	138	B3-U0-G2
OPS-14L-5D-40K8-EHS	11,457	103	111	B3-U1-G2
OPS-14L-5D-50K8	14,389	100	144	B3-U0-G2
OPS-14L-5D-50K8-EHS	11,457	103	111	B3-U1-G2
OPS-14L-5Q-27K8	14,488	100	145	B3-U0-G2
OPS-14L-5Q-27K8-EHS	10,562	103	103	B3-U1-G2
OPS-14L-5Q-30K8	14,958	100	150	B3-U0-G2
OPS-14L-5Q-30K8-EHS	11,042	103	107	B3-U1-G2
OPS-14L-5Q-35K8	15,041	100	150	B3-U0-G2
OPS-14L-5Q-35K8-EHS	11,521	103	112	B3-U1-G2
OPS-14L-5Q-40K8	14,855	100	149	B3-U0-G2
OPS-14L-5Q-40K8-EHS	12,001	103	117	B3-U1-G2
OPS-14L-5Q-50K8	15,467	100	155	B4-U0-G2
OPS-14L-5Q-50K8-EHS	12,001	103	117	B3-U1-G2
OPS-14L-5R-27K8.ies	14,173	100	142	B3-U0-G3
OPS-14L-5R-27K8-EHS	10,646	103	103	B3-U1-G2
OPS-14L-5R-30K8.ies	14,633	100	146	B3-U0-G3
OPS-14L-5R-30K8-EHS	11,130	103	108	B3-U1-G2
OPS-14L-5R-35K8.ies	14,715	100	147	B3-U0-G3
OPS-14L-5R-35K8-EHS	11,614	103	113	B3-U1-G2
OPS-14L-5R-40K8.ies	14,532	100	145	B3-U0-G3
OPS-14L-5R-40K8-EHS	12,097	103	117	B3-U1-G2
OPS-14L-5R-50K8.ies	15,131	100	151	B3-U0-G3
OPS-14L-5R-50K8-EHS	12,097	103	117	B3-U1-G2
OPS-14L-AD-27K8	13,567	100	136	B3-U0-G3
OPS-14L-AD-27K8-EHS	10,591	103	103	B3-U1-G2
OPS-14L-AD-30K8	14,008	100	140	B3-U0-G3
OPS-14L-AD-30K8-EHS	11,072	103	107	B3-U1-G2
OPS-14L-AD-35K8	14,086	100	141	B3-U0-G3
OPS-14L-AD-35K8-EHS	11,552	103	112	B3-U1-G2
OPS-14L-AD-40K8	13,911	100	139	B3-U0-G3
OPS-14L-AD-40K8-EHS	12,033	103	117	B3-U1-G2
OPS-14L-AD-50K8	14,484	100	145	B3-U0-G3
OPS-14L-AD-50K8-EHS	12,033	103	117	B3-U1-G2
OPS-17L-2-27K8	16,816	105	160	B3-U0-G3
OPS-17L-2-30K8	17,368	105	165	B3-U0-G3
OPS-17L-2-35K8	17,472	105	166	B3-U0-G3
OPS-17L-2-40K8	17,247	105	164	B3-U0-G3
OPS-17L-2-50K8	17,954	105	171	B3-U0-G3
OPS-17L-3W-27K8	15,470	105	147	B3-U0-G3
OPS-17L-3W-27K8-EHS	12,492	105	119	B2-U1-G2
OPS-17L-3W-30K8	15,972	105	152	B3-U0-G3
OPS-17L-3W-30K8-EHS	13,059	105	124	B3-U1-G2
OPS-17L-3W-35K8	16,061	105	153	B3-U0-G3
OPS-17L-3W-35K8-EHS	13,626	105	130	B3-U1-G2
OPS-17L-3W-40K8	15,862	105	151	B3-U0-G3
OPS-17L-3W-40K8-EHS	14,193	105	135	B3-U1-G2
OPS-17L-3W-50K8	16,516	105	157	B3-U0-G3
OPS-17L-3W-50K8-EHS	14,193	105	135	B3-U1-G2
OPS-17L-4F-27K8	15,716	105	150	B3-U0-G2
OPS-17L-4F-27K8-EHS	12,869	105	123	B2-U2-G2
OPS-17L-4F-30K8	16,226	105	155	B3-U0-G2
OPS-17L-4F-30K8-EHS	13,454	105	128	B3-U2-G2
OPS-17L-4F-35K8	16,316	105	155	B3-U0-G2
OPS-17L-4F-35K8-EHS	14,037	105	134	B3-U2-G2
OPS-17L-4F-40K8	16,115	105	153	B3-U0-G2
OPS-17L-4F-40K8-EHS	14,622	105	139	B3-U2-G2
OPS-17L-4F-50K8	16,779	105	160	B3-U0-G2
OPS-17L-4F-50K8-EHS	14,622	105	139	B3-U2-G2
OPS-17L-5C-27K8	16,793	105	160	B4-U0-G1



OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
OPS-17L-5C-27K8-EHS	12,926	105	123	B3-U2-G1
OPS-17L-5C-30K8	17,337	105	165	B4-U0-G1
OPS-17L-5C-30K8-EHS	13,513	105	129	B3-U2-G1
OPS-17L-5C-35K8	17,434	105	166	B4-U0-G1
OPS-17L-5C-35K8-EHS	14,100	105	134	B3-U2-G1
OPS-17L-5C-40K8	17,218	105	164	B4-U0-G1
OPS-17L-5C-40K8-EHS	14,687	105	140	B3-U2-G1
OPS-17L-5C-50K8	17,928	105	171	B4-U0-G1
OPS-17L-5C-50K8-EHS	14,687	105	140	B3-U2-G1
OPS-17L-5D-27K8	15,019	105	143	B3-U0-G2
OPS-17L-5D-27K8-EHS	11,235	105	107	B3-U1-G2
OPS-17L-5D-30K8	15,507	105	148	B3-U0-G2
OPS-17L-5D-30K8-EHS	11,746	105	112	B3-U1-G2
OPS-17L-5D-35K8	15,593	105	149	B3-U0-G2
OPS-17L-5D-35K8-EHS	12,256	105	117	B3-U1-G2
OPS-17L-5D-40K8	15,400	105	147	B3-U0-G2
OPS-17L-5D-40K8-EHS	12,767	105	122	B3-U1-G2
OPS-17L-5D-50K8	16,035	105	153	B3-U0-G2
OPS-17L-5D-50K8-EHS	12,767	105	122	B3-U1-G2
OPS-17L-5Q-27K8	16,145	105	154	B4-U0-G2
OPS-17L-5Q-27K8-EHS	11,769	105	112	B3-U1-G2
OPS-17L-5Q-30K8	16,669	105	159	B4-U0-G2
OPS-17L-5Q-30K8-EHS	12,304	105	117	B3-U1-G2
OPS-17L-5Q-35K8	16,762	105	160	B4-U0-G2
OPS-17L-5Q-35K8-EHS	12,838	105	122	B3-U1-G2
OPS-17L-5Q-40K8	16,554	105	158	B4-U0-G2
OPS-17L-5Q-40K8-EHS	13,373	105	127	B3-U1-G2
OPS-17L-5Q-50K8	17,236	105	164	B4-U0-G2
OPS-17L-5Q-50K8-EHS	13,373	105	127	B3-U1-G2
OPS-17L-5R-27K8.ies	15,795	105	150	B3-U0-G3
OPS-17L-5R-27K8-EHS	11,864	105	113	B3-U1-G2
OPS-17L-5R-30K8.ies	16,307	105	155	B3-U0-G3
OPS-17L-5R-30K8-EHS	12,403	105	118	B3-U1-G2
OPS-17L-5R-35K8.ies	16,398	105	156	B3-U0-G3
OPS-17L-5R-35K8-EHS	12,942	105	123	B3-U1-G3
OPS-17L-5R-40K8.ies	16,195	105	154	B3-U0-G3
OPS-17L-5R-40K8-EHS	13,481	105	128	B3-U1-G3
OPS-17L-5R-50K8.ies	16,862	105	161	B3-U0-G3
OPS-17L-5R-50K8-EHS	13,481	105	128	B3-U1-G3
OPS-17L-AD-27K8	15,120	105	144	B3-U0-G3
OPS-17L-AD-27K8-EHS	11,801	105	112	B3-U1-G2
OPS-17L-AD-30K8	15,610	105	149	B3-U0-G3
OPS-17L-AD-30K8-EHS	12,337	105	117	B3-U1-G2
OPS-17L-AD-35K8	15,697	105	149	B3-U0-G3
OPS-17L-AD-35K8-EHS	12,873	105	123	B3-U1-G2
OPS-17L-AD-40K8	15,503	105	148	B3-U0-G3
OPS-17L-AD-40K8-EHS	13,409	105	128	B3-U1-G2
OPS-17L-AD-50K8	16,142	105	154	B3-U0-G3
OPS-17L-AD-50K8-EHS	13,409	105	128	B3-U1-G2