



OPS w/10% Uplight Module - Opulence

OPS 10% Uplight Module PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PD-03L-3W-U1-27K8	3,019	20	151	B1-U3-G1
OPS-PD-03L-3W-U1-30K8	3,118	20	156	B1-U3-G1
OPS-PD-03L-3W-U1-35K8	3,066	20	153	B1-U3-G1
OPS-PD-03L-3W-U1-40K8	3,190	20	160	B1-U3-G1
OPS-PD-03L-3W-U1-50K8	3,233	20	162	B1-U3-G1
OPS-PD-03L-4F-U1-27K8	3,045	20	152	B1-U3-G1
OPS-PD-03L-4F-U1-30K8	3,145	20	157	B1-U3-G1
OPS-PD-03L-4F-U1-35K8	3,093	20	155	B1-U3-G1
OPS-PD-03L-4F-U1-40K8	3,218	20	161	B1-U3-G1
OPS-PD-03L-4F-U1-50K8	3,261	20	163	B1-U3-G1
OPS-PD-03L-5C-U1-27K8	3,182	20	159	B1-U3-G0
OPS-PD-03L-5C-U1-30K8	3,286	20	164	B1-U3-G0
OPS-PD-03L-5C-U1-35K8	3,232	20	162	B1-U3-G0
OPS-PD-03L-5C-U1-40K8	3,363	20	168	B2-U3-G0
OPS-PD-03L-5C-U1-50K8	3,407	20	170	B2-U3-G0
OPS-PD-03L-5D-U1-27K8	2,944	20	147	B1-U3-G1
OPS-PD-03L-5D-U1-30K8	3,040	20	152	B1-U3-G1
OPS-PD-03L-5D-U1-35K8	2,989	20	149	B1-U3-G1
OPS-PD-03L-5D-U1-40K8	3,111	20	156	B1-U3-G1
OPS-PD-03L-5D-U1-50K8	3,152	20	158	B1-U3-G1
OPS-PD-03L-5Q-U1-27K8	3,120	20	156	B1-U3-G1
OPS-PD-03L-5Q-U1-30K8	3,222	20	161	B2-U3-G1
OPS-PD-03L-5Q-U1-35K8	3,169	20	158	B2-U3-G1
OPS-PD-03L-5Q-U1-40K8	3,297	20	165	B2-U3-G1
OPS-PD-03L-5Q-U1-50K8	3,341	20	167	B2-U3-G1
OPS-PD-03L-5R-U1-27K8	3,048	20	152	B1-U3-G1
OPS-PD-03L-5R-U1-30K8	3,147	20	157	B1-U3-G1
OPS-PD-03L-5R-U1-35K8	3,095	20	155	B1-U3-G1
OPS-PD-03L-5R-U1-40K8	3,220	20	161	B1-U3-G1
OPS-PD-03L-5R-U1-50K8	3,263	20	163	B1-U3-G1
OPS-PD-03L-AD-U1-27K8	2,873	20	144	B1-U3-G1
OPS-PD-03L-AD-U1-30K8	2,967	20	148	B1-U3-G1
OPS-PD-03L-AD-U1-35K8	2,918	20	146	B1-U3-G1
OPS-PD-03L-AD-U1-40K8	3,036	20	152	B1-U3-G1
OPS-PD-03L-AD-U1-50K8	3,077	20	154	B1-U3-G1
OPS-PD-05L-3W-U1-27K8	4,987	34	147	B1-U3-G1
OPS-PD-05L-3W-U1-30K8	5,149	34	151	B1-U3-G1
OPS-PD-05L-3W-U1-35K8	5,064	34	149	B1-U3-G1
OPS-PD-05L-3W-U1-40K8	5,270	34	155	B1-U3-G1
OPS-PD-05L-3W-U1-50K8	5,339	34	157	B1-U3-G1
OPS-PD-05L-4F-U1-27K8	5,030	34	148	B1-U3-G1
OPS-PD-05L-4F-U1-30K8	5,193	34	153	B1-U3-G1
OPS-PD-05L-4F-U1-35K8	5,107	34	150	B1-U3-G1
OPS-PD-05L-4F-U1-40K8	5,316	34	156	B1-U3-G1
OPS-PD-05L-4F-U1-50K8	5,386	34	158	B1-U3-G1
OPS-PD-05L-5C-U1-27K8	5,256	34	155	B2-U3-G1
OPS-PD-05L-5C-U1-30K8	5,428	34	160	B2-U3-G1
OPS-PD-05L-5C-U1-35K8	5,337	34	157	B2-U3-G1
OPS-PD-05L-5C-U1-40K8	5,555	34	163	B2-U3-G1
OPS-PD-05L-5C-U1-50K8	5,628	34	166	B2-U3-G1
OPS-PD-05L-5D-U1-27K8	4,862	34	143	B2-U3-G1
OPS-PD-05L-5D-U1-30K8	5,020	34	148	B2-U3-G1
OPS-PD-05L-5D-U1-35K8	4,937	34	145	B2-U3-G1



OPS w/10% Uplight Module - Opulence

OPS 10% Uplight Module PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	Efficiency	BUG
OPS-PD-05L-5D-U1-40K8	5,139	34	151	B2-U3-G1
OPS-PD-05L-5D-U1-50K8	5,206	34	153	B2-U3-G1
OPS-PD-05L-5Q-U1-27K8	5,153	34	152	B2-U3-G1
OPS-PD-05L-5Q-U1-30K8	5,321	34	157	B2-U3-G1
OPS-PD-05L-5Q-U1-35K8	5,233	34	154	B2-U3-G1
OPS-PD-05L-5Q-U1-40K8	5,446	34	160	B2-U3-G1
OPS-PD-05L-5Q-U1-50K8	5,518	34	162	B2-U3-G1
OPS-PD-05L-5R-U1-27K8	5,033	34	148	B2-U3-G2
OPS-PD-05L-5R-U1-30K8	5,197	34	153	B2-U3-G2
OPS-PD-05L-5R-U1-35K8	5,111	34	150	B2-U3-G2
OPS-PD-05L-5R-U1-40K8	5,320	34	156	B2-U3-G2
OPS-PD-05L-5R-U1-50K8	5,389	34	159	B2-U3-G2
OPS-PD-05L-AD-U1-27K8	4,746	34	140	B1-U3-G1
OPS-PD-05L-AD-U1-30K8	4,900	34	144	B1-U3-G1
OPS-PD-05L-AD-U1-35K8	4,819	34	142	B1-U3-G1
OPS-PD-05L-AD-U1-40K8	5,016	34	148	B1-U3-G1
OPS-PD-05L-AD-U1-50K8	5,081	34	149	B1-U3-G1
OPS-PD-06L-3W-U1-27K8	5,910	41	144	B2-U3-G1
OPS-PD-06L-3W-U1-30K8	6,101	41	149	B2-U4-G1
OPS-PD-06L-3W-U1-35K8	6,001	41	146	B2-U3-G1
OPS-PD-06L-3W-U1-40K8	6,245	41	152	B2-U4-G1
OPS-PD-06L-3W-U1-50K8	6,328	41	154	B2-U4-G1
OPS-PD-06L-4F-U1-27K8	5,961	41	145	B1-U3-G1
OPS-PD-06L-4F-U1-30K8	6,154	41	150	B1-U4-G1
OPS-PD-06L-4F-U1-35K8	6,053	41	148	B1-U3-G1
OPS-PD-06L-4F-U1-40K8	6,299	41	154	B1-U4-G1
OPS-PD-06L-4F-U1-50K8	6,383	41	156	B1-U4-G1
OPS-PD-06L-5C-U1-27K8	6,229	41	152	B2-U3-G1
OPS-PD-06L-5C-U1-30K8	6,431	41	157	B2-U4-G1
OPS-PD-06L-5C-U1-35K8	6,325	41	154	B2-U3-G1
OPS-PD-06L-5C-U1-40K8	6,583	41	161	B2-U4-G1
OPS-PD-06L-5C-U1-50K8	6,670	41	163	B2-U4-G1
OPS-PD-06L-5D-U1-27K8	5,762	41	141	B2-U3-G1
OPS-PD-06L-5D-U1-30K8	5,949	41	145	B2-U4-G1
OPS-PD-06L-5D-U1-35K8	5,852	41	143	B2-U3-G1
OPS-PD-06L-5D-U1-40K8	6,091	41	149	B2-U4-G1
OPS-PD-06L-5D-U1-50K8	6,171	41	151	B2-U4-G1
OPS-PD-06L-5Q-U1-27K8	6,107	41	149	B2-U3-G1
OPS-PD-06L-5Q-U1-30K8	6,305	41	154	B2-U4-G1
OPS-PD-06L-5Q-U1-35K8	6,202	41	151	B2-U3-G1
OPS-PD-06L-5Q-U1-40K8	6,455	41	157	B3-U4-G1
OPS-PD-06L-5Q-U1-50K8	6,540	41	160	B3-U4-G1
OPS-PD-06L-5R-U1-27K8	5,965	41	145	B2-U3-G2
OPS-PD-06L-5R-U1-30K8	6,159	41	150	B2-U4-G2
OPS-PD-06L-5R-U1-35K8	6,058	41	148	B2-U3-G2
OPS-PD-06L-5R-U1-40K8	6,305	41	154	B2-U4-G2
OPS-PD-06L-5R-U1-50K8	6,388	41	156	B2-U4-G2
OPS-PD-06L-AD-U1-27K8	5,624	41	137	B2-U3-G1
OPS-PD-06L-AD-U1-30K8	5,806	41	142	B2-U4-G1
OPS-PD-06L-AD-U1-35K8	5,711	41	139	B2-U3-G1
OPS-PD-06L-AD-U1-40K8	5,944	41	145	B2-U4-G1
OPS-PD-06L-AD-U1-50K8	6,022	41	147	B2-U4-G1



OPS w/10% Uplight Module - Opulence

OPS 10% Uplight Module PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PD-08L-3W-U1-27K8	7,918	55	144	B2-U4-G2
OPS-PD-08L-3W-U1-30K8	8,176	55	149	B2-U4-G2
OPS-PD-08L-3W-U1-35K8	8,042	55	146	B2-U4-G2
OPS-PD-08L-3W-U1-40K8	8,369	55	152	B2-U4-G2
OPS-PD-08L-3W-U1-50K8	8,480	55	154	B2-U4-G2
OPS-PD-08L-4F-U1-27K8	7,987	55	145	B2-U4-G1
OPS-PD-08L-4F-U1-30K8	8,247	55	150	B2-U4-G1
OPS-PD-08L-4F-U1-35K8	8,111	55	147	B2-U4-G1
OPS-PD-08L-4F-U1-40K8	8,441	55	153	B2-U4-G1
OPS-PD-08L-4F-U1-50K8	8,554	55	156	B2-U4-G1
OPS-PD-08L-5C-U1-27K8	8,346	55	152	B3-U4-G1
OPS-PD-08L-5C-U1-30K8	8,618	55	157	B3-U4-G1
OPS-PD-08L-5C-U1-35K8	8,476	55	154	B3-U4-G1
OPS-PD-08L-5C-U1-40K8	8,821	55	160	B3-U4-G1
OPS-PD-08L-5C-U1-50K8	8,939	55	163	B3-U4-G1
OPS-PD-08L-5D-U1-27K8	7,721	55	140	B2-U4-G1
OPS-PD-08L-5D-U1-30K8	7,973	55	145	B2-U4-G1
OPS-PD-08L-5D-U1-35K8	7,841	55	143	B2-U4-G1
OPS-PD-08L-5D-U1-40K8	8,161	55	148	B2-U4-G1
OPS-PD-08L-5D-U1-50K8	8,269	55	150	B2-U4-G1
OPS-PD-08L-5Q-U1-27K8	8,183	55	149	B3-U4-G1
OPS-PD-08L-5Q-U1-30K8	8,449	55	154	B3-U4-G1
OPS-PD-08L-5Q-U1-35K8	8,310	55	151	B3-U4-G1
OPS-PD-08L-5Q-U1-40K8	8,649	55	157	B3-U4-G1
OPS-PD-08L-5Q-U1-50K8	8,764	55	159	B3-U4-G1
OPS-PD-08L-5R-U1-27K8	7,993	55	145	B3-U4-G3
OPS-PD-08L-5R-U1-30K8	8,253	55	150	B3-U4-G3
OPS-PD-08L-5R-U1-35K8	8,117	55	148	B3-U4-G3
OPS-PD-08L-5R-U1-40K8	8,448	55	154	B3-U4-G3
OPS-PD-08L-5R-U1-50K8	8,560	55	156	B3-U4-G3
OPS-PD-08L-AD-U1-27K8	7,536	55	137	B2-U4-G2
OPS-PD-08L-AD-U1-30K8	7,781	55	141	B2-U4-G2
OPS-PD-08L-AD-U1-35K8	7,653	55	139	B2-U4-G2
OPS-PD-08L-AD-U1-40K8	7,965	55	145	B2-U4-G2
OPS-PD-08L-AD-U1-50K8	8,070	55	147	B2-U4-G2
OPS-PD-10L-3W-U1-27K8	9,986	70	143	B2-U4-G2
OPS-PD-10L-3W-U1-30K8	10,311	70	147	B2-U4-G2
OPS-PD-10L-3W-U1-35K8	10,141	70	145	B2-U4-G2
OPS-PD-10L-3W-U1-40K8	10,554	70	151	B2-U4-G2
OPS-PD-10L-3W-U1-50K8	10,694	70	153	B2-U4-G2
OPS-PD-10L-4F-U1-27K8	10,072	70	144	B2-U4-G2
OPS-PD-10L-4F-U1-30K8	10,400	70	149	B2-U4-G2
OPS-PD-10L-4F-U1-35K8	10,229	70	146	B2-U4-G2
OPS-PD-10L-4F-U1-40K8	10,645	70	152	B2-U4-G2
OPS-PD-10L-4F-U1-50K8	10,787	70	154	B2-U4-G2
OPS-PD-10L-5C-U1-27K8	10,526	70	150	B3-U4-G1
OPS-PD-10L-5C-U1-30K8	10,868	70	155	B3-U4-G1
OPS-PD-10L-5C-U1-35K8	10,689	70	153	B3-U4-G1
OPS-PD-10L-5C-U1-40K8	11,124	70	159	B3-U4-G1
OPS-PD-10L-5C-U1-50K8	11,272	70	161	B3-U4-G1
OPS-PD-10L-5D-U1-27K8	9,738	70	139	B3-U4-G1
OPS-PD-10L-5D-U1-30K8	10,054	70	144	B3-U4-G1
OPS-PD-10L-5D-U1-35K8	9,889	70	141	B3-U4-G1



OPS w/10% Uplight Module - Opulence

OPS 10% Uplight Module PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PD-10L-5D-U1-40K8	10,291	70	147	B3-U4-G1
OPS-PD-10L-5D-U1-50K8	10,428	70	149	B3-U4-G1
OPS-PD-10L-5Q-U1-27K8	10,320	70	147	B3-U4-G1
OPS-PD-10L-5Q-U1-30K8	10,655	70	152	B3-U4-G1
OPS-PD-10L-5Q-U1-35K8	10,480	70	150	B3-U4-G1
OPS-PD-10L-5Q-U1-40K8	10,907	70	156	B3-U4-G1
OPS-PD-10L-5Q-U1-50K8	11,052	70	158	B3-U4-G1
OPS-PD-10L-5R-U1-27K8	10,080	70	144	B3-U4-G3
OPS-PD-10L-5R-U1-30K8	10,408	70	149	B3-U4-G3
OPS-PD-10L-5R-U1-35K8	10,236	70	146	B3-U4-G3
OPS-PD-10L-5R-U1-40K8	10,653	70	152	B3-U4-G3
OPS-PD-10L-5R-U1-50K8	10,795	70	154	B3-U4-G3
OPS-PD-10L-AD-U1-27K8	9,503	70	136	B2-U4-G2
OPS-PD-10L-AD-U1-30K8	9,812	70	140	B2-U4-G2
OPS-PD-10L-AD-U1-35K8	9,651	70	138	B2-U4-G2
OPS-PD-10L-AD-U1-40K8	10,044	70	143	B2-U4-G2
OPS-PD-10L-AD-U1-50K8	10,177	70	145	B2-U4-G2
OPS-PD-12L-3W-U1-27K8	11,903	85	140	B2-U4-G2
OPS-PD-12L-3W-U1-30K8	12,290	85	145	B2-U5-G2
OPS-PD-12L-3W-U1-35K8	12,088	85	142	B2-U4-G2
OPS-PD-12L-3W-U1-40K8	12,580	85	148	B2-U5-G2
OPS-PD-12L-3W-U1-50K8	12,747	85	150	B2-U5-G2
OPS-PD-12L-4F-U1-27K8	12,006	85	141	B2-U4-G2
OPS-PD-12L-4F-U1-30K8	12,397	85	146	B2-U5-G2
OPS-PD-12L-4F-U1-35K8	12,193	85	143	B2-U4-G2
OPS-PD-12L-4F-U1-40K8	12,689	85	149	B2-U5-G2
OPS-PD-12L-4F-U1-50K8	12,858	85	151	B2-U5-G2
OPS-PD-12L-5C-U1-27K8	12,547	85	148	B3-U4-G1
OPS-PD-12L-5C-U1-30K8	12,955	85	152	B3-U5-G1
OPS-PD-12L-5C-U1-35K8	12,742	85	150	B3-U5-G1
OPS-PD-12L-5C-U1-40K8	13,261	85	156	B3-U5-G1
OPS-PD-12L-5C-U1-50K8	13,436	85	158	B3-U5-G1
OPS-PD-12L-5D-U1-27K8	11,607	85	137	B3-U4-G2
OPS-PD-12L-5D-U1-30K8	11,985	85	141	B3-U5-G2
OPS-PD-12L-5D-U1-35K8	11,787	85	139	B3-U5-G2
OPS-PD-12L-5D-U1-40K8	12,267	85	144	B3-U5-G2
OPS-PD-12L-5D-U1-50K8	12,430	85	146	B3-U5-G2
OPS-PD-12L-5Q-U1-27K8	12,302	85	145	B3-U4-G2
OPS-PD-12L-5Q-U1-30K8	12,701	85	149	B3-U5-G2
OPS-PD-12L-5Q-U1-35K8	12,492	85	147	B3-U5-G2
OPS-PD-12L-5Q-U1-40K8	13,001	85	153	B3-U5-G2
OPS-PD-12L-5Q-U1-50K8	13,174	85	155	B3-U5-G2
OPS-PD-12L-5R-U1-27K8	12,015	85	141	B3-U4-G3
OPS-PD-12L-5R-U1-30K8	12,406	85	146	B3-U5-G3
OPS-PD-12L-5R-U1-35K8	12,203	85	144	B3-U5-G3
OPS-PD-12L-5R-U1-40K8	12,699	85	149	B3-U5-G3
OPS-PD-12L-5R-U1-50K8	12,868	85	151	B3-U5-G3
OPS-PD-12L-AD-U1-27K8	11,327	85	133	B2-U4-G2
OPS-PD-12L-AD-U1-30K8	11,696	85	138	B2-U5-G2
OPS-PD-12L-AD-U1-35K8	11,504	85	135	B2-U4-G2
OPS-PD-12L-AD-U1-40K8	11,972	85	141	B3-U5-G2
OPS-PD-12L-AD-U1-50K8	12,131	85	143	B3-U5-G2



OPS w/10% Uplight Module - Opulence

OPS 10% Uplight Module PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PD-14L-3W-U1-27K8	13,761	100	138	B3-U5-G3
OPS-PD-14L-3W-U1-30K8	14,209	100	142	B3-U5-G3
OPS-PD-14L-3W-U1-35K8	13,975	100	140	B3-U5-G3
OPS-PD-14L-3W-U1-40K8	14,544	100	145	B3-U5-G3
OPS-PD-14L-3W-U1-50K8	14,737	100	147	B3-U5-G3
OPS-PD-14L-4F-U1-27K8	13,881	100	139	B2-U5-G2
OPS-PD-14L-4F-U1-30K8	14,332	100	143	B2-U5-G2
OPS-PD-14L-4F-U1-35K8	14,096	100	141	B2-U5-G2
OPS-PD-14L-4F-U1-40K8	14,670	100	147	B2-U5-G2
OPS-PD-14L-4F-U1-50K8	14,865	100	149	B2-U5-G2
OPS-PD-14L-5C-U1-27K8	14,506	100	145	B3-U5-G1
OPS-PD-14L-5C-U1-30K8	14,977	100	150	B3-U5-G1
OPS-PD-14L-5C-U1-35K8	14,731	100	147	B3-U5-G1
OPS-PD-14L-5C-U1-40K8	15,331	100	153	B3-U5-G1
OPS-PD-14L-5C-U1-50K8	15,534	100	155	B3-U5-G1
OPS-PD-14L-5D-U1-27K8	13,419	100	134	B3-U5-G2
OPS-PD-14L-5D-U1-30K8	13,856	100	139	B3-U5-G2
OPS-PD-14L-5D-U1-35K8	13,627	100	136	B3-U5-G2
OPS-PD-14L-5D-U1-40K8	14,183	100	142	B3-U5-G2
OPS-PD-14L-5D-U1-50K8	14,371	100	144	B3-U5-G2
OPS-PD-14L-5Q-U1-27K8	14,222	100	142	B3-U5-G2
OPS-PD-14L-5Q-U1-30K8	14,684	100	147	B3-U5-G2
OPS-PD-14L-5Q-U1-35K8	14,443	100	144	B3-U5-G2
OPS-PD-14L-5Q-U1-40K8	15,031	100	150	B3-U5-G2
OPS-PD-14L-5Q-U1-50K8	15,230	100	152	B3-U5-G2
OPS-PD-14L-5R-U1-27K8	13,892	100	139	B3-U5-G3
OPS-PD-14L-5R-U1-30K8	14,343	100	143	B3-U5-G3
OPS-PD-14L-5R-U1-35K8	14,107	100	141	B3-U5-G3
OPS-PD-14L-5R-U1-40K8	14,682	100	147	B3-U5-G3
OPS-PD-14L-5R-U1-50K8	14,877	100	149	B3-U5-G3
OPS-PD-14L-AD-U1-27K8	13,096	100	131	B3-U5-G2
OPS-PD-14L-AD-U1-30K8	13,522	100	135	B3-U5-G2
OPS-PD-14L-AD-U1-35K8	13,299	100	133	B3-U5-G2
OPS-PD-14L-AD-U1-40K8	13,841	100	138	B3-U5-G2
OPS-PD-14L-AD-U1-50K8	14,025	100	140	B3-U5-G2