



PST-LG 80CRI - Peak Series Low Glare Strip

PST-LG 80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>Max UGR</u>
PST-LG-2-3-015L-GB-830	1,305	10	130	N.A.
PST-LG-2-3-015L-GB-835	1,369	10	137	N.A.
PST-LG-2-3-015L-GB-840	1,366	10	137	N.A.
PST-LG-2-3-015L-GB-850	1,373	10	137	N.A.
PST-LG-2-3-015L-GS-830	1,445	10	144	3
PST-LG-2-3-015L-GS-835	1,516	10	152	3
PST-LG-2-3-015L-GS-840	1,512	10	151	3
PST-LG-2-3-015L-GS-850	1,520	10	152	3
PST-LG-2-3-015L-GW-830	1,444	10	144	13
PST-LG-2-3-015L-GW-835	1,515	10	151	13
PST-LG-2-3-015L-GW-840	1,511	10	151	13
PST-LG-2-3-015L-GW-850	1,519	10	152	13
PST-LG-2-3-015L-MB-830	1,285	10	128	1
PST-LG-2-3-015L-MB-835	1,348	10	135	1
PST-LG-2-3-015L-MB-840	1,345	10	134	1
PST-LG-2-3-015L-MB-850	1,353	10	135	1
PST-LG-2-3-015L-MS-830	1,416	10	142	7
PST-LG-2-3-015L-MS-835	1,486	10	149	7
PST-LG-2-3-015L-MS-840	1,482	10	148	7
PST-LG-2-3-015L-MS-850	1,491	10	149	7
PST-LG-2-3-015L-MW-830	1,440	10	144	13
PST-LG-2-3-015L-MW-835	1,511	10	151	13
PST-LG-2-3-015L-MW-840	1,507	10	151	13
PST-LG-2-3-015L-MW-850	1,515	10	151	13
PST-LG-2-3-020L-GB-830	1,758	14	126	2
PST-LG-2-3-020L-GB-835	1,845	14	132	2
PST-LG-2-3-020L-GB-840	1,840	14	131	2
PST-LG-2-3-020L-GB-850	1,851	14	132	2
PST-LG-2-3-020L-GS-830	1,948	14	139	3
PST-LG-2-3-020L-GS-835	2,044	14	146	3
PST-LG-2-3-020L-GS-840	2,038	14	146	3
PST-LG-2-3-020L-GS-850	2,050	14	146	3
PST-LG-2-3-020L-GW-830	1,945	14	139	14
PST-LG-2-3-020L-GW-835	2,041	14	146	14
PST-LG-2-3-020L-GW-840	2,035	14	145	14
PST-LG-2-3-020L-GW-850	2,047	14	146	14
PST-LG-2-3-020L-MB-830	1,732	14	124	2
PST-LG-2-3-020L-MB-835	1,818	14	130	2
PST-LG-2-3-020L-MB-840	1,813	14	130	2
PST-LG-2-3-020L-MB-850	1,823	14	130	2
PST-LG-2-3-020L-MS-830	1,908	14	136	8
PST-LG-2-3-020L-MS-835	2,003	14	143	8
PST-LG-2-3-020L-MS-840	1,997	14	143	8
PST-LG-2-3-020L-MS-850	2,008	14	143	8
PST-LG-2-3-020L-MW-830	1,939	14	139	14
PST-LG-2-3-020L-MW-835	2,035	14	145	14
PST-LG-2-3-020L-MW-840	2,030	14	145	14
PST-LG-2-3-020L-MW-850	2,041	14	146	14
PST-LG-2-3-025L-GB-830	2,185	17	129	3
PST-LG-2-3-025L-GB-835	2,293	17	135	3



PST-LG 80CRI - Peak Series Low Glare Strip

PST-LG 80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>Max UGR</u>
PST-LG-2-3-025L-GB-840	2,287	17	135	3
PST-LG-2-3-025L-GB-850	2,300	17	135	3
PST-LG-2-3-025L-GS-830	2,420	17	142	5
PST-LG-2-3-025L-GS-835	2,539	17	149	4
PST-LG-2-3-025L-GS-840	2,532	17	149	4
PST-LG-2-3-025L-GS-850	2,547	17	150	4
PST-LG-2-3-025L-GW-830	2,415	17	142	14
PST-LG-2-3-025L-GW-835	2,534	17	149	15
PST-LG-2-3-025L-GW-840	2,528	17	149	15
PST-LG-2-3-025L-GW-850	2,541	17	149	15
PST-LG-2-3-025L-MB-830	2,151	17	127	3
PST-LG-2-3-025L-MB-835	2,258	17	133	3
PST-LG-2-3-025L-MB-840	2,252	17	132	3
PST-LG-2-3-025L-MB-850	2,264	17	133	3
PST-LG-2-3-025L-MS-830	2,371	17	139	9
PST-LG-2-3-025L-MS-835	2,488	17	146	9
PST-LG-2-3-025L-MS-840	2,482	17	146	9
PST-LG-2-3-025L-MS-850	2,496	17	147	9
PST-LG-2-3-025L-MW-830	2,410	17	142	15
PST-LG-2-3-025L-MW-835	2,529	17	149	15
PST-LG-2-3-025L-MW-840	2,522	17	148	15
PST-LG-2-3-025L-MW-850	2,536	17	149	15
PST-LG-2-3-035L-GB-830	3,054	24	127	4
PST-LG-2-3-035L-GB-835	3,206	24	134	4
PST-LG-2-3-035L-GB-840	3,197	24	133	4
PST-LG-2-3-035L-GB-850	3,216	24	134	4
PST-LG-2-3-035L-GS-830	3,383	24	141	5
PST-LG-2-3-035L-GS-835	3,551	24	148	5
PST-LG-2-3-035L-GS-840	3,541	24	148	5
PST-LG-2-3-035L-GS-850	3,561	24	148	5
PST-LG-2-3-035L-GW-830	3,378	24	141	16
PST-LG-2-3-035L-GW-835	3,546	24	148	16
PST-LG-2-3-035L-GW-840	3,537	24	147	16
PST-LG-2-3-035L-GW-850	3,556	24	148	16
PST-LG-2-3-035L-MB-830	3,008	24	125	4
PST-LG-2-3-035L-MB-835	3,157	24	132	4
PST-LG-2-3-035L-MB-840	3,148	24	131	4
PST-LG-2-3-035L-MB-850	3,166	24	132	4
PST-LG-2-3-035L-MS-830	3,315	24	138	10
PST-LG-2-3-035L-MS-835	3,480	24	145	10
PST-LG-2-3-035L-MS-840	3,471	24	145	10
PST-LG-2-3-035L-MS-850	3,490	24	145	10
PST-LG-2-3-035L-MW-830	3,369	24	140	16
PST-LG-2-3-035L-MW-835	3,536	24	147	16
PST-LG-2-3-035L-MW-840	3,527	24	147	16
PST-LG-2-3-035L-MW-850	3,546	24	148	16
PST-LG-2-3-045L-GB-830	3,942	32	123	5
PST-LG-2-3-045L-GB-835	4,138	32	129	5
PST-LG-2-3-045L-GB-840	4,127	32	129	5
PST-LG-2-3-045L-GB-850	4,150	32	130	5



PST-LG 80CRI - Peak Series Low Glare Strip

PST-LG 80CRI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	Efficiency	Max UGR
PST-LG-2-3-045L-GS-830	4,366	32	136	7
PST-LG-2-3-045L-GS-835	4,583	32	143	6
PST-LG-2-3-045L-GS-840	4,570	32	143	6
PST-LG-2-3-045L-GS-850	4,596	32	144	6
PST-LG-2-3-045L-GW-830	4,359	32	136	17
PST-LG-2-3-045L-GW-835	4,576	32	143	17
PST-LG-2-3-045L-GW-840	4,564	32	143	17
PST-LG-2-3-045L-GW-850	4,589	32	143	17
PST-LG-2-3-045L-MB-830	3,881	32	121	5
PST-LG-2-3-045L-MB-835	4,074	32	127	5
PST-LG-2-3-045L-MB-840	4,063	32	127	5
PST-LG-2-3-045L-MB-850	4,086	32	128	5
PST-LG-2-3-045L-MS-830	4,278	32	134	11
PST-LG-2-3-045L-MS-835	4,491	32	140	11
PST-LG-2-3-045L-MS-840	4,478	32	140	11
PST-LG-2-3-045L-MS-850	4,504	32	141	11
PST-LG-2-3-045L-MW-830	4,347	32	136	17
PST-LG-2-3-045L-MW-835	4,563	32	143	17
PST-LG-2-3-045L-MW-840	4,551	32	142	17
PST-LG-2-3-045L-MW-850	4,577	32	143	17
PST-LG-2-3-050L-GB-830	4,384	37	118	5
PST-LG-2-3-050L-GB-835	4,602	37	124	5
PST-LG-2-3-050L-GB-840	4,590	37	124	5
PST-LG-2-3-050L-GB-850	4,616	37	125	5
PST-LG-2-3-050L-GS-830	4,857	37	131	7
PST-LG-2-3-050L-GS-835	5,098	37	138	7
PST-LG-2-3-050L-GS-840	5,084	37	137	7
PST-LG-2-3-050L-GS-850	5,113	37	138	7
PST-LG-2-3-050L-GW-830	4,847	37	131	17
PST-LG-2-3-050L-GW-835	5,087	37	137	17
PST-LG-2-3-050L-GW-840	5,074	37	137	17
PST-LG-2-3-050L-GW-850	5,102	37	138	17
PST-LG-2-3-050L-MB-830	4,317	37	117	5
PST-LG-2-3-050L-MB-835	4,532	37	122	5
PST-LG-2-3-050L-MB-840	4,519	37	122	5
PST-LG-2-3-050L-MB-850	4,545	37	123	5
PST-LG-2-3-050L-MS-830	4,759	37	129	11
PST-LG-2-3-050L-MS-835	4,995	37	135	11
PST-LG-2-3-050L-MS-840	4,982	37	135	11
PST-LG-2-3-050L-MS-850	5,010	37	135	11
PST-LG-2-3-050L-MW-830	4,835	37	131	17
PST-LG-2-3-050L-MW-835	5,075	37	137	17
PST-LG-2-3-050L-MW-840	5,061	37	137	17
PST-LG-2-3-050L-MW-850	5,090	37	138	17
PST-LG-4-3-030L-GB-830	2,622	19	138	3
PST-LG-4-3-030L-GB-835	2,752	19	145	4
PST-LG-4-3-030L-GB-840	2,744	19	144	4
PST-LG-4-3-030L-GB-850	2,760	19	145	4



PST-LG 80CRI - Peak Series Low Glare Strip

PST-LG 80CRI PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	Efficiency	Max UGR
PST-LG-4-3-030L-GS-830	2,905	19	153	4
PST-LG-4-3-030L-GS-835	3,049	19	160	4
PST-LG-4-3-030L-GS-840	3,040	19	160	4
PST-LG-4-3-030L-GS-850	3,057	19	161	4
PST-LG-4-3-030L-GW-830	2,900	19	153	13
PST-LG-4-3-030L-GW-835	3,043	19	160	13
PST-LG-4-3-030L-GW-840	3,035	19	160	13
PST-LG-4-3-030L-GW-850	3,052	19	161	13
PST-LG-4-3-030L-MB-830	2,581	19	136	3
PST-LG-4-3-030L-MB-835	2,710	19	143	4
PST-LG-4-3-030L-MB-840	2,702	19	142	4
PST-LG-4-3-030L-MB-850	2,717	19	143	4
PST-LG-4-3-030L-MS-830	2,846	19	150	7
PST-LG-4-3-030L-MS-835	2,987	19	157	7
PST-LG-4-3-030L-MS-840	2,979	19	157	7
PST-LG-4-3-030L-MS-850	2,996	19	158	7
PST-LG-4-3-030L-MW-830	2,892	19	152	13
PST-LG-4-3-030L-MW-835	3,035	19	160	13
PST-LG-4-3-030L-MW-840	3,027	19	159	13
PST-LG-4-3-030L-MW-850	3,044	19	160	13
PST-LG-4-3-040L-GB-830	3,478	26	134	4
PST-LG-4-3-040L-GB-835	3,651	26	140	5
PST-LG-4-3-040L-GB-840	3,641	26	140	5
PST-LG-4-3-040L-GB-850	3,661	26	141	5
PST-LG-4-3-040L-GS-830	3,853	26	148	5
PST-LG-4-3-040L-GS-835	4,044	26	156	5
PST-LG-4-3-040L-GS-840	4,033	26	155	5
PST-LG-4-3-040L-GS-850	4,056	26	156	5
PST-LG-4-3-040L-GW-830	3,847	26	148	14
PST-LG-4-3-040L-GW-835	4,037	26	155	14
PST-LG-4-3-040L-GW-840	4,027	26	155	14
PST-LG-4-3-040L-GW-850	4,049	26	156	14
PST-LG-4-3-040L-MB-830	3,425	26	132	4
PST-LG-4-3-040L-MB-835	3,595	26	138	5
PST-LG-4-3-040L-MB-840	3,585	26	138	5
PST-LG-4-3-040L-MB-850	3,605	26	139	5
PST-LG-4-3-040L-MS-830	3,775	26	145	8
PST-LG-4-3-040L-MS-835	3,962	26	152	8
PST-LG-4-3-040L-MS-840	3,952	26	152	8
PST-LG-4-3-040L-MS-850	3,974	26	153	8
PST-LG-4-3-040L-MW-830	3,836	26	148	14
PST-LG-4-3-040L-MW-835	4,027	26	155	14
PST-LG-4-3-040L-MW-840	4,016	26	154	14
PST-LG-4-3-040L-MW-850	4,038	26	155	14
PST-LG-4-3-050L-GB-830	4,383	33	133	5
PST-LG-4-3-050L-GB-835	4,600	33	139	5
PST-LG-4-3-050L-GB-840	4,588	33	139	5
PST-LG-4-3-050L-GB-850	4,614	33	140	5
PST-LG-4-3-050L-GS-830	4,855	33	147	6
PST-LG-4-3-050L-GS-835	5,096	33	154	6



PST-LG 80CRI - Peak Series Low Glare Strip

PST-LG 80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>Max UGR</u>
PST-LG-4-3-050L-GS-840	5,082	33	154	6
PST-LG-4-3-050L-GS-850	5,111	33	155	6
PST-LG-4-3-050L-GW-830	4,845	33	147	15
PST-LG-4-3-050L-GW-835	5,085	33	154	15
PST-LG-4-3-050L-GW-840	5,072	33	154	15
PST-LG-4-3-050L-GW-850	5,100	33	155	15
PST-LG-4-3-050L-MB-830	4,316	33	131	5
PST-LG-4-3-050L-MB-835	4,530	33	137	5
PST-LG-4-3-050L-MB-840	4,518	33	137	5
PST-LG-4-3-050L-MB-850	4,544	33	138	5
PST-LG-4-3-050L-MS-830	4,757	33	144	9
PST-LG-4-3-050L-MS-835	4,993	33	151	9
PST-LG-4-3-050L-MS-840	4,980	33	151	9
PST-LG-4-3-050L-MS-850	5,008	33	152	9
PST-LG-4-3-050L-MW-830	4,833	33	146	15
PST-LG-4-3-050L-MW-835	5,073	33	154	15
PST-LG-4-3-050L-MW-840	5,059	33	153	15
PST-LG-4-3-050L-MW-850	5,088	33	154	15
PST-LG-4-3-070L-GB-830	6,085	48	127	6
PST-LG-4-3-070L-GB-835	6,387	48	133	7
PST-LG-4-3-070L-GB-840	6,370	48	133	6
PST-LG-4-3-070L-GB-850	6,406	48	133	7
PST-LG-4-3-070L-GS-830	6,738	48	140	7
PST-LG-4-3-070L-GS-835	7,073	48	147	7
PST-LG-4-3-070L-GS-840	7,054	48	147	7
PST-LG-4-3-070L-GS-850	7,094	48	148	7
PST-LG-4-3-070L-GW-830	6,729	48	140	16
PST-LG-4-3-070L-GW-835	7,063	48	147	16
PST-LG-4-3-070L-GW-840	7,045	48	147	16
PST-LG-4-3-070L-GW-850	7,085	48	148	16
PST-LG-4-3-070L-MB-830	5,991	48	125	6
PST-LG-4-3-070L-MB-835	6,289	48	131	6
PST-LG-4-3-070L-MB-840	6,272	48	131	6
PST-LG-4-3-070L-MB-850	6,307	48	131	6
PST-LG-4-3-070L-MS-830	6,603	48	138	10
PST-LG-4-3-070L-MS-835	6,932	48	144	10
PST-LG-4-3-070L-MS-840	6,913	48	144	10
PST-LG-4-3-070L-MS-850	6,952	48	145	10
PST-LG-4-3-070L-MW-830	6,709	48	140	16
PST-LG-4-3-070L-MW-835	7,043	48	147	16
PST-LG-4-3-070L-MW-840	7,024	48	146	16
PST-LG-4-3-070L-MW-850	7,064	48	147	16
PST-LG-4-3-090L-GB-830	7,874	64	123	7
PST-LG-4-3-090L-GB-835	8,265	64	129	7
PST-LG-4-3-090L-GB-840	8,242	64	129	7
PST-LG-4-3-090L-GB-850	8,289	64	130	7
PST-LG-4-3-090L-GS-830	8,720	64	136	8
PST-LG-4-3-090L-GS-835	9,154	64	143	8
PST-LG-4-3-090L-GS-840	9,129	64	143	8
PST-LG-4-3-090L-GS-850	9,181	64	143	8



PST-LG 80CRI - Peak Series Low Glare Strip

PST-LG 80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>Max UGR</u>
PST-LG-4-3-090L-GW-830	8,707	64	136	17
PST-LG-4-3-090L-GW-835	9,139	64	143	17
PST-LG-4-3-090L-GW-840	9,115	64	142	17
PST-LG-4-3-090L-GW-850	9,167	64	143	17
PST-LG-4-3-090L-MB-830	7,752	64	121	7
PST-LG-4-3-090L-MB-835	8,138	64	127	7
PST-LG-4-3-090L-MB-840	8,116	64	127	7
PST-LG-4-3-090L-MB-850	8,162	64	128	7
PST-LG-4-3-090L-MS-830	8,545	64	134	11
PST-LG-4-3-090L-MS-835	8,970	64	140	11
PST-LG-4-3-090L-MS-840	8,946	64	140	11
PST-LG-4-3-090L-MS-850	8,997	64	141	11
PST-LG-4-3-090L-MW-830	8,684	64	136	17
PST-LG-4-3-090L-MW-835	9,115	64	142	17
PST-LG-4-3-090L-MW-840	9,091	64	142	17
PST-LG-4-3-090L-MW-850	9,142	64	143	17
PST-LG-4-3-100L-GB-830	8,732	73	120	8
PST-LG-4-3-100L-GB-835	9,166	73	126	8
PST-LG-4-3-100L-GB-840	9,141	73	125	8
PST-LG-4-3-100L-GB-850	9,193	73	126	8
PST-LG-4-3-100L-GS-830	9,671	73	132	8
PST-LG-4-3-100L-GS-835	10,152	73	139	8
PST-LG-4-3-100L-GS-840	10,125	73	139	8
PST-LG-4-3-100L-GS-850	10,182	73	139	8
PST-LG-4-3-100L-GW-830	9,657	73	132	17
PST-LG-4-3-100L-GW-835	10,138	73	139	17
PST-LG-4-3-100L-GW-840	10,110	73	138	17
PST-LG-4-3-100L-GW-850	10,168	73	139	17
PST-LG-4-3-100L-MB-830	8,598	73	118	8
PST-LG-4-3-100L-MB-835	9,025	73	124	8
PST-LG-4-3-100L-MB-840	9,000	73	123	8
PST-LG-4-3-100L-MB-850	9,052	73	124	8
PST-LG-4-3-100L-MS-830	9,478	73	130	11
PST-LG-4-3-100L-MS-835	9,950	73	136	11
PST-LG-4-3-100L-MS-840	9,923	73	136	11
PST-LG-4-3-100L-MS-850	9,979	73	137	11
PST-LG-4-3-100L-MW-830	9,630	73	132	17
PST-LG-4-3-100L-MW-835	10,110	73	138	17
PST-LG-4-3-100L-MW-840	10,082	73	138	17
PST-LG-4-3-100L-MW-850	10,139	73	139	17
PST-LG-8-3-060L-GB-830	5,244	38	138	6
PST-LG-8-3-060L-GB-835	5,504	38	145	6
PST-LG-8-3-060L-GB-840	5,489	38	144	6
PST-LG-8-3-060L-GB-850	5,520	38	145	6
PST-LG-8-3-060L-GS-830	5,809	38	153	6
PST-LG-8-3-060L-GS-835	6,097	38	160	6
PST-LG-8-3-060L-GS-840	6,081	38	160	6
PST-LG-8-3-060L-GS-850	6,115	38	161	6



PST-LG 80CRI - Peak Series Low Glare Strip

PST-LG 80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>Max UGR</u>
PST-LG-8-3-060L-GW-830	5,800	38	153	13
PST-LG-8-3-060L-GW-835	6,087	38	160	13
PST-LG-8-3-060L-GW-840	6,071	38	160	13
PST-LG-8-3-060L-GW-850	6,104	38	161	13
PST-LG-8-3-060L-MB-830	5,163	38	136	6
PST-LG-8-3-060L-MB-835	5,419	38	143	6
PST-LG-8-3-060L-MB-840	5,404	38	142	6
PST-LG-8-3-060L-MB-850	5,435	38	143	6
PST-LG-8-3-060L-MS-830	5,692	38	150	7
PST-LG-8-3-060L-MS-835	5,974	38	157	7
PST-LG-8-3-060L-MS-840	5,958	38	157	7
PST-LG-8-3-060L-MS-850	5,992	38	158	7
PST-LG-8-3-060L-MW-830	5,784	38	152	13
PST-LG-8-3-060L-MW-835	6,071	38	160	13
PST-LG-8-3-060L-MW-840	6,055	38	159	13
PST-LG-8-3-060L-MW-850	6,088	38	160	13
PST-LG-8-3-080L-GB-830	6,955	52	134	7
PST-LG-8-3-080L-GB-835	7,301	52	140	7
PST-LG-8-3-080L-GB-840	7,281	52	140	7
PST-LG-8-3-080L-GB-850	7,323	52	141	7
PST-LG-8-3-080L-GS-830	7,705	52	148	7
PST-LG-8-3-080L-GS-835	8,088	52	156	7
PST-LG-8-3-080L-GS-840	8,066	52	155	7
PST-LG-8-3-080L-GS-850	8,112	52	156	7
PST-LG-8-3-080L-GW-830	7,693	52	148	14
PST-LG-8-3-080L-GW-835	8,075	52	155	14
PST-LG-8-3-080L-GW-840	8,053	52	155	14
PST-LG-8-3-080L-GW-850	8,098	52	156	14
PST-LG-8-3-080L-MB-830	6,850	52	132	7
PST-LG-8-3-080L-MB-835	7,190	52	138	7
PST-LG-8-3-080L-MB-840	7,170	52	138	7
PST-LG-8-3-080L-MB-850	7,211	52	139	7
PST-LG-8-3-080L-MS-830	7,550	52	145	8
PST-LG-8-3-080L-MS-835	7,924	52	152	8
PST-LG-8-3-080L-MS-840	7,903	52	152	8
PST-LG-8-3-080L-MS-850	7,947	52	153	8
PST-LG-8-3-080L-MW-830	7,673	52	148	14
PST-LG-8-3-080L-MW-835	8,054	52	155	14
PST-LG-8-3-080L-MW-840	8,032	52	154	14
PST-LG-8-3-080L-MW-850	8,077	52	155	14
PST-LG-8-3-100L-GB-830	8,765	66	133	8
PST-LG-8-3-100L-GB-835	9,201	66	139	8
PST-LG-8-3-100L-GB-840	9,176	66	139	8
PST-LG-8-3-100L-GB-850	9,228	66	140	8
PST-LG-8-3-100L-GS-830	9,711	66	147	8
PST-LG-8-3-100L-GS-835	10,193	66	154	8
PST-LG-8-3-100L-GS-840	10,165	66	154	8
PST-LG-8-3-100L-GS-850	10,222	66	155	8
PST-LG-8-3-100L-GW-830	9,689	66	147	15
PST-LG-8-3-100L-GW-835	10,170	66	154	15



PST-LG 80CRI - Peak Series Low Glare Strip

PST-LG 80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>Max UGR</u>
PST-LG-8-3-100L-GW-840	10,143	66	154	15
PST-LG-8-3-100L-GW-850	10,201	66	155	15
PST-LG-8-3-100L-MB-830	8,632	66	131	8
PST-LG-8-3-100L-MB-835	9,061	66	137	8
PST-LG-8-3-100L-MB-840	9,036	66	137	8
PST-LG-8-3-100L-MB-850	9,087	66	138	8
PST-LG-8-3-100L-MS-830	9,514	66	144	9
PST-LG-8-3-100L-MS-835	9,986	66	151	9
PST-LG-8-3-100L-MS-840	9,960	66	151	9
PST-LG-8-3-100L-MS-850	10,016	66	152	9
PST-LG-8-3-100L-MW-830	9,666	66	146	15
PST-LG-8-3-100L-MW-835	10,145	66	154	15
PST-LG-8-3-100L-MW-840	10,119	66	153	15
PST-LG-8-3-100L-MW-850	10,176	66	154	15
PST-LG-8-3-140L-GB-830	12,170	96	127	9
PST-LG-8-3-140L-GB-835	12,775	96	133	9
PST-LG-8-3-140L-GB-840	12,740	96	133	9
PST-LG-8-3-140L-GB-850	12,812	96	133	9
PST-LG-8-3-140L-GS-830	13,477	96	140	9
PST-LG-8-3-140L-GS-835	14,146	96	147	9
PST-LG-8-3-140L-GS-840	14,108	96	147	9
PST-LG-8-3-140L-GS-850	14,188	96	148	9
PST-LG-8-3-140L-GW-830	13,458	96	140	16
PST-LG-8-3-140L-GW-835	14,127	96	147	16
PST-LG-8-3-140L-GW-840	14,089	96	147	16
PST-LG-8-3-140L-GW-850	14,169	96	148	16
PST-LG-8-3-140L-MB-830	11,982	96	125	9
PST-LG-8-3-140L-MB-835	12,577	96	131	9
PST-LG-8-3-140L-MB-840	12,543	96	131	9
PST-LG-8-3-140L-MB-850	12,615	96	131	9
PST-LG-8-3-140L-MS-830	13,206	96	138	10
PST-LG-8-3-140L-MS-835	13,863	96	144	10
PST-LG-8-3-140L-MS-840	13,826	96	144	10
PST-LG-8-3-140L-MS-850	13,904	96	145	10
PST-LG-8-3-140L-MW-830	13,419	96	140	16
PST-LG-8-3-140L-MW-835	14,086	96	147	16
PST-LG-8-3-140L-MW-840	14,048	96	146	16
PST-LG-8-3-140L-MW-850	14,128	96	147	16
PST-LG-8-3-180L-GB-830	15,747	128	123	10
PST-LG-8-3-180L-GB-835	16,530	128	129	10
PST-LG-8-3-180L-GB-840	16,485	128	129	10
PST-LG-8-3-180L-GB-850	16,578	128	130	10
PST-LG-8-3-180L-GS-830	17,440	128	136	10
PST-LG-8-3-180L-GS-835	18,309	128	143	10
PST-LG-8-3-180L-GS-840	18,259	128	143	10
PST-LG-8-3-180L-GS-850	18,363	128	143	10
PST-LG-8-3-180L-GW-830	17,413	128	136	17
PST-LG-8-3-180L-GW-835	18,279	128	143	17
PST-LG-8-3-180L-GW-840	18,230	128	142	17
PST-LG-8-3-180L-GW-850	18,333	128	143	17



PST-LG 80CRI - Peak Series Low Glare Strip

PST-LG 80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>Max UGR</u>
PST-LG-8-3-180L-MB-830	15,505	128	121	10
PST-LG-8-3-180L-MB-835	16,276	128	127	10
PST-LG-8-3-180L-MB-840	16,231	128	127	10
PST-LG-8-3-180L-MB-850	16,323	128	128	10
PST-LG-8-3-180L-MS-830	17,090	128	134	11
PST-LG-8-3-180L-MS-835	17,941	128	140	11
PST-LG-8-3-180L-MS-840	17,892	128	140	11
PST-LG-8-3-180L-MS-850	17,994	128	141	11
PST-LG-8-3-180L-MW-830	17,367	128	136	17
PST-LG-8-3-180L-MW-835	18,230	128	142	17
PST-LG-8-3-180L-MW-840	18,182	128	142	17
PST-LG-8-3-180L-MW-850	18,285	128	143	17
PST-LG-8-3-200L-GB-830	17,464	146	120	10
PST-LG-8-3-200L-GB-835	18,333	146	126	10
PST-LG-8-3-200L-GB-840	18,282	146	125	10
PST-LG-8-3-200L-GB-850	18,386	146	126	10
PST-LG-8-3-200L-GS-830	19,341	146	132	10
PST-LG-8-3-200L-GS-835	20,305	146	139	11
PST-LG-8-3-200L-GS-840	20,249	146	139	11
PST-LG-8-3-200L-GS-850	20,365	146	139	11
PST-LG-8-3-200L-GW-830	19,314	146	132	17
PST-LG-8-3-200L-GW-835	20,275	146	139	17
PST-LG-8-3-200L-GW-840	20,220	146	138	17
PST-LG-8-3-200L-GW-850	20,335	146	139	17
PST-LG-8-3-200L-MB-830	17,195	146	118	10
PST-LG-8-3-200L-MB-835	18,050	146	124	10
PST-LG-8-3-200L-MB-840	18,001	146	123	10
PST-LG-8-3-200L-MB-850	18,104	146	124	10
PST-LG-8-3-200L-MS-830	18,956	146	130	11
PST-LG-8-3-200L-MS-835	19,899	146	136	11
PST-LG-8-3-200L-MS-840	19,845	146	136	11
PST-LG-8-3-200L-MS-850	19,958	146	137	11
PST-LG-8-3-200L-MW-830	19,261	146	132	17
PST-LG-8-3-200L-MW-835	20,219	146	138	17
PST-LG-8-3-200L-MW-840	20,164	146	138	17
PST-LG-8-3-200L-MW-850	20,279	146	139	17