



RD - LSI Abolite® Standard Dome

RD PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
RD-100-FS2-1650-27-CGG6-GWT	1,529	13	118	B1-U2-G1
RD-100-FS2-1650-27-FGG6-GWT	1,290	13	99	B1-U3-G1
RD-100-FS2-1650-27-PGG6-GWT	1,567	13	121	B1-U2-G1
RD-100-FS2-1650-30-CGG6-GWT	1,541	13	119	B1-U2-G1
RD-100-FS2-1650-30-FGG6-GWT	1,300	13	100	B1-U3-G1
RD-100-FS2-1650-30-PGG6-GWT	1,579	13	121	B1-U2-G1
RD-100-FS2-1650-35-CGG6-GWT	1,588	13	122	B1-U2-G1
RD-100-FS2-1650-35-FGG6-GWT	1,340	13	103	B1-U3-G1
RD-100-FS2-1650-35-PGG6-GWT	1,627	13	125	B1-U2-G1
RD-100-FS2-1650-40-CGG6-GWT	1,612	13	124	B1-U2-G1
RD-100-FS2-1650-40-FGG6-GWT	1,361	13	105	B1-U3-G1
RD-100-FS2-1650-40-PGG6-GWT	1,652	13	127	B1-U2-G1
RD-100-FS2-1650-50-CGG6-GWT	1,641	13	126	B1-U2-G1
RD-100-FS2-1650-50-FGG6-GWT	1,386	13	107	B1-U3-G1
RD-100-FS2-1650-50-PGG6-GWT	1,682	13	129	B1-U2-G1
RD-100-FS2-1650L-27-GWT	1,471	13	113	B1-U2-G1
RD-100-FS2-1650L-30-GWT	1,506	13	116	B1-U2-G1
RD-100-FS2-1650L-35-GWT	1,552	13	119	B1-U2-G1
RD-100-FS2-1650L-40-GWT	1,575	13	121	B1-U2-G1
RD-100-FS2-1650L-50-GWT	1,604	13	123	B1-U2-G1
RD-100-FS2-2050-27-CGG6-GWT	1,932	16	121	B1-U2-G1
RD-100-FS2-2050-27-FGG6-GWT	1,601	16	100	B1-U3-G1
RD-100-FS2-2050-27-PGG6-GWT	1,962	16	123	B1-U2-G1
RD-100-FS2-2050-30-CGG6-GWT	1,946	16	122	B1-U2-G1
RD-100-FS2-2050-30-FGG6-GWT	1,614	16	101	B1-U3-G1
RD-100-FS2-2050-30-PGG6-GWT	1,977	16	124	B1-U2-G1
RD-100-FS2-2050-35-CGG6-GWT	2,005	16	125	B1-U2-G1
RD-100-FS2-2050-35-FGG6-GWT	1,663	16	104	B1-U3-G1
RD-100-FS2-2050-35-PGG6-GWT	2,037	16	127	B1-U2-G1
RD-100-FS2-2050-40-CGG6-GWT	2,036	16	127	B1-U2-G1
RD-100-FS2-2050-40-FGG6-GWT	1,689	16	106	B1-U3-G1
RD-100-FS2-2050-40-PGG6-GWT	2,068	16	129	B1-U2-G1
RD-100-FS2-2050-50-CGG6-GWT	2,073	16	130	B1-U2-G1
RD-100-FS2-2050-50-FGG6-GWT	1,719	16	107	B1-U3-G1
RD-100-FS2-2050-50-PGG6-GWT	2,106	16	132	B1-U2-G1
RD-100-FS2-2050L-27-GWT	1,852	16	116	B1-U3-G1
RD-100-FS2-2050L-30-GWT	1,895	16	118	B1-U3-G1
RD-100-FS2-2050L-35-GWT	1,953	16	122	B1-U3-G1
RD-100-FS2-2050L-40-GWT	1,983	16	124	B1-U3-G1
RD-100-FS2-2050L-50-GWT	2,019	16	126	B1-U3-G1
RD-100-FS2-2750-27-CGG6-GWT	2,581	23	112	B1-U2-G1
RD-100-FS2-2750-27-FGG6-GWT	2,138	23	93	B1-U3-G1
RD-100-FS2-2750-27-PGG6-GWT	2,620	23	114	B1-U2-G1
RD-100-FS2-2750-30-CGG6-GWT	2,600	23	113	B1-U2-G1
RD-100-FS2-2750-30-FGG6-GWT	2,154	23	94	B1-U3-G1
RD-100-FS2-2750-30-PGG6-GWT	2,640	23	115	B1-U2-G1
RD-100-FS2-2750-35-CGG6-GWT	2,679	23	116	B1-U2-G1
RD-100-FS2-2750-35-FGG6-GWT	2,220	23	97	B1-U3-G1
RD-100-FS2-2750-35-PGG6-GWT	2,720	23	118	B1-U2-G1
RD-100-FS2-2750-40-CGG6-GWT	2,720	23	118	B1-U2-G1
RD-100-FS2-2750-40-FGG6-GWT	2,255	23	98	B1-U3-G1



RD - LSI Abolite® Standard Dome

RD PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
RD-100-FS2-2750-40-PGG6-GWT	2,761	23	120	B1-U2-G1
RD-100-FS2-2750-50-CGG6-GWT	2,769	23	120	B1-U2-G1
RD-100-FS2-2750-50-FGG6-GWT	2,296	23	100	B1-U3-G1
RD-100-FS2-2750-50-PGG6-GWT	2,812	23	122	B1-U2-G1
RD-100-FS2-2750L-27-GWT	2,473	23	108	B1-U3-G1
RD-100-FS2-2750L-30-GWT	2,530	23	110	B1-U3-G1
RD-100-FS2-2750L-35-GWT	2,608	23	113	B1-U3-G1
RD-100-FS2-2750L-40-GWT	2,648	23	115	B1-U3-G1
RD-100-FS2-2750L-50-GWT	2,697	23	117	B1-U3-G1
RD-100-FS3-3300-27-CGG6-GWT	3,048	25	122	B1-U2-G1
RD-100-FS3-3300-27-FGG6-GWT	2,528	25	101	B1-U3-G1
RD-100-FS3-3300-27-PGG6-GWT	3,095	25	124	B1-U2-G1
RD-100-FS3-3300-30-CGG6-GWT	3,109	25	124	B1-U2-G1
RD-100-FS3-3300-30-FGG6-GWT	2,578	25	103	B1-U3-G2
RD-100-FS3-3300-30-PGG6-GWT	3,158	25	126	B1-U2-G1
RD-100-FS3-3300-35-CGG6-GWT	3,260	25	130	B2-U2-G1
RD-100-FS3-3300-35-FGG6-GWT	2,702	25	108	B1-U3-G2
RD-100-FS3-3300-35-PGG6-GWT	3,311	25	132	B1-U2-G1
RD-100-FS3-3300-40-CGG6-GWT	3,314	25	133	B2-U2-G1
RD-100-FS3-3300-40-FGG6-GWT	2,748	25	110	B1-U3-G2
RD-100-FS3-3300-40-PGG6-GWT	3,366	25	135	B1-U2-G1
RD-100-FS3-3300-50-CGG6-GWT	3,378	25	135	B2-U2-G1
RD-100-FS3-3300-50-FGG6-GWT	2,801	25	112	B1-U3-G2
RD-100-FS3-3300-50-PGG6-GWT	3,430	25	137	B1-U2-G1
RD-100-FS3-3300L-27-GWT	3,021	25	121	B1-U3-G2
RD-100-FS3-3300L-30-GWT	3,088	25	124	B1-U3-G2
RD-100-FS3-3300L-35-GWT	3,208	25	128	B1-U3-G2
RD-100-FS3-3300L-40-GWT	3,230	25	129	B1-U3-G2
RD-100-FS3-3300L-50-GWT	3,322	25	133	B1-U3-G2
RD-100-FS3-4100-27-CGG6-GWT	3,833	31	124	B2-U2-G1
RD-100-FS3-4100-27-FGG6-GWT	3,179	31	103	B1-U3-G2
RD-100-FS3-4100-27-PGG6-GWT	3,893	31	126	B2-U2-G1
RD-100-FS3-4100-30-CGG6-GWT	3,909	31	126	B2-U2-G1
RD-100-FS3-4100-30-FGG6-GWT	3,240	31	105	B1-U3-G2
RD-100-FS3-4100-30-PGG6-GWT	3,969	31	128	B2-U2-G1
RD-100-FS3-4100-35-CGG6-GWT	4,101	31	132	B2-U2-G1
RD-100-FS3-4100-35-FGG6-GWT	3,400	31	110	B1-U3-G2
RD-100-FS3-4100-35-PGG6-GWT	4,165	31	134	B2-U2-G1
RD-100-FS3-4100-40-CGG6-GWT	4,169	31	134	B2-U2-G1
RD-100-FS3-4100-40-FGG6-GWT	3,456	31	111	B1-U3-G2
RD-100-FS3-4100-40-PGG6-GWT	4,233	31	137	B2-U2-G1
RD-100-FS3-4100-50-CGG6-GWT	4,249	31	137	B2-U2-G1
RD-100-FS3-4100-50-FGG6-GWT	3,523	31	114	B1-U3-G2
RD-100-FS3-4100-50-PGG6-GWT	4,315	31	139	B2-U2-G1
RD-100-FS3-4100L-27-GWT	3,799	31	123	B1-U3-G2
RD-100-FS3-4100L-30-GWT	3,884	31	125	B1-U3-G2
RD-100-FS3-4100L-35-GWT	4,034	31	130	B1-U3-G2
RD-100-FS3-4100L-40-GWT	4,062	31	131	B1-U3-G2
RD-100-FS3-4100L-50-GWT	4,178	31	135	B1-U3-G2
RD-100-FS3-5250-27-CGG6-GWT	4,833	41	118	B2-U2-G1



RD - LSI Abolite® Standard Dome

RD PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
RD-100-FS3-5250-27-FGG6-GWT	4,007	41	98	B1-U3-G2
RD-100-FS3-5250-27-PGG6-GWT	4,908	41	120	B2-U2-G1
RD-100-FS3-5250-30-CGG6-GWT	4,927	41	120	B2-U2-G1
RD-100-FS3-5250-30-FGG6-GWT	4,086	41	100	B1-U3-G2
RD-100-FS3-5250-30-PGG6-GWT	5,003	41	122	B2-U2-G1
RD-100-FS3-5250-35-CGG6-GWT	5,170	41	126	B2-U2-G1
RD-100-FS3-5250-35-FGG6-GWT	4,285	41	105	B2-U3-G2
RD-100-FS3-5250-35-PGG6-GWT	5,249	41	128	B2-U2-G1
RD-100-FS3-5250-40-CGG6-GWT	5,255	41	128	B2-U2-G1
RD-100-FS3-5250-40-FGG6-GWT	4,357	41	106	B2-U3-G2
RD-100-FS3-5250-40-PGG6-GWT	5,336	41	130	B2-U2-G1
RD-100-FS3-5250-50-CGG6-GWT	5,356	41	131	B2-U2-G1
RD-100-FS3-5250-50-FGG6-GWT	4,442	41	108	B2-U3-G2
RD-100-FS3-5250-50-PGG6-GWT	5,439	41	133	B2-U2-G1
RD-100-FS3-5250L-27-GWT	4,789	41	117	B2-U3-G2
RD-100-FS3-5250L-30-GWT	4,896	41	119	B2-U3-G2
RD-100-FS3-5250L-35-GWT	5,086	41	124	B2-U3-G2
RD-100-FS3-5250L-40-GWT	5,121	41	125	B2-U3-G2
RD-100-FS3-5250L-50-GWT	5,266	41	128	B2-U3-G2
RD-150-FS2-1650-27-CGG6-GWT	1,528	13	118	B1-U2-G1
RD-150-FS2-1650-27-FGG6-GWT	1,267	13	97	B1-U3-G1
RD-150-FS2-1650-27-PGG6-GWT	1,553	13	119	B1-U2-G1
RD-150-FS2-1650-30-CGG6-GWT	1,539	13	118	B1-U2-G1
RD-150-FS2-1650-30-FGG6-GWT	1,276	13	98	B1-U3-G1
RD-150-FS2-1650-30-PGG6-GWT	1,564	13	120	B1-U2-G1
RD-150-FS2-1650-35-CGG6-GWT	1,586	13	122	B1-U2-G1
RD-150-FS2-1650-35-FGG6-GWT	1,315	13	101	B1-U3-G1
RD-150-FS2-1650-35-PGG6-GWT	1,612	13	124	B1-U2-G1
RD-150-FS2-1650-40-CGG6-GWT	1,610	13	124	B1-U2-G1
RD-150-FS2-1650-40-FGG6-GWT	1,335	13	103	B1-U3-G1
RD-150-FS2-1650-40-PGG6-GWT	1,636	13	126	B1-U2-G1
RD-150-FS2-1650-50-CGG6-GWT	1,640	13	126	B1-U2-G1
RD-150-FS2-1650-50-FGG6-GWT	1,360	13	105	B1-U3-G1
RD-150-FS2-1650-50-PGG6-GWT	1,666	13	128	B1-U2-G1
RD-150-FS2-1650L-27-GWT	1,465	13	113	B1-U2-G1
RD-150-FS2-1650L-30-GWT	1,499	13	115	B1-U2-G1
RD-150-FS2-1650L-35-GWT	1,545	13	119	B1-U2-G1
RD-150-FS2-1650L-40-GWT	1,569	13	121	B1-U2-G1
RD-150-FS2-1650L-50-GWT	1,597	13	123	B1-U2-G1
RD-150-FS2-2050-27-CGG6-GWT	1,932	16	121	B1-U2-G1
RD-150-FS2-2050-27-FGG6-GWT	1,601	16	100	B1-U3-G1
RD-150-FS2-2050-27-PGG6-GWT	1,962	16	123	B1-U2-G1
RD-150-FS2-2050-30-CGG6-GWT	1,946	16	122	B1-U2-G1
RD-150-FS2-2050-30-FGG6-GWT	1,614	16	101	B1-U3-G1
RD-150-FS2-2050-30-PGG6-GWT	1,977	16	124	B1-U2-G1
RD-150-FS2-2050-35-CGG6-GWT	2,005	16	125	B1-U2-G1
RD-150-FS2-2050-35-FGG6-GWT	1,663	16	104	B1-U3-G1
RD-150-FS2-2050-35-PGG6-GWT	2,037	16	127	B1-U2-G1
RD-150-FS2-2050-40-CGG6-GWT	2,036	16	127	B1-U2-G1



RD - LSI Abolite® Standard Dome

RD PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
RD-150-FS2-2050-40-FGG6-GWT	1,689	16	106	B1-U3-G1
RD-150-FS2-2050-40-PGG6-GWT	2,068	16	129	B1-U2-G1
RD-150-FS2-2050-50-CGG6-GWT	2,073	16	130	B1-U2-G1
RD-150-FS2-2050-50-FGG6-GWT	1,719	16	107	B1-U3-G1
RD-150-FS2-2050-50-PGG6-GWT	2,106	16	132	B1-U2-G1
RD-150-FS2-2050L-27-GWT	1,853	16	116	B1-U2-G1
RD-150-FS2-2050L-30-GWT	1,896	16	118	B1-U2-G1
RD-150-FS2-2050L-35-GWT	1,954	16	122	B1-U2-G1
RD-150-FS2-2050L-40-GWT	1,984	16	124	B1-U2-G1
RD-150-FS2-2050L-50-GWT	2,021	16	126	B1-U2-G1
RD-150-FS2-2750-27-CGG6-GWT	2,581	23	112	B1-U2-G1
RD-150-FS2-2750-27-FGG6-GWT	2,138	23	93	B1-U3-G1
RD-150-FS2-2750-27-PGG6-GWT	2,620	23	114	B1-U2-G1
RD-150-FS2-2750-30-CGG6-GWT	2,600	23	113	B1-U2-G1
RD-150-FS2-2750-30-FGG6-GWT	2,154	23	94	B1-U3-G1
RD-150-FS2-2750-30-PGG6-GWT	2,640	23	115	B1-U2-G1
RD-150-FS2-2750-35-CGG6-GWT	2,679	23	116	B1-U2-G1
RD-150-FS2-2750-35-FGG6-GWT	2,220	23	97	B1-U3-G1
RD-150-FS2-2750-35-PGG6-GWT	2,720	23	118	B1-U2-G1
RD-150-FS2-2750-40-CGG6-GWT	2,720	23	118	B1-U2-G1
RD-150-FS2-2750-40-FGG6-GWT	2,255	23	98	B1-U3-G1
RD-150-FS2-2750-40-PGG6-GWT	2,761	23	120	B1-U2-G1
RD-150-FS2-2750-50-CGG6-GWT	2,769	23	120	B1-U2-G1
RD-150-FS2-2750-50-FGG6-GWT	2,296	23	100	B1-U3-G1
RD-150-FS2-2750-50-PGG6-GWT	2,812	23	122	B1-U2-G1
RD-150-FS2-2750L-27-GWT	2,474	23	108	B1-U2-G1
RD-150-FS2-2750L-30-GWT	2,531	23	110	B1-U2-G1
RD-150-FS2-2750L-35-GWT	2,608	23	113	B1-U2-G1
RD-150-FS2-2750L-40-GWT	2,648	23	115	B1-U2-G1
RD-150-FS2-2750L-50-GWT	2,697	23	117	B1-U2-G1
RD-150-FS3-3300-27-CGG6-GWT	3,087	25	123	B1-U2-G1
RD-150-FS3-3300-27-FGG6-GWT	2,561	25	102	B1-U3-G2
RD-150-FS3-3300-27-PGG6-GWT	3,135	25	125	B1-U2-G1
RD-150-FS3-3300-30-CGG6-GWT	3,149	25	126	B2-U2-G1
RD-150-FS3-3300-30-FGG6-GWT	2,611	25	104	B1-U3-G2
RD-150-FS3-3300-30-PGG6-GWT	3,199	25	128	B1-U2-G1
RD-150-FS3-3300-35-CGG6-GWT	3,302	25	132	B2-U2-G1
RD-150-FS3-3300-35-FGG6-GWT	2,738	25	110	B1-U3-G2
RD-150-FS3-3300-35-PGG6-GWT	3,354	25	134	B1-U2-G1
RD-150-FS3-3300-40-CGG6-GWT	3,356	25	134	B2-U2-G1
RD-150-FS3-3300-40-FGG6-GWT	2,784	25	111	B1-U3-G2
RD-150-FS3-3300-40-PGG6-GWT	3,409	25	136	B1-U2-G1
RD-150-FS3-3300-50-CGG6-GWT	3,421	25	137	B2-U2-G1
RD-150-FS3-3300-50-FGG6-GWT	2,838	25	114	B1-U3-G2
RD-150-FS3-3300-50-PGG6-GWT	3,475	25	139	B2-U2-G1
RD-150-FS3-3300L-27-GWT	3,060	25	122	B1-U1-G1
RD-150-FS3-3300L-30-GWT	3,128	25	125	B1-U1-G1
RD-150-FS3-3300L-35-GWT	3,250	25	130	B1-U1-G1
RD-150-FS3-3300L-40-GWT	3,272	25	131	B1-U1-G1
RD-150-FS3-3300L-50-GWT	3,365	25	135	B1-U1-G1



RD - LSI Abolite® Standard Dome

RD PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
RD-150-FS3-4100-27-CGG6-GWT	3,858	31	124	B2-U2-G1
RD-150-FS3-4100-27-FGG6-GWT	3,200	31	103	B1-U3-G2
RD-150-FS3-4100-27-PGG6-GWT	3,919	31	126	B2-U2-G1
RD-150-FS3-4100-30-CGG6-GWT	3,934	31	127	B2-U2-G1
RD-150-FS3-4100-30-FGG6-GWT	3,262	31	105	B1-U3-G2
RD-150-FS3-4100-30-PGG6-GWT	3,996	31	129	B2-U2-G1
RD-150-FS3-4100-35-CGG6-GWT	4,127	31	133	B2-U2-G1
RD-150-FS3-4100-35-FGG6-GWT	3,423	31	110	B1-U3-G2
RD-150-FS3-4100-35-PGG6-GWT	4,193	31	135	B2-U2-G1
RD-150-FS3-4100-40-CGG6-GWT	4,196	31	135	B2-U2-G1
RD-150-FS3-4100-40-FGG6-GWT	3,479	31	112	B1-U3-G2
RD-150-FS3-4100-40-PGG6-GWT	4,262	31	137	B2-U2-G1
RD-150-FS3-4100-50-CGG6-GWT	4,277	31	138	B2-U2-G1
RD-150-FS3-4100-50-FGG6-GWT	3,547	31	114	B1-U3-G2
RD-150-FS3-4100-50-PGG6-GWT	4,344	31	140	B2-U2-G1
RD-150-FS3-4100L-27-GWT	3,824	31	123	B1-U1-G1
RD-150-FS3-4100L-30-GWT	3,909	31	126	B1-U1-G1
RD-150-FS3-4100L-35-GWT	4,061	31	131	B1-U1-G1
RD-150-FS3-4100L-40-GWT	4,089	31	132	B2-U1-G1
RD-150-FS3-4100L-50-GWT	4,205	31	136	B2-U1-G1
RD-150-FS3-5250-27-CGG6-GWT	4,862	41	119	B2-U2-G1
RD-150-FS3-5250-27-FGG6-GWT	4,032	41	98	B1-U3-G2
RD-150-FS3-5250-27-PGG6-GWT	4,939	41	120	B2-U2-G1
RD-150-FS3-5250-30-CGG6-GWT	4,956	41	121	B2-U2-G1
RD-150-FS3-5250-30-FGG6-GWT	4,111	41	100	B2-U3-G2
RD-150-FS3-5250-30-PGG6-GWT	5,035	41	123	B2-U2-G1
RD-150-FS3-5250-35-CGG6-GWT	5,201	41	127	B2-U2-G1
RD-150-FS3-5250-35-FGG6-GWT	4,312	41	105	B2-U3-G2
RD-150-FS3-5250-35-PGG6-GWT	5,283	41	129	B2-U2-G1
RD-150-FS3-5250-40-CGG6-GWT	5,287	41	129	B2-U2-G1
RD-150-FS3-5250-40-FGG6-GWT	4,384	41	107	B2-U3-G2
RD-150-FS3-5250-40-PGG6-GWT	5,370	41	131	B2-U2-G1
RD-150-FS3-5250-50-CGG6-GWT	5,388	41	131	B2-U2-G1
RD-150-FS3-5250-50-FGG6-GWT	4,469	41	109	B2-U3-G2
RD-150-FS3-5250-50-PGG6-GWT	5,473	41	133	B2-U2-G1
RD-150-FS3-5250L-27-GWT	4,819	41	118	B2-U1-G1
RD-150-FS3-5250L-30-GWT	4,926	41	120	B2-U1-G1
RD-150-FS3-5250L-35-GWT	5,117	41	125	B2-U1-G1
RD-150-FS3-5250L-40-GWT	5,152	41	126	B2-U1-G1
RD-150-FS3-5250L-50-GWT	5,298	41	129	B2-U1-G1
RD-200-FS2-1650-27-CGG6-GWT	1,513	13	116	B1-U2-G1
RD-200-FS2-1650-27-FGG6-GWT	1,254	13	96	B1-U3-G1
RD-200-FS2-1650-27-PGG6-GWT	1,536	13	118	B1-U2-G1
RD-200-FS2-1650-30-CGG6-GWT	1,524	13	117	B1-U2-G1
RD-200-FS2-1650-30-FGG6-GWT	1,263	13	97	B1-U3-G1
RD-200-FS2-1650-30-PGG6-GWT	1,548	13	119	B1-U2-G1
RD-200-FS2-1650-35-CGG6-GWT	1,571	13	121	B1-U2-G1
RD-200-FS2-1650-35-FGG6-GWT	1,302	13	100	B1-U3-G1
RD-200-FS2-1650-35-PGG6-GWT	1,595	13	123	B1-U2-G1



RD - LSI Abolite® Standard Dome

RD PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
RD-200-FS2-1650-40-CGG6-GWT	1,594	13	123	B1-U2-G1
RD-200-FS2-1650-40-FGG6-GWT	1,322	13	102	B1-U3-G1
RD-200-FS2-1650-40-PGG6-GWT	1,619	13	125	B1-U2-G1
RD-200-FS2-1650-50-CGG6-GWT	1,624	13	125	B1-U2-G1
RD-200-FS2-1650-50-FGG6-GWT	1,346	13	104	B1-U3-G1
RD-200-FS2-1650-50-PGG6-GWT	1,648	13	127	B1-U2-G1
RD-200-FS2-1650L-27-GWT	1,450	13	112	B1-U0-G1
RD-200-FS2-1650L-30-GWT	1,484	13	114	B1-U0-G1
RD-200-FS2-1650L-35-GWT	1,530	13	118	B1-U0-G1
RD-200-FS2-1650L-40-GWT	1,553	13	119	B1-U0-G1
RD-200-FS2-1650L-50-GWT	1,582	13	122	B1-U0-G1
RD-200-FS2-2050-27-CGG6-GWT	1,895	16	118	B1-U2-G1
RD-200-FS2-2050-27-FGG6-GWT	1,570	16	98	B1-U3-G1
RD-200-FS2-2050-27-PGG6-GWT	1,925	16	120	B1-U2-G1
RD-200-FS2-2050-30-CGG6-GWT	1,909	16	119	B1-U2-G1
RD-200-FS2-2050-30-FGG6-GWT	1,583	16	99	B1-U3-G1
RD-200-FS2-2050-30-PGG6-GWT	1,939	16	121	B1-U2-G1
RD-200-FS2-2050-35-CGG6-GWT	1,967	16	123	B1-U2-G1
RD-200-FS2-2050-35-FGG6-GWT	1,630	16	102	B1-U3-G1
RD-200-FS2-2050-35-PGG6-GWT	1,998	16	125	B1-U2-G1
RD-200-FS2-2050-40-CGG6-GWT	1,997	16	125	B1-U2-G1
RD-200-FS2-2050-40-FGG6-GWT	1,656	16	103	B1-U3-G1
RD-200-FS2-2050-40-PGG6-GWT	2,029	16	127	B1-U2-G1
RD-200-FS2-2050-50-CGG6-GWT	2,034	16	127	B1-U2-G1
RD-200-FS2-2050-50-FGG6-GWT	1,686	16	105	B1-U3-G1
RD-200-FS2-2050-50-PGG6-GWT	2,066	16	129	B1-U2-G1
RD-200-FS2-2050L-27-GWT	1,817	16	114	B1-U0-G1
RD-200-FS2-2050L-30-GWT	1,859	16	116	B1-U0-G1
RD-200-FS2-2050L-35-GWT	1,916	16	120	B1-U0-G1
RD-200-FS2-2050L-40-GWT	1,946	16	122	B1-U0-G1
RD-200-FS2-2050L-50-GWT	1,982	16	124	B1-U0-G1
RD-200-FS2-2750-27-CGG6-GWT	2,543	23	111	B1-U2-G1
RD-200-FS2-2750-27-FGG6-GWT	2,105	23	92	B1-U3-G1
RD-200-FS2-2750-27-PGG6-GWT	2,581	23	112	B1-U2-G1
RD-200-FS2-2750-30-CGG6-GWT	2,561	23	111	B1-U2-G1
RD-200-FS2-2750-30-FGG6-GWT	2,121	23	92	B1-U3-G1
RD-200-FS2-2750-30-PGG6-GWT	2,601	23	113	B1-U2-G1
RD-200-FS2-2750-35-CGG6-GWT	2,638	23	115	B1-U2-G1
RD-200-FS2-2750-35-FGG6-GWT	2,186	23	95	B1-U3-G1
RD-200-FS2-2750-35-PGG6-GWT	2,679	23	116	B1-U2-G1
RD-200-FS2-2750-40-CGG6-GWT	2,679	23	116	B1-U2-G1
RD-200-FS2-2750-40-FGG6-GWT	2,220	23	97	B1-U3-G1
RD-200-FS2-2750-40-PGG6-GWT	2,720	23	118	B1-U2-G1
RD-200-FS2-2750-50-CGG6-GWT	2,728	23	119	B1-U2-G1
RD-200-FS2-2750-50-FGG6-GWT	2,261	23	98	B1-U3-G1
RD-200-FS2-2750-50-PGG6-GWT	2,770	23	120	B1-U2-G1
RD-200-FS2-2750L-27-GWT	2,436	23	106	B1-U0-G1
RD-200-FS2-2750L-30-GWT	2,493	23	108	B1-U0-G1
RD-200-FS2-2750L-35-GWT	2,569	23	112	B1-U0-G1
RD-200-FS2-2750L-40-GWT	2,609	23	113	B1-U0-G1
RD-200-FS2-2750L-50-GWT	2,656	23	115	B1-U0-G1



RD - LSI Abolite® Standard Dome

RD PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
RD-200-FS3-3300-27-CGG6-GWT	3,057	25	122	B1-U2-G1
RD-200-FS3-3300-27-FGG6-GWT	2,536	25	101	B1-U3-G1
RD-200-FS3-3300-27-PGG6-GWT	3,105	25	124	B1-U2-G1
RD-200-FS3-3300-30-CGG6-GWT	3,119	25	125	B1-U2-G1
RD-200-FS3-3300-30-FGG6-GWT	2,585	25	103	B1-U3-G2
RD-200-FS3-3300-30-PGG6-GWT	3,168	25	127	B1-U2-G1
RD-200-FS3-3300-35-CGG6-GWT	3,270	25	131	B2-U2-G1
RD-200-FS3-3300-35-FGG6-GWT	2,711	25	108	B1-U3-G2
RD-200-FS3-3300-35-PGG6-GWT	3,322	25	133	B1-U2-G1
RD-200-FS3-3300-40-CGG6-GWT	3,324	25	133	B2-U2-G1
RD-200-FS3-3300-40-FGG6-GWT	2,756	25	110	B1-U3-G2
RD-200-FS3-3300-40-PGG6-GWT	3,376	25	135	B1-U2-G1
RD-200-FS3-3300-50-CGG6-GWT	3,388	25	136	B2-U2-G1
RD-200-FS3-3300-50-FGG6-GWT	2,809	25	112	B1-U3-G2
RD-200-FS3-3300-50-PGG6-GWT	3,441	25	138	B1-U2-G1
RD-200-FS3-3300L-27-GWT	3,030	25	121	B1-U1-G1
RD-200-FS3-3300L-30-GWT	3,097	25	124	B1-U1-G1
RD-200-FS3-3300L-35-GWT	3,217	25	129	B1-U1-G1
RD-200-FS3-3300L-40-GWT	3,239	25	130	B1-U1-G1
RD-200-FS3-3300L-50-GWT	3,331	25	133	B1-U1-G1
RD-200-FS3-4100-27-CGG6-GWT	3,818	31	123	B2-U2-G1
RD-200-FS3-4100-27-FGG6-GWT	3,166	31	102	B1-U3-G2
RD-200-FS3-4100-27-PGG6-GWT	3,878	31	125	B2-U2-G1
RD-200-FS3-4100-30-CGG6-GWT	3,893	31	126	B2-U2-G1
RD-200-FS3-4100-30-FGG6-GWT	3,227	31	104	B1-U3-G2
RD-200-FS3-4100-30-PGG6-GWT	3,954	31	128	B2-U2-G1
RD-200-FS3-4100-35-CGG6-GWT	4,085	31	132	B2-U2-G1
RD-200-FS3-4100-35-FGG6-GWT	3,386	31	109	B1-U3-G2
RD-200-FS3-4100-35-PGG6-GWT	4,149	31	134	B2-U2-G1
RD-200-FS3-4100-40-CGG6-GWT	4,152	31	134	B2-U2-G1
RD-200-FS3-4100-40-FGG6-GWT	3,442	31	111	B1-U3-G2
RD-200-FS3-4100-40-PGG6-GWT	4,217	31	136	B2-U2-G1
RD-200-FS3-4100-50-CGG6-GWT	4,233	31	137	B2-U2-G1
RD-200-FS3-4100-50-FGG6-GWT	3,509	31	113	B1-U3-G2
RD-200-FS3-4100-50-PGG6-GWT	4,299	31	139	B2-U2-G1
RD-200-FS3-4100L-27-GWT	3,785	31	122	B1-U1-G1
RD-200-FS3-4100L-30-GWT	3,868	31	125	B1-U1-G1
RD-200-FS3-4100L-35-GWT	4,019	31	130	B1-U1-G1
RD-200-FS3-4100L-40-GWT	4,046	31	131	B1-U1-G1
RD-200-FS3-4100L-50-GWT	4,161	31	134	B2-U1-G1
RD-200-FS3-5250-27-CGG6-GWT	4,806	41	117	B2-U2-G1
RD-200-FS3-5250-27-FGG6-GWT	3,984	41	97	B1-U3-G2
RD-200-FS3-5250-27-PGG6-GWT	4,880	41	119	B2-U2-G1
RD-200-FS3-5250-30-CGG6-GWT	4,899	41	119	B2-U2-G1
RD-200-FS3-5250-30-FGG6-GWT	4,062	41	99	B1-U3-G2
RD-200-FS3-5250-30-PGG6-GWT	4,975	41	121	B2-U2-G1
RD-200-FS3-5250-35-CGG6-GWT	5,141	41	125	B2-U2-G1
RD-200-FS3-5250-35-FGG6-GWT	4,261	41	104	B2-U3-G2
RD-200-FS3-5250-35-PGG6-GWT	5,220	41	127	B2-U2-G1
RD-200-FS3-5250-40-CGG6-GWT	5,225	41	127	B2-U2-G1



RD - LSI Abolite® Standard Dome

RD PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
RD-200-FS3-5250-40-FGG6-GWT	4,332	41	106	B2-U3-G2
RD-200-FS3-5250-40-PGG6-GWT	5,306	41	129	B2-U2-G1
RD-200-FS3-5250-50-CGG6-GWT	5,326	41	130	B2-U2-G1
RD-200-FS3-5250-50-FGG6-GWT	4,416	41	108	B2-U3-G2
RD-200-FS3-5250-50-PGG6-GWT	5,408	41	132	B2-U2-G1
RD-200-FS3-5250L-27-GWT	4,762	41	116	B2-U1-G1
RD-200-FS3-5250L-30-GWT	4,867	41	119	B2-U1-G1
RD-200-FS3-5250L-35-GWT	5,056	41	123	B2-U1-G1
RD-200-FS3-5250L-40-GWT	5,091	41	124	B2-U1-G1
RD-200-FS3-5250L-50-GWT	5,236	41	128	B2-U1-G1
RD-300-FS2-1650-27-CGG6-GWT	1,504	13	116	B1-U2-G1
RD-300-FS2-1650-27-FGG6-GWT	1,247	13	96	B1-U3-G1
RD-300-FS2-1650-27-PGG6-GWT	1,528	13	118	B1-U2-G1
RD-300-FS2-1650-30-CGG6-GWT	1,515	13	117	B1-U2-G1
RD-300-FS2-1650-30-FGG6-GWT	1,256	13	97	B1-U3-G1
RD-300-FS2-1650-30-PGG6-GWT	1,539	13	118	B1-U2-G1
RD-300-FS2-1650-35-CGG6-GWT	1,562	13	120	B1-U2-G1
RD-300-FS2-1650-35-FGG6-GWT	1,294	13	100	B1-U3-G1
RD-300-FS2-1650-35-PGG6-GWT	1,586	13	122	B1-U2-G1
RD-300-FS2-1650-40-CGG6-GWT	1,585	13	122	B1-U2-G1
RD-300-FS2-1650-40-FGG6-GWT	1,314	13	101	B1-U3-G1
RD-300-FS2-1650-40-PGG6-GWT	1,610	13	124	B1-U2-G1
RD-300-FS2-1650-50-CGG6-GWT	1,614	13	124	B1-U2-G1
RD-300-FS2-1650-50-FGG6-GWT	1,338	13	103	B1-U3-G1
RD-300-FS2-1650-50-PGG6-GWT	1,639	13	126	B1-U2-G1
RD-300-FS2-1650L-27-GWT	1,343	13	103	B1-U0-G1
RD-300-FS2-1650L-30-GWT	1,374	13	106	B1-U0-G1
RD-300-FS2-1650L-35-GWT	1,416	13	109	B1-U0-G1
RD-300-FS2-1650L-40-GWT	1,438	13	111	B1-U0-G1
RD-300-FS2-1650L-50-GWT	1,464	13	113	B1-U0-G1
RD-300-FS2-2050-27-CGG6-GWT	1,873	16	117	B1-U2-G1
RD-300-FS2-2050-27-FGG6-GWT	1,553	16	97	B1-U3-G1
RD-300-FS2-2050-27-PGG6-GWT	1,903	16	119	B1-U2-G1
RD-300-FS2-2050-30-CGG6-GWT	1,887	16	118	B1-U2-G1
RD-300-FS2-2050-30-FGG6-GWT	1,564	16	98	B1-U3-G1
RD-300-FS2-2050-30-PGG6-GWT	1,917	16	120	B1-U2-G1
RD-300-FS2-2050-35-CGG6-GWT	1,945	16	122	B1-U2-G1
RD-300-FS2-2050-35-FGG6-GWT	1,612	16	101	B1-U3-G1
RD-300-FS2-2050-35-PGG6-GWT	1,975	16	123	B1-U2-G1
RD-300-FS2-2050-40-CGG6-GWT	1,974	16	123	B1-U2-G1
RD-300-FS2-2050-40-FGG6-GWT	1,637	16	102	B1-U3-G1
RD-300-FS2-2050-40-PGG6-GWT	2,005	16	125	B1-U2-G1
RD-300-FS2-2050-50-CGG6-GWT	2,010	16	126	B1-U2-G1
RD-300-FS2-2050-50-FGG6-GWT	1,667	16	104	B1-U3-G1
RD-300-FS2-2050-50-PGG6-GWT	2,042	16	128	B1-U2-G1
RD-300-FS2-2050L-27-GWT	1,672	16	104	B1-U0-G1
RD-300-FS2-2050L-30-GWT	1,710	16	107	B1-U0-G1
RD-300-FS2-2050L-35-GWT	1,763	16	110	B1-U0-G1
RD-300-FS2-2050L-40-GWT	1,790	16	112	B1-U0-G1



RD - LSI Abolite® Standard Dome

RD PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Lumens/Watt</u>	<u>BUG</u>
RD-300-FS2-2050L-50-GWT	1,822	16	114	B1-U0-G1
RD-300-FS2-2750-27-CGG6-GWT	2,515	23	109	B1-U2-G1
RD-300-FS2-2750-27-FGG6-GWT	2,083	23	91	B1-U3-G1
RD-300-FS2-2750-27-PGG6-GWT	2,554	23	111	B1-U2-G1
RD-300-FS2-2750-30-CGG6-GWT	2,532	23	110	B1-U2-G1
RD-300-FS2-2750-30-FGG6-GWT	2,098	23	91	B1-U3-G1
RD-300-FS2-2750-30-PGG6-GWT	2,572	23	112	B1-U2-G1
RD-300-FS2-2750-35-CGG6-GWT	2,609	23	113	B1-U2-G1
RD-300-FS2-2750-35-FGG6-GWT	2,163	23	94	B1-U3-G1
RD-300-FS2-2750-35-PGG6-GWT	2,650	23	115	B1-U2-G1
RD-300-FS2-2750-40-CGG6-GWT	2,649	23	115	B1-U2-G1
RD-300-FS2-2750-40-FGG6-GWT	2,196	23	95	B1-U3-G1
RD-300-FS2-2750-40-PGG6-GWT	2,691	23	117	B1-U2-G1
RD-300-FS2-2750-50-CGG6-GWT	2,698	23	117	B1-U2-G1
RD-300-FS2-2750-50-FGG6-GWT	2,236	23	97	B1-U3-G1
RD-300-FS2-2750-50-PGG6-GWT	2,740	23	119	B1-U2-G1
RD-300-FS2-2750L-27-GWT	2,242	23	97	B1-U0-G1
RD-300-FS2-2750L-30-GWT	2,295	23	100	B1-U0-G1
RD-300-FS2-2750L-35-GWT	2,364	23	103	B1-U0-G1
RD-300-FS2-2750L-40-GWT	2,400	23	104	B1-U0-G1
RD-300-FS2-2750L-50-GWT	2,445	23	106	B1-U0-G1