



XWM-80CRI Mirada Medium Wall Sconce

XWM-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
XWM-2-LED-03L-27-80CRI	2,733	23	119	B1-U0-G1
XWM-2-LED-03L-30-80CRI	2,955	23	128	B1-U0-G1
XWM-2-LED-03L-35-80CRI	3,178	23	138	B1-U0-G1
XWM-2-LED-03L-40-80CRI	3,132	23	136	B1-U0-G1
XWM-2-LED-03L-50-80CRI	3,081	23	134	B1-U0-G1
XWM-3-LED-03L-27-80CRI	2,773	23	121	B1-U0-G1
XWM-3-LED-03L-30-80CRI	2,998	23	130	B1-U0-G1
XWM-3-LED-03L-35-80CRI	3,224	23	140	B1-U0-G1
XWM-3-LED-03L-40-80CRI	3,177	23	138	B1-U0-G1
XWM-3-LED-03L-50-80CRI	3,125	23	136	B1-U0-G1
XWM-4-LED-03L-27-80CRI	2,761	23	120	B1-U0-G2
XWM-4-LED-03L-30-80CRI	2,985	23	130	B1-U0-G2
XWM-4-LED-03L-35-80CRI	3,210	23	140	B1-U0-G2
XWM-4-LED-03L-40-80CRI	3,128	23	136	B1-U0-G2
XWM-4-LED-03L-50-80CRI	3,063	23	133	B1-U0-G2
XWM-FT-LED-03L-27-80CRI	2,718	23	118	B1-U0-G1
XWM-FT-LED-03L-30-80CRI	2,939	23	128	B1-U0-G1
XWM-FT-LED-03L-35-80CRI	3,160	23	137	B1-U0-G1
XWM-FT-LED-03L-40-80CRI	3,115	23	135	B1-U0-G1
XWM-FT-LED-03L-50-80CRI	3,064	23	133	B1-U0-G1
XWM-2-LED-04L-27-80CRI	3,638	30	121	B1-U0-G1
XWM-2-LED-04L-30-80CRI	3,934	30	131	B1-U0-G1
XWM-2-LED-04L-35-80CRI	4,230	30	141	B1-U0-G1
XWM-2-LED-04L-40-80CRI	4,169	30	139	B1-U0-G1
XWM-2-LED-04L-50-80CRI	4,101	30	137	B1-U0-G1
XWM-3-LED-04L-27-80CRI	3,690	30	123	B1-U0-G1
XWM-3-LED-04L-30-80CRI	3,990	30	133	B1-U0-G1
XWM-3-LED-04L-35-80CRI	4,291	30	143	B1-U0-G1
XWM-3-LED-04L-40-80CRI	4,229	30	141	B1-U0-G1
XWM-3-LED-04L-50-80CRI	4,160	30	139	B1-U0-G1
XWM-4-LED-04L-27-80CRI	3,641	30	121	B1-U0-G2
XWM-4-LED-04L-30-80CRI	3,938	30	131	B1-U0-G2
XWM-4-LED-04L-35-80CRI	4,234	30	141	B1-U0-G2
XWM-4-LED-04L-40-80CRI	4,127	30	138	B1-U0-G2
XWM-4-LED-04L-50-80CRI	4,040	30	135	B1-U0-G2
XWM-FT-LED-04L-27-80CRI	3,618	30	121	B1-U0-G1
XWM-FT-LED-04L-30-80CRI	3,912	30	130	B1-U0-G1
XWM-FT-LED-04L-35-80CRI	4,207	30	140	B1-U0-G1
XWM-FT-LED-04L-40-80CRI	4,146	30	138	B1-U0-G1
XWM-FT-LED-04L-50-80CRI	4,079	30	136	B1-U0-G1
XWM-2-LED-06L-27-80CRI	5,441	47	116	B2-U0-G1
XWM-2-LED-06L-30-80CRI	5,884	47	125	B2-U0-G1
XWM-2-LED-06L-35-80CRI	6,326	47	135	B2-U0-G1
XWM-2-LED-06L-40-80CRI	6,235	47	133	B2-U0-G1
XWM-2-LED-06L-50-80CRI	6,134	47	131	B2-U0-G1
XWM-3-LED-06L-27-80CRI	5,519	47	117	B1-U0-G1
XWM-3-LED-06L-30-80CRI	5,968	47	127	B1-U0-G2
XWM-3-LED-06L-35-80CRI	6,417	47	137	B1-U0-G2
XWM-3-LED-06L-40-80CRI	6,324	47	135	B1-U0-G2
XWM-3-LED-06L-50-80CRI	6,221	47	132	B1-U0-G2
XWM-4-LED-06L-27-80CRI	5,449	47	116	B1-U0-G3
XWM-4-LED-06L-30-80CRI	5,892	47	125	B1-U0-G3



XWM-80CRI Mirada Medium Wall Sconce

XWM-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
XWM-4-LED-06L-35-80CRI	6,336	47	135	B1-U0-G3
XWM-4-LED-06L-40-80CRI	6,175	47	131	B1-U0-G3
XWM-4-LED-06L-50-80CRI	6,045	47	129	B1-U0-G3
XWM-FT-LED-06L-27-80CRI	5,410	47	115	B1-U0-G2
XWM-FT-LED-06L-30-80CRI	5,850	47	124	B1-U0-G2
XWM-FT-LED-06L-35-80CRI	6,290	47	134	B2-U0-G2
XWM-FT-LED-06L-40-80CRI	6,199	47	132	B2-U0-G2
XWM-FT-LED-06L-50-80CRI	6,098	47	130	B2-U0-G2
XWM-2-LED-08L-27-80CRI	7,022	64	110	B2-U0-G2
XWM-2-LED-08L-30-80CRI	7,594	64	119	B2-U0-G2
XWM-2-LED-08L-35-80CRI	8,166	64	128	B2-U0-G2
XWM-2-LED-08L-40-80CRI	8,048	64	126	B2-U0-G2
XWM-2-LED-08L-50-80CRI	7,917	64	124	B2-U0-G2
XWM-3-LED-08L-27-80CRI	7,124	64	111	B1-U0-G2
XWM-3-LED-08L-30-80CRI	7,703	64	120	B2-U0-G2
XWM-3-LED-08L-35-80CRI	8,283	64	129	B2-U0-G2
XWM-3-LED-08L-40-80CRI	8,164	64	128	B2-U0-G2
XWM-3-LED-08L-50-80CRI	8,031	64	125	B2-U0-G2
XWM-4-LED-08L-27-80CRI	7,192	64	112	B1-U0-G2
XWM-4-LED-08L-30-80CRI	7,777	64	122	B1-U0-G2
XWM-4-LED-08L-35-80CRI	8,362	64	131	B1-U0-G3
XWM-4-LED-08L-40-80CRI	8,150	64	127	B1-U0-G3
XWM-4-LED-08L-50-80CRI	7,979	64	125	B1-U0-G2
XWM-FT-LED-08L-27-80CRI	6,983	64	109	B2-U0-G2
XWM-FT-LED-08L-30-80CRI	7,551	64	118	B2-U0-G2
XWM-FT-LED-08L-35-80CRI	8,120	64	127	B2-U0-G2
XWM-FT-LED-08L-40-80CRI	8,003	64	125	B2-U0-G2
XWM-FT-LED-08L-50-80CRI	7,873	64	123	B2-U0-G2
XWM-2-LED-12L-27-80CRI	9,883	77	128	B2-U0-G2
XWM-2-LED-12L-30-80CRI	10,687	77	139	B2-U0-G2
XWM-2-LED-12L-35-80CRI	11,492	77	149	B2-U0-G2
XWM-2-LED-12L-40-80CRI	11,191	77	145	B2-U0-G2
XWM-2-LED-12L-50-80CRI	11,092	77	144	B2-U0-G2
XWM-3-LED-12L-27-80CRI	10,111	77	131	B2-U0-G2
XWM-3-LED-12L-30-80CRI	10,934	77	142	B2-U0-G2
XWM-3-LED-12L-35-80CRI	11,757	77	153	B2-U0-G2
XWM-3-LED-12L-40-80CRI	11,450	77	149	B2-U0-G2
XWM-3-LED-12L-50-80CRI	11,348	77	147	B2-U0-G2
XWM-4-LED-12L-27-80CRI	9,878	77	128	B2-U0-G3
XWM-4-LED-12L-30-80CRI	10,682	77	139	B2-U0-G3
XWM-4-LED-12L-35-80CRI	11,486	77	149	B2-U0-G3
XWM-4-LED-12L-40-80CRI	11,214	77	146	B2-U0-G3
XWM-4-LED-12L-50-80CRI	10,896	77	142	B2-U0-G3
XWM-FT-LED-12L-27-80CRI	10,080	77	131	B2-U0-G2
XWM-FT-LED-12L-30-80CRI	10,901	77	142	B2-U0-G2
XWM-FT-LED-12L-35-80CRI	11,721	77	152	B2-U0-G2
XWM-FT-LED-12L-40-80CRI	11,415	77	148	B2-U0-G2
XWM-FT-LED-12L-50-80CRI	11,314	77	147	B2-U0-G2
XWM-2-LED-15L-27-80CRI	12,230	98	125	B3-U0-G2
XWM-2-LED-15L-30-80CRI	13,225	98	135	B3-U0-G2
XWM-2-LED-15L-35-80CRI	14,221	98	145	B3-U0-G2



XWM-80CRI Mirada Medium Wall Sconce

XWM-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
XWM-2-LED-15L-40-80CRI	13,849	98	141	B3-U0-G2
XWM-2-LED-15L-50-80CRI	13,726	98	140	B3-U0-G2
XWM-3-LED-15L-27-80CRI	12,512	98	128	B2-U0-G2
XWM-3-LED-15L-30-80CRI	13,531	98	138	B2-U0-G2
XWM-3-LED-15L-35-80CRI	14,549	98	148	B2-U0-G2
XWM-3-LED-15L-40-80CRI	14,169	98	145	B2-U0-G2
XWM-3-LED-15L-50-80CRI	14,044	98	143	B2-U0-G2
XWM-4-LED-15L-27-80CRI	12,125	98	124	B2-U0-G3
XWM-4-LED-15L-30-80CRI	13,112	98	134	B2-U0-G3
XWM-4-LED-15L-35-80CRI	14,099	98	144	B2-U0-G3
XWM-4-LED-15L-40-80CRI	13,765	98	140	B2-U0-G3
XWM-4-LED-15L-50-80CRI	13,375	98	136	B2-U0-G3
XWM-FT-LED-15L-27-80CRI	12,474	98	127	B2-U0-G3
XWM-FT-LED-15L-30-80CRI	13,489	98	138	B2-U0-G3
XWM-FT-LED-15L-35-80CRI	14,505	98	148	B2-U0-G3
XWM-FT-LED-15L-40-80CRI	14,126	98	144	B2-U0-G3
XWM-FT-LED-15L-50-80CRI	14,001	98	143	B2-U0-G3
XWM-2-LED-18L-27-80CRI	14,529	122	119	B3-U0-G2
XWM-2-LED-18L-30-80CRI	15,711	122	129	B3-U0-G3
XWM-2-LED-18L-35-80CRI	16,894	122	138	B3-U0-G3
XWM-2-LED-18L-40-80CRI	16,452	122	135	B3-U0-G3
XWM-2-LED-18L-50-80CRI	16,307	122	134	B3-U0-G3
XWM-3-LED-18L-27-80CRI	14,865	122	122	B2-U0-G2
XWM-3-LED-18L-30-80CRI	16,074	122	132	B3-U0-G3
XWM-3-LED-18L-35-80CRI	17,285	122	142	B3-U0-G3
XWM-3-LED-18L-40-80CRI	16,833	122	138	B3-U0-G3
XWM-3-LED-18L-50-80CRI	16,684	122	137	B3-U0-G3
XWM-4-LED-18L-27-80CRI	14,578	122	119	B2-U0-G3
XWM-4-LED-18L-30-80CRI	15,764	122	129	B2-U0-G3
XWM-4-LED-18L-35-80CRI	16,951	122	139	B2-U0-G3
XWM-4-LED-18L-40-80CRI	16,549	122	136	B2-U0-G3
XWM-4-LED-18L-50-80CRI	16,081	122	132	B2-U0-G3
XWM-FT-LED-18L-27-80CRI	14,819	122	121	B2-U0-G3
XWM-FT-LED-18L-30-80CRI	16,025	122	131	B3-U0-G3
XWM-FT-LED-18L-35-80CRI	17,231	122	141	B3-U0-G3
XWM-FT-LED-18L-40-80CRI	16,781	122	138	B3-U0-G3
XWM-FT-LED-18L-50-80CRI	16,633	122	136	B3-U0-G3
XWM-2-LED-21L-27-80CRI	17,167	150	114	B3-U0-G3
XWM-2-LED-21L-30-80CRI	18,564	150	124	B3-U0-G3
XWM-2-LED-21L-35-80CRI	19,961	150	133	B3-U0-G3
XWM-2-LED-21L-40-80CRI	19,439	150	130	B3-U0-G3
XWM-2-LED-21L-50-80CRI	19,268	150	128	B3-U0-G3
XWM-3-LED-21L-27-80CRI	17,563	150	117	B3-U0-G3
XWM-3-LED-21L-30-80CRI	18,993	150	127	B3-U0-G3
XWM-3-LED-21L-35-80CRI	20,422	150	136	B3-U0-G3
XWM-3-LED-21L-40-80CRI	19,888	150	133	B3-U0-G3
XWM-3-LED-21L-50-80CRI	19,713	150	131	B3-U0-G3
XWM-4-LED-21L-27-80CRI	17,001	150	113	B3-U0-G4
XWM-4-LED-21L-30-80CRI	18,385	150	123	B3-U0-G4
XWM-4-LED-21L-35-80CRI	19,768	150	132	B3-U0-G4
XWM-4-LED-21L-40-80CRI	19,301	150	129	B3-U0-G4
XWM-4-LED-21L-50-80CRI	18,754	150	125	B3-U0-G4



XWM-80CRI Mirada Medium Wall Sconce

XWM-80CRI PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
XWM-FT-LED-21L-27-80CRI	17,510	150	117	B3-U0-G3
XWM-FT-LED-21L-30-80CRI	18,935	150	126	B3-U0-G3
XWM-FT-LED-21L-35-80CRI	20,360	150	136	B3-U0-G3
XWM-FT-LED-21L-40-80CRI	19,828	150	132	B3-U0-G3
XWM-FT-LED-21L-50-80CRI	19,653	150	131	B3-U0-G3