



# ZONE Medium Outdoor LED Light

## ZNM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
ZNM-24L-4-30	24,396	160	152	B3-U0-G5
ZNM-24L-4-30-IH	18,898	160	118	B2-U0-G3
ZNM-24L-4-30-IL	15,165	160	95	B1-U0-G3
ZNM-24L-4-40	25,600	160	160	B3-U0-G5
ZNM-24L-4-40-IH	19,830	160	124	B2-U0-G3
ZNM-24L-4-40-IL	15,913	160	99	B1-U0-G3
ZNM-24L-4-50	25,457	160	159	B3-U0-G5
ZNM-24L-4-50-IH	19,719	160	123	B2-U0-G3
ZNM-24L-4-50-IL	15,824	160	99	B1-U0-G3
ZNM-24L-CT-30	24,073	161	150	B3-U0-G2
ZNM-24L-CT-30-IH	19,387	160	121	B2-U0-G2
ZNM-24L-CT-30-IL	15,699	160	98	B0-U0-G2
ZNM-24L-CT-40	25,229	161	157	B3-U0-G3
ZNM-24L-CT-40-IH	20,127	160	126	B2-U0-G2
ZNM-24L-CT-40-IL	16,298	160	102	B0-U0-G2
ZNM-24L-CT-50	25,220	161	157	B3-U0-G3
ZNM-24L-CT-50-IH	20,099	160	126	B2-U0-G2
ZNM-24L-CT-50-IL	16,275	160	102	B0-U0-G2
ZNM-24L-FT-30	24,994	160	156	B3-U0-G3
ZNM-24L-FT-30-IH	17,832	160	111	B2-U0-G3
ZNM-24L-FT-30-IL	14,772	160	92	B1-U0-G3
ZNM-24L-FT-40	25,948	160	162	B3-U0-G3
ZNM-24L-FT-40-IH	18,513	160	116	B2-U0-G3
ZNM-24L-FT-40-IL	15,336	160	96	B1-U0-G3
ZNM-24L-FT-50	25,911	160	162	B3-U0-G3
ZNM-24L-FT-50-IH	18,486	160	116	B2-U0-G3
ZNM-24L-FT-50-IL	15,314	160	96	B1-U0-G3
ZNM-24L-LC-30	25,885	160	162	B3-U0-G4
ZNM-24L-LC-40	25,885	160	162	B3-U0-G4
ZNM-24L-LC-50	25,310	160	158	B3-U0-G4
ZNM-24L-RC-30	25,884	160	162	B3-U0-G4
ZNM-24L-RC-40	25,884	160	162	B3-U0-G4
ZNM-24L-RC-50	25,310	160	158	B3-U0-G4
ZNM-30L-4-30	30,631	213	144	B3-U0-G5
ZNM-30L-4-30-IH	23,727	213	111	B2-U0-G4
ZNM-30L-4-30-IL	19,040	213	89	B1-U0-G4
ZNM-30L-4-40	32,141	213	151	B3-U0-G5
ZNM-30L-4-40-IH	24,897	213	117	B2-U0-G4
ZNM-30L-4-40-IL	19,978	213	94	B1-U0-G4
ZNM-30L-4-50	31,961	213	150	B3-U0-G5
ZNM-30L-4-50-IH	24,758	213	116	B2-U0-G4
ZNM-30L-4-50-IL	19,867	213	93	B1-U0-G4
ZNM-30L-CT-30	30,362	213	143	B3-U0-G3
ZNM-30L-CT-30-IH	24,228	213	114	B2-U0-G2
ZNM-30L-CT-30-IL	19,619	213	92	B1-U0-G2
ZNM-30L-CT-40	31,820	213	149	B3-U0-G3
ZNM-30L-CT-40-IH	25,152	213	118	B2-U0-G3
ZNM-30L-CT-40-IL	20,367	213	96	B1-U0-G2
ZNM-30L-CT-50	31,808	213	149	B3-U0-G3
ZNM-30L-CT-50-IH	25,117	213	118	B2-U0-G3



# ZONE Medium Outdoor LED Light

## ZNM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
ZNM-30L-CT-50-IL	20,339	213	95	B1-U0-G2
ZNM-30L-FT-30	31,233	213	147	B4-U0-G4
ZNM-30L-FT-30-IH	22,284	213	105	B3-U0-G3
ZNM-30L-FT-30-IL	18,461	213	87	B1-U0-G3
ZNM-30L-FT-40	32,426	213	152	B4-U0-G4
ZNM-30L-FT-40-IH	23,135	213	109	B3-U0-G3
ZNM-30L-FT-40-IL	19,165	213	90	B1-U0-G3
ZNM-30L-FT-50	32,380	213	152	B4-U0-G4
ZNM-30L-FT-50-IH	23,102	213	108	B3-U0-G3
ZNM-30L-FT-50-IL	19,138	213	90	B1-U0-G3
ZNM-30L-LC-30	32,498	213	153	B3-U0-G5
ZNM-30L-LC-40	32,498	213	153	B3-U0-G5
ZNM-30L-LC-50	31,777	213	149	B3-U0-G5
ZNM-30L-RC-30	32,498	213	153	B3-U0-G5
ZNM-30L-RC-40	32,498	213	153	B3-U0-G5
ZNM-30L-RC-50	31,777	213	149	B3-U0-G5
ZNM-36L-4-30	35,403	255	139	B3-U0-G5
ZNM-36L-4-30-IH	27,424	255	108	B2-U0-G4
ZNM-36L-4-30-IL	22,006	255	86	B1-U0-G4
ZNM-36L-4-40	37,148	255	146	B4-U0-G5
ZNM-36L-4-40-IH	28,776	255	113	B2-U0-G4
ZNM-36L-4-40-IL	23,091	255	91	B1-U0-G4
ZNM-36L-4-50	36,941	255	145	B3-U0-G5
ZNM-36L-4-50-IH	28,615	255	112	B2-U0-G4
ZNM-36L-4-50-IL	22,962	255	90	B1-U0-G4
ZNM-36L-CT-30	35,163	255	138	B3-U0-G3
ZNM-36L-CT-30-IH	28,392	254	112	B3-U0-G3
ZNM-36L-CT-30-IL	22,991	254	91	B1-U0-G3
ZNM-36L-CT-40	36,851	255	145	B3-U0-G3
ZNM-36L-CT-40-IH	29,476	254	116	B3-U0-G3
ZNM-36L-CT-40-IL	23,868	254	94	B1-U0-G3
ZNM-36L-CT-50	36,837	255	144	B3-U0-G3
ZNM-36L-CT-50-IH	29,434	254	116	B3-U0-G3
ZNM-36L-CT-50-IL	23,834	254	94	B1-U0-G3
ZNM-36L-FT-30	36,602	254	144	B4-U0-G4
ZNM-36L-FT-30-IH	26,115	254	103	B3-U0-G4
ZNM-36L-FT-30-IL	21,634	254	85	B1-U0-G4
ZNM-36L-FT-40	38,000	254	150	B4-U0-G4
ZNM-36L-FT-40-IH	27,111	254	107	B3-U0-G4
ZNM-36L-FT-40-IL	22,460	254	88	B1-U0-G4
ZNM-36L-FT-50	37,946	254	149	B4-U0-G4
ZNM-36L-FT-50-IH	27,073	254	107	B3-U0-G4
ZNM-36L-FT-50-IL	22,428	254	88	B1-U0-G4
ZNM-36L-LC-30	37,561	255	147	B3-U0-G5
ZNM-36L-LC-40	37,561	255	147	B3-U0-G5
ZNM-36L-LC-50	36,728	255	144	B3-U0-G5
ZNM-36L-RC-30	37,561	255	147	B3-U0-G5
ZNM-36L-RC-40	37,561	255	147	B3-U0-G5
ZNM-36L-RC-50	36,727	255	144	B3-U0-G5



# ZONE Medium Outdoor LED Light

## ZNM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
ZNM-42L-4-30	41,453	314	132	B4-U0-G5
ZNM-42L-4-30-IH	32,110	314	102	B2-U0-G4
ZNM-42L-4-30-IL	25,767	314	82	B1-U0-G4
ZNM-42L-4-40	43,497	314	139	B4-U0-G5
ZNM-42L-4-40-IH	33,694	314	107	B3-U0-G4
ZNM-42L-4-40-IL	27,037	314	86	B1-U0-G4
ZNM-42L-4-50	43,254	314	138	B4-U0-G5
ZNM-42L-4-50-IH	33,505	314	107	B3-U0-G4
ZNM-42L-4-50-IL	26,886	314	86	B1-U0-G4
ZNM-42L-CT-30	41,185	314	131	B3-U0-G3
ZNM-42L-CT-30-IH	32,952	314	105	B3-U0-G3
ZNM-42L-CT-30-IL	26,683	314	85	B1-U0-G3
ZNM-42L-CT-40	43,162	314	137	B3-U0-G3
ZNM-42L-CT-40-IH	34,209	314	109	B3-U0-G3
ZNM-42L-CT-40-IL	27,701	314	88	B1-U0-G3
ZNM-42L-CT-50	43,145	314	137	B3-U0-G3
ZNM-42L-CT-50-IH	34,161	314	109	B3-U0-G3
ZNM-42L-CT-50-IL	27,662	314	88	B1-U0-G3
ZNM-42L-FT-30	42,481	314	135	B4-U0-G4
ZNM-42L-FT-30-IH	30,308	314	97	B3-U0-G4
ZNM-42L-FT-30-IL	25,108	314	80	B1-U0-G4
ZNM-42L-FT-40	44,103	314	140	B4-U0-G4
ZNM-42L-FT-40-IH	31,465	314	100	B3-U0-G4
ZNM-42L-FT-40-IL	26,067	314	83	B1-U0-G4
ZNM-42L-FT-50	44,040	314	140	B4-U0-G4
ZNM-42L-FT-50-IH	31,421	314	100	B3-U0-G4
ZNM-42L-FT-50-IL	26,030	314	83	B1-U0-G4
ZNM-42L-LC-30	43,981	314	140	B4-U0-G5
ZNM-42L-LC-40	43,981	314	140	B4-U0-G5
ZNM-42L-LC-50	43,005	314	137	B4-U0-G5
ZNM-42L-RC-30	43,980	314	140	B3-U0-G5
ZNM-42L-RC-40	43,980	314	140	B3-U0-G5
ZNM-42L-RC-50	43,004	314	137	B3-U0-G5
ZNM-48L-4-30	46,006	366	126	B4-U0-G5
ZNM-48L-4-30-IH	35,637	366	97	B3-U0-G5
ZNM-48L-4-30-IL	28,597	366	78	B1-U0-G4
ZNM-48L-4-40	48,275	366	132	B4-U0-G5
ZNM-48L-4-40-IH	37,395	366	102	B3-U0-G5
ZNM-48L-4-40-IL	30,007	366	82	B1-U0-G4
ZNM-48L-4-50	48,005	366	131	B4-U0-G5
ZNM-48L-4-50-IH	37,186	366	102	B3-U0-G5
ZNM-48L-4-50-IL	29,840	366	82	B1-U0-G4
ZNM-48L-CT-30	46,184	367	126	B4-U0-G3
ZNM-48L-CT-30-IH	36,242	366	99	B3-U0-G3
ZNM-48L-CT-30-IL	29,348	366	80	B1-U0-G3
ZNM-48L-CT-40	48,402	367	132	B4-U0-G3
ZNM-48L-CT-40-IH	37,626	366	103	B3-U0-G3
ZNM-48L-CT-40-IL	30,468	366	83	B1-U0-G3
ZNM-48L-CT-50	48,383	367	132	B4-U0-G3
ZNM-48L-CT-50-IH	37,573	366	103	B3-U0-G3



# ZONE Medium Outdoor LED Light

## ZNM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
ZNM-48L-CT-50-IL	30,425	366	83	B1-U0-G3
ZNM-48L-FT-30	46,723	366	128	B4-U0-G5
ZNM-48L-FT-30-IH	33,335	366	91	B3-U0-G4
ZNM-48L-FT-30-IL	27,616	366	75	B1-U0-G4
ZNM-48L-FT-40	48,507	366	133	B4-U0-G5
ZNM-48L-FT-40-IH	34,608	366	95	B3-U0-G4
ZNM-48L-FT-40-IL	28,670	366	78	B1-U0-G4
ZNM-48L-FT-50	48,438	366	132	B4-U0-G5
ZNM-48L-FT-50-IH	34,558	366	94	B3-U0-G4
ZNM-48L-FT-50-IL	28,629	366	78	B1-U0-G4
ZNM-48L-LC-30	48,812	366	133	B4-U0-G5
ZNM-48L-LC-40	48,812	366	133	B4-U0-G5
ZNM-48L-LC-50	47,729	366	130	B4-U0-G5
ZNM-48L-RC-30	48,811	366	133	B4-U0-G5
ZNM-48L-RC-40	48,811	366	133	B4-U0-G5
ZNM-48L-RC-50	47,728	366	130	B4-U0-G5
ZNM-55L-4-30	51,635	435	119	B4-U0-G5
ZNM-55L-4-30-IH	39,998	435	92	B3-U0-G5
ZNM-55L-4-30-IL	32,096	435	74	B1-U0-G5
ZNM-55L-4-40	54,181	435	125	B4-U0-G5
ZNM-55L-4-40-IH	41,971	435	96	B3-U0-G5
ZNM-55L-4-40-IL	33,678	435	77	B1-U0-G5
ZNM-55L-4-50	53,878	435	124	B4-U0-G5
ZNM-55L-4-50-IH	41,736	435	96	B3-U0-G5
ZNM-55L-4-50-IL	33,490	435	77	B1-U0-G5
ZNM-55L-CT-30	51,093	436	117	B4-U0-G3
ZNM-55L-CT-30-IH	40,596	438	93	B3-U0-G3
ZNM-55L-CT-30-IL	32,873	438	75	B1-U0-G3
ZNM-55L-CT-40	53,546	436	123	B4-U0-G3
ZNM-55L-CT-40-IH	42,146	438	96	B3-U0-G3
ZNM-55L-CT-40-IL	34,128	438	78	B1-U0-G3
ZNM-55L-CT-50	53,525	436	123	B4-U0-G3
ZNM-55L-CT-50-IH	42,086	438	96	B3-U0-G3
ZNM-55L-CT-50-IL	34,080	438	78	B1-U0-G3
ZNM-55L-FT-30	50,539	438	115	B4-U0-G5
ZNM-55L-FT-30-IH	36,057	438	82	B3-U0-G4
ZNM-55L-FT-30-IL	29,870	438	68	B1-U0-G4
ZNM-55L-FT-40	52,468	438	120	B4-U0-G5
ZNM-55L-FT-40-IH	37,434	438	85	B3-U0-G4
ZNM-55L-FT-40-IL	31,010	438	71	B1-U0-G4
ZNM-55L-FT-50	52,394	438	120	B4-U0-G5
ZNM-55L-FT-50-IH	37,380	438	85	B3-U0-G4
ZNM-55L-FT-50-IL	30,967	438	71	B1-U0-G4
ZNM-55L-LC-30	54,113	438	124	B4-U0-G5
ZNM-55L-LC-40	54,113	438	124	B4-U0-G5
ZNM-55L-LC-50	52,913	438	121	B4-U0-G5
ZNM-55L-RC-30	54,113	438	124	B4-U0-G5
ZNM-55L-RC-40	54,113	438	124	B4-U0-G5
ZNM-55L-RC-50	52,912	438	121	B4-U0-G5