Installation and Assembly Instructions Mirada Bollard (MRB) Series





Risk of fire, electric shock, injury or property damage

Risk of electric shock--Disconnect power to equipment before installing or servicing.

This equipment must be installed according to all applicable codes & ordinances.

Installation and service of this equipment must be performed by qualified service personnel.

Do not install damaged equipment.

Read these instructions before installing, servicing or maintaining this equipment.

Save these instructions for maintaining and servicing.

! CAUTION

Failure to follow instructions or altering equipment could result in damage and void warranty.


Edges may cut--wear gloves while handling or servicing this equipment.

Inspect equipment for damage from shipping and handling.


LUMINAIRE INSPECTION


1. Remove the luminaire from the carton and inspect luminaire for damage. Do not install a damaged luminaire.

WIRING INFORMATION




Installation Questions
Call LSI Field Service Dept.
800-436-7800 ext. 3300





Installation and Assembly Instructions Mirada Bollard (MRB) Series



Step 1 (Foundation and Anchor Bolts), Fig. 1, 2, & 3


 Install anchor bolts and electrical conduit in the concrete per the template making sure base and bollard are <u>oriented for desired light distribution</u> <u>pattern</u>.


Step 2 (Base Plate Attachment), Fig. 1 & 2


1. Attach Base Plate to Anchor Bolts using nuts and washers provided making sure base is level.

Step 3 (Wiring and Bollard Attachment), Fig. 3

- 1. Make primary electrical connections.
- 2. Place Bollard on Base Plate and attach using Base Pins provided. CAUTION: Take care when driving Base Pins in Base so paint is not damaged.







LSI Industries Inc. 10000 Alliance Rd. Cincinnati, OH 45242 www.lsi-industries.com 696045 Rev. 11-08-18

LSI Industries Inc. 10000 Alliance Rd. Cincinnati, OH 45242 www.lsi-industries.com 696045 Rev. 11-08-18