



RHB Series

LED Round High Bay




LED ROUND HIGH BAY

18,000 • 24,000 • 30,000 Lumens

- Best-in-class energy efficiency
- Many output levels
- Wireless controls
- Virtually maintenance free
- Innovative retrofit options to replace out-dated fixtures
- Comfortable, safe lighting
- Hybrid distributions offer safer extended light path
- Smart styling complements facility
- Motion control available



Dimensions



Luminaire Ordering Guide

TYPICAL ORDER EXAMPLE: RHB LED 18L UNV DIM 40 BLK

Luminaire Prefix	Light Source	Lumen Package	Lens	Distribution	Line Voltage	Driver	Color Temp	CRI	Finish
RHB - LED Round High Bay	LED	18L - 18,000 lumens 24L - 24,000 lumens 30L - 30,000 lumens	Blank - Glass	Blank - Wide	UNV - Universal Voltage (120V - 277V) HV - High Voltage (347V-480V)	DIM - Dim to 10% (0-10V)	40 - 4000K 50 - 5000K	Blank - 80 CRI	BLK - Black WHT - White



Delivered Lumens*

4000K CCT			
	RHB LED 18L	RHB LED 24L	RHB LED 30L
Lumens:	19,554	23,971	29,872
Watts:	147	178	231
Lumens/Watt:	133	135	129
CRI:	84	84	84
CCT:	4000	4000	4000
Life Span:	50,000+ hrs. ¹	50,000+ hrs. ¹	50,000+ hrs. ¹

*LED Chips are frequently updated therefore values are nominal

5000K CCT			
	RHB LED 18L	RHB LED 24L	RHB LED 30L
Lumens:	19,567	24,019	29,930
Watts:	147	178	231
Lumens/Watt:	133	135	130
CRI:	85	85	85
CCT:	5000	5000	5000
Life Span:	50,000+ hrs. ¹	50,000+ hrs. ¹	50,000+ hrs. ¹

¹LED Life Span Based Upon LM-80 Test Results

OPTICAL ACCESSORIES



RHB16AL
Spun Aluminum Reflector



RHB16FGC
16" Flat Glass and Clamp Band



RHB16WG
16" Wireguard



RHB16AC
Prismatic Acrylic Refractor



RHB16CPA
16" Conical Lens and Clamp Band

PENDANT MOUNT



Pendant Mount Adapter fits 3/4" NPT





www.lsi-industries.com/rhb



Phone 513.793.3200
Fax 866.316.7126

LSI Industries Inc
10000 Alliance Road
Cincinnati, Ohio 45242



©2019 LSI Industries Inc.
Printed in U.S.A.

455-BR-157 04/19