

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) CRUS-SC-HO-50

Fixture Lumens: 19,071

Fixture Watts: 125

Lumens/Watt: 153

Mounting Height: 15'

Calculation Summary

Canopy Average: 65.63

Pump Average Inner: 38.71


Pump Average Outer: 24.26

Transition Average: 8.27

Total Watts: 3000

Watts/sq.ft.: 0.83

Lumens/sq.ft. : 125.1



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) CRUS-SC-HO-50

Fixture Lumens: 19,071

Fixture Watts: 125

Lumens/Watt: 153

Mounting Height: 15'

Calculation Summary

Canopy Average: 65.63

Pump Average Inner: 38.71


Pump Average Outer: 24.26

Transition Average: 8.27

Total Watts: 3000

Watts/sq.ft.: 0.83

Lumens/sq.ft. : 125.1



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) CRUS-SC-HO-50

Fixture Lumens: 19,071

Fixture Watts: 125

Lumens/Watt: 153

Mounting Height: 15'

Calculation Summary

Canopy Average: 65.63

Pump Average Inner: 38.71

Pump Average Outer: 24.26

Transition Average: 8.27

Total Watts: 3000

Watts/sq.ft.: 0.83

Lumens/sq.ft. : 125.1

