

Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

Calculation Summary

Canopy Average: 26.55

Pump Average Inner: 16.15


Pump Average Outer: 10.18

Transition Average: 2.10

Total Watts: 664.8

Watts/sq.ft.: 0.37

Lumens/sq.ft. : 53.9



Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

Calculation Summary

Canopy Average: 26.55

Pump Average Inner: 16.15


Pump Average Outer: 10.18

Transition Average: 2.10

Total Watts: 664.8

Watts/sq.ft.: 0.37

Lumens/sq.ft. : 53.9



Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

Calculation Summary

Canopy Average: 26.55

Pump Average Inner: 16.15

Pump Average Outer: 10.18

Transition Average: 2.10

Total Watts: 664.8

Watts/sq.ft.: 0.37

Lumens/sq.ft. : 53.9



SCM

