

Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 43.34

Pump Average Inner: 26.38


Pump Average Outer: 16.69

Transition Average: 3.42

Total Watts: 1016.4

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 88



Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 43.34

Pump Average Inner: 26.38


Pump Average Outer: 16.69

Transition Average: 3.42

Total Watts: 1016.4

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 88



Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 43.34

Pump Average Inner: 26.38

Pump Average Outer: 16.69

Transition Average: 3.42

Total Watts: 1016.4

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 88



SCM

