

Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(8) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 27.59

Pump Average Inner: 14.90


Pump Average Outer: 16.47

Transition Average: 2.26

Total Watts: 677.6

Watts/sq.ft.: 0.38

Lumens/sq.ft. : 58.7



Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(8) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 27.59

Pump Average Inner: 14.90


Pump Average Outer: 16.47

Transition Average: 2.26

Total Watts: 677.6

Watts/sq.ft.: 0.38

Lumens/sq.ft. : 58.7



Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(8) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 27.59

Pump Average Inner: 14.90

Pump Average Outer: 16.47

Transition Average: 2.26

Total Watts: 677.6

Watts/sq.ft.: 0.38

Lumens/sq.ft. : 58.7

