

# Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (12) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 53.64

Pump Average Inner: 32.04


Pump Average Outer: 20.71

Transition Average: 3.86

Total Watts: 1333

Watts/sq.ft.: 0.75

Lumens/sq.ft. : 106





# Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (12) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 53.64

Pump Average Inner: 32.04


Pump Average Outer: 20.71

Transition Average: 3.86

Total Watts: 1333

Watts/sq.ft.: 0.75

Lumens/sq.ft. : 106



# Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (12) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 53.64

Pump Average Inner: 32.04

Pump Average Outer: 20.71

Transition Average: 3.86

Total Watts: 1333

Watts/sq.ft.: 0.75

Lumens/sq.ft. : 106



SCM

