

Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(8) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

Calculation Summary

Canopy Average: 34.14

Pump Average Inner: 18.13


Pump Average Outer: 20.46

Transition Average: 2.55

Total Watts: 889

Watts/sq.ft.: 0.50

Lumens/sq.ft. : 70



Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(8) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

Calculation Summary

Canopy Average: 34.14

Pump Average Inner: 18.13


Pump Average Outer: 20.46

Transition Average: 2.55

Total Watts: 889

Watts/sq.ft.: 0.50

Lumens/sq.ft. : 70



Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(8) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

Calculation Summary

Canopy Average: 34.14

Pump Average Inner: 18.13

Pump Average Outer: 20.46

Transition Average: 2.55

Total Watts: 889

Watts/sq.ft.: 0.50

Lumens/sq.ft. : 70

