

Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 65.95

Pump Average Inner: 40.37


Pump Average Outer: 25.32

Transition Average: 5.30

Total Watts: 1746

Watts/sq.ft.: 0.98

Lumens/sq.ft. : 135



Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 65.95

Pump Average Inner: 40.37


Pump Average Outer: 25.32

Transition Average: 5.30

Total Watts: 1746

Watts/sq.ft.: 0.98

Lumens/sq.ft. : 135



Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 65.95

Pump Average Inner: 40.37

Pump Average Outer: 25.32

Transition Average: 5.30

Total Watts: 1746

Watts/sq.ft.: 0.98

Lumens/sq.ft. : 135



SCM

