

# Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (8) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

## Calculation Summary

Canopy Average: 42.01

Pump Average Inner: 22.80


Pump Average Outer: 25.00

Transition Average: 3.50

Total Watts: 1164

Watts/sq.ft.: 0.66

Lumens/sq.ft. : 90



# Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (8) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

## Calculation Summary

Canopy Average: 42.01

Pump Average Inner: 22.80


Pump Average Outer: 25.00

Transition Average: 3.50

Total Watts: 1164

Watts/sq.ft.: 0.66

Lumens/sq.ft. : 90



# Canopy Style: 3 x 1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (8) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

## Calculation Summary

Canopy Average: 42.01

Pump Average Inner: 22.80

Pump Average Outer: 25.00

Transition Average: 3.50

Total Watts: 1164

Watts/sq.ft.: 0.66

Lumens/sq.ft. : 90



SCM

