

# Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

## Calculation Summary

Canopy Average: 27.41

Pump Average Inner: 16.41


Pump Average Outer: 10.11

Transition Average: 2.69

Total Watts: 886.4

Watts/sq.ft.: 0.37

Lumens/sq.ft. : 53.76



# Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

## Calculation Summary

Canopy Average: 27.41

Pump Average Inner: 16.41


Pump Average Outer: 10.11

Transition Average: 2.69

Total Watts: 886.4

Watts/sq.ft.: 0.37

Lumens/sq.ft. : 53.76



# Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

## Calculation Summary

Canopy Average: 27.41

Pump Average Inner: 16.41

Pump Average Outer: 10.11

Transition Average: 2.69

Total Watts: 886.4

Watts/sq.ft.: 0.37

Lumens/sq.ft. : 53.76



SCM

