

# Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 44.75

Pump Average Inner: 26.79


Pump Average Outer: 16.55

Transition Average: 4.39

Total Watts: 1355.2

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 87.8





# Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 44.75

Pump Average Inner: 26.79


Pump Average Outer: 16.55

Transition Average: 4.39

Total Watts: 1355.2

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 87.8



# Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 44.75

Pump Average Inner: 26.79

Pump Average Outer: 16.55

Transition Average: 4.39

Total Watts: 1355.2

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 87.8



SCM

