

Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(10) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 27.15

Pump Average Inner: 15.12


Pump Average Outer: 16.35

Transition Average: 2.70

Total Watts: 847

Watts/sq.ft.: 0.36

Lumens/sq.ft. : 54.9



Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(10) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 27.15

Pump Average Inner: 15.12


Pump Average Outer: 16.35

Transition Average: 2.70

Total Watts: 847

Watts/sq.ft.: 0.36

Lumens/sq.ft. : 54.9



Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(10) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 27.15

Pump Average Inner: 15.12

Pump Average Outer: 16.35

Transition Average: 2.70

Total Watts: 847

Watts/sq.ft.: 0.36

Lumens/sq.ft. : 54.9

