

# Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 55.32

Pump Average Inner: 32.55


Pump Average Outer: 20.55

Transition Average: 4.97

Total Watts: 1778

Watts/sq.ft.: 0.75

Lumens/sq.ft. : 105





# Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 55.32

Pump Average Inner: 32.55


Pump Average Outer: 20.55

Transition Average: 4.97

Total Watts: 1778

Watts/sq.ft.: 0.75

Lumens/sq.ft. : 105



# Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 55.32

Pump Average Inner: 32.55

Pump Average Outer: 20.55

Transition Average: 4.97

Total Watts: 1778

Watts/sq.ft.: 0.75

Lumens/sq.ft. : 105

