

# Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

## Calculation Summary

Canopy Average: 68.13

Pump Average Inner: 41.01


Pump Average Outer: 25.13

Transition Average: 6.81

Total Watts: 2328

Watts/sq.ft.: 0.98

Lumens/sq.ft. : 134.6



# Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

## Calculation Summary

Canopy Average: 68.13

Pump Average Inner: 41.01


Pump Average Outer: 25.13

Transition Average: 6.81

Total Watts: 2328

Watts/sq.ft.: 0.98

Lumens/sq.ft. : 134.6



# Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

## Calculation Summary

Canopy Average: 68.13

Pump Average Inner: 41.01

Pump Average Outer: 25.13

Transition Average: 6.81

Total Watts: 2328

Watts/sq.ft.: 0.98

Lumens/sq.ft. : 134.6



SCM

