

Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(10) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 41.36

Pump Average Inner: 23.15


Pump Average Outer: 24.82

Transition Average: 4.18

Total Watts: 1455

Watts/sq.ft.: 0.61

Lumens/sq.ft. : 84



Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(10) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 41.36

Pump Average Inner: 23.15


Pump Average Outer: 24.82

Transition Average: 4.18

Total Watts: 1455

Watts/sq.ft.: 0.61

Lumens/sq.ft. : 84



Canopy Style: 4 x 1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(10) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 41.36

Pump Average Inner: 23.15

Pump Average Outer: 24.82

Transition Average: 4.18

Total Watts: 1455

Watts/sq.ft.: 0.61

Lumens/sq.ft. : 84

