

# Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

## Calculation Summary

Canopy Average: 24.53

Pump Average Inner: 16.05


Pump Average Outer: 10.19

Transition Average: N/A

Total Watts: 942

Watts/sq.ft.: 0.33

Lumens/sq.ft. : 47



# Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

## Calculation Summary

Canopy Average: 24.53

Pump Average Inner: 16.05


Pump Average Outer: 10.19

Transition Average: N/A

Total Watts: 942

Watts/sq.ft.: 0.33

Lumens/sq.ft. : 47



# Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

## Calculation Summary

Canopy Average: 24.53

Pump Average Inner: 16.05

Pump Average Outer: 10.19

Transition Average: N/A

Total Watts: 942

Watts/sq.ft.: 0.33

Lumens/sq.ft. : 47

