

Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 27.41

Pump Average Inner: 14.82


Pump Average Outer: 16.37

Transition Average: N/A

Total Watts: 1016.4

Watts/sq.ft.: 0.35

Lumens/sq.ft. : 54.3



Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 27.41

Pump Average Inner: 14.82


Pump Average Outer: 16.37

Transition Average: N/A

Total Watts: 1016.4

Watts/sq.ft.: 0.35

Lumens/sq.ft. : 54.3



Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 27.41

Pump Average Inner: 14.82

Pump Average Outer: 16.37

Transition Average: N/A

Total Watts: 1016.4

Watts/sq.ft.: 0.35

Lumens/sq.ft. : 54.3

