

# Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 49.48

Pump Average Inner: 31.83


Pump Average Outer: 20.73

Transition Average: N/A

Total Watts: 1889

Watts/sq.ft.: 0.66

Lumens/sq.ft. : 92





# Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 49.48

Pump Average Inner: 31.83


Pump Average Outer: 20.73

Transition Average: N/A

Total Watts: 1889

Watts/sq.ft.: 0.66

Lumens/sq.ft. : 92



# Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 49.48

Pump Average Inner: 31.83

Pump Average Outer: 20.73

Transition Average: N/A

Total Watts: 1889

Watts/sq.ft.: 0.66

Lumens/sq.ft. : 92



SCM

