

Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

Calculation Summary

Canopy Average: 33.88

Pump Average Inner: 18.03


Pump Average Outer: 20.33

Transition Average: N/A

Total Watts: 1333

Watts/sq.ft.: 0.46

Lumens/sq.ft. : 65



Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

Calculation Summary

Canopy Average: 33.88

Pump Average Inner: 18.03


Pump Average Outer: 20.33

Transition Average: N/A

Total Watts: 1333

Watts/sq.ft.: 0.46

Lumens/sq.ft. : 65



Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

Calculation Summary

Canopy Average: 33.88

Pump Average Inner: 18.03

Pump Average Outer: 20.33

Transition Average: N/A

Total Watts: 1333

Watts/sq.ft.: 0.46

Lumens/sq.ft. : 65

