

# Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

## Calculation Summary

Canopy Average: 61.00

Pump Average Inner: 40.11


Pump Average Outer: 25.35

Transition Average: N/A

Total Watts: 2473.5

Watts/sq.ft.: 0.86

Lumens/sq.ft. : 118



# Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

## Calculation Summary

Canopy Average: 61.00

Pump Average Inner: 40.11


Pump Average Outer: 25.35

Transition Average: N/A

Total Watts: 2473.5

Watts/sq.ft.: 0.86

Lumens/sq.ft. : 118



# Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

## Calculation Summary

Canopy Average: 61.00

Pump Average Inner: 40.11

Pump Average Outer: 25.35

Transition Average: N/A

Total Watts: 2473.5

Watts/sq.ft.: 0.86

Lumens/sq.ft. : 118



SCM

