

Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 41.76

Pump Average Inner: 22.69


Pump Average Outer: 24.84

Transition Average: N/A

Total Watts: 1746

Watts/sq.ft.: 0.61

Lumens/sq.ft. : 83.3



Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 41.76

Pump Average Inner: 22.69


Pump Average Outer: 24.84

Transition Average: N/A

Total Watts: 1746

Watts/sq.ft.: 0.61

Lumens/sq.ft. : 83.3



Canopy Style: 4 x 1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 41.76

Pump Average Inner: 22.69

Pump Average Outer: 24.84

Transition Average: N/A

Total Watts: 1746

Watts/sq.ft.: 0.61

Lumens/sq.ft. : 83.3



SCM

