

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

Calculation Summary

Canopy Average: 27.81

Pump Average Inner: 16.30


Pump Average Outer: 10.19

Transition Average: 3.42

Total Watts: 1329.6

Watts/sq.ft.: 0.37

Lumens/sq.ft. : 53.2



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

Calculation Summary

Canopy Average: 27.81

Pump Average Inner: 16.30


Pump Average Outer: 10.19

Transition Average: 3.42

Total Watts: 1329.6

Watts/sq.ft.: 0.37

Lumens/sq.ft. : 53.2



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

Calculation Summary

Canopy Average: 27.81

Pump Average Inner: 16.30

Pump Average Outer: 10.19

Transition Average: 3.42

Total Watts: 1329.6

Watts/sq.ft.: 0.37

Lumens/sq.ft. : 53.2

