

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 45.39

Pump Average Inner: 26.60


Pump Average Outer: 16.68

Transition Average: 5.59

Total Watts: 2032.8

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 86.9



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 45.39

Pump Average Inner: 26.60


Pump Average Outer: 16.68

Transition Average: 5.59

Total Watts: 2032.8

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 86.9



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 45.39

Pump Average Inner: 26.60

Pump Average Outer: 16.68

Transition Average: 5.59

Total Watts: 2032.8

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 86.9

