

# Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

## (14) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 26.12

Pump Average Inner: 14.93


Pump Average Outer: 16.45

Transition Average: 3.04

Total Watts: 1185.6

Watts/sq.ft.: 0.33

Lumens/sq.ft. : 50.7



# Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

## (14) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 26.12

Pump Average Inner: 14.93


Pump Average Outer: 16.45

Transition Average: 3.04

Total Watts: 1185.6

Watts/sq.ft.: 0.33

Lumens/sq.ft. : 50.7





# Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

## (14) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 26.12

Pump Average Inner: 14.93

Pump Average Outer: 16.45

Transition Average: 3.04

Total Watts: 1185.6

Watts/sq.ft.: 0.33

Lumens/sq.ft. : 50.7

