

# Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

## (24) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 56.09

Pump Average Inner: 32.32


Pump Average Outer: 20.71

Transition Average: 6.32

Total Watts: 2666

Watts/sq.ft.: 0.74

Lumens/sq.ft. : 104



# Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

## (24) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 56.09

Pump Average Inner: 32.32


Pump Average Outer: 20.71

Transition Average: 6.32

Total Watts: 2666

Watts/sq.ft.: 0.74

Lumens/sq.ft. : 104



# Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

## (24) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 56.09

Pump Average Inner: 32.32

Pump Average Outer: 20.71

Transition Average: 6.32

Total Watts: 2666

Watts/sq.ft.: 0.74

Lumens/sq.ft. : 104

