

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

Calculation Summary

Canopy Average: 32.29

Pump Average Inner: 18.17


Pump Average Outer: 20.43

Transition Average: 3.44

Total Watts: 1555

Watts/sq.ft.: 0.43

Lumens/sq.ft. : 61



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

Calculation Summary

Canopy Average: 32.29

Pump Average Inner: 18.17


Pump Average Outer: 20.43

Transition Average: 3.44

Total Watts: 1555

Watts/sq.ft.: 0.43

Lumens/sq.ft. : 61



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

Calculation Summary

Canopy Average: 32.29

Pump Average Inner: 18.17

Pump Average Outer: 20.43

Transition Average: 3.44

Total Watts: 1555

Watts/sq.ft.: 0.43

Lumens/sq.ft. : 61

