

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 39.79

Pump Average Inner: 22.84


Pump Average Outer: 24.98

Transition Average: 4.72

Total Watts: 2037

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 77.7



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 39.79

Pump Average Inner: 22.84


Pump Average Outer: 24.98

Transition Average: 4.72

Total Watts: 2037

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 77.7



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 39.79

Pump Average Inner: 22.84

Pump Average Outer: 24.98

Transition Average: 4.72

Total Watts: 2037

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 77.7

