

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

Calculation Summary

Canopy Average: 25.69

Pump Average Inner: 16.24


Pump Average Outer: 10.09

Transition Average: N/A

Total Watts: 1385

Watts/sq.ft.: 0.34

Lumens/sq.ft. : 48.9



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

Calculation Summary

Canopy Average: 25.69

Pump Average Inner: 16.24


Pump Average Outer: 10.09

Transition Average: N/A

Total Watts: 1385

Watts/sq.ft.: 0.34

Lumens/sq.ft. : 48.9



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCM-LED-08L-SC-50

Fixture Lumens: 7,983

Fixture Watts: 55.4

Lumens/Watt: 144

Mounting Height: 15'

Calculation Summary

Canopy Average: 25.69

Pump Average Inner: 16.24

Pump Average Outer: 10.09

Transition Average: N/A

Total Watts: 1385

Watts/sq.ft.: 0.34

Lumens/sq.ft. : 48.9

