

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 41.95

Pump Average Inner: 26.53


Pump Average Outer: 16.54

Transition Average: N/A

Total Watts: 2117.5

Watts/sq.ft.: 0.52

Lumens/sq.ft. : 79.9



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 41.95

Pump Average Inner: 26.53


Pump Average Outer: 16.54

Transition Average: N/A

Total Watts: 2117.5

Watts/sq.ft.: 0.52

Lumens/sq.ft. : 79.9



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 41.95

Pump Average Inner: 26.53

Pump Average Outer: 16.54

Transition Average: N/A

Total Watts: 2117.5

Watts/sq.ft.: 0.52

Lumens/sq.ft. : 79.9

